



# Commodities at a Glance

2025





Ancra.....	1-2	Kimberly-Clark.....	49-51
Armor All.....	3-4	Little Trees.....	52
Bernzomatic .....	5	Loctite .....	53-55
Cliplight.....	6-7	Lucas .....	57-58
Continental.....	8	M2 Professional.....	59-60
CPS.....	9-10	Milton .....	61-64
CRC.....	11-12	Mobil1 .....	65
Dayco.....	13	MotorVac .....	9-10
Dominion Sure Seal.....	14-16	NLS Products.....	66-68
Docap.....	17	Norton .....	69-71
Dupli-Color .....	18	Permatex.....	72-75
Energizer .....	19	Phillips & Temro.....	76-79
Fiamm.....	20	Pico .....	80-82
FMSI.....	21-24	Prestone .....	83-86
Gorilla / Okeeffe's.....	25	Rislone .....	87-90
GPI.....	27-28	Rust Check.....	91
Grote .....	29-34	Sylvania.....	92-93
Groupe BBH.....	35-36	Triple C Rubber & Plastics.....	94
Hopkins .....	37-38	Total.....	95-98
H Paulin .....	39	UView.....	9-10
Irontite .....	40	Walker .....	99-102
Irving Blending & Packaging .....	45-44	WD-40.....	103-105
Irwin Tools / Lenox .....	45-46	Worx Environmental Products.....	106
JB Weld .....	47-48	Bestbuy Pro Cleaning Products.....	107



CARGO CONTROL PRODUCTS

Winches		
PART#	DESCRIPTION	WEIGHT
42313-10	Standard Winch Bar	5.0lbs / 2.27kg
42313-12	Standard Combination Box End	6.5lbs / 2.95kg
48101-143	Bottom Mount 3-Bar, Weld-On	11.3 lbs./5.13 kg WLL: 6,000 lbs./2,730 kg
48101-103	Side Mount 3-Bar, Weld-On	9.5 lbs./4.3 kg WLL: 6,000 lbs./2,730 kg
43565-127	Web Storable Bottom Mount C Track Slider	8.3 lbs./3.8 kg. WLL: 6,000 lbs./2,730 kg



Winch Straps WLL: 5,400 lbs. / 2,450 kg	
PART#	SIZE
41660-14-30	3-in. x 30-ft. Winch Strap w/ Chain Anchor
43795-11-30	4-in. x 30-ft. Winch Strap w/ Delta Ring
43795-15-30	4-in. x 30-ft. Winch Strap w/ Chain Anchor



Corner Protectors		
PART#	DESCRIPTION	WEIGHT
49584-10	12" Long plastic, suitable for webbing up to 4"	47 lb./.21 kg.
43986-10	4" Long plastic, suitable for webbing up to 4"	.06 lb./.03 kg.
49377-10	Steel suitable for chain	1.9 lbs. / .86 kg
49756-10	Steel suitable for chain & straps	1.26 lbs. / .57 kg.



Clevis Hooks	
45946-10	5/16" Wt: .85 lbs.
45946-11	3/8" Wt: 1.10 lbs
45946-13	1/2" Wt: .210 lbs
45946-12	1/4" Wt: .40 lbs



Chain w/ Clevis		
45881-10-16T	5/16" x 16' WLL: 4,700 lbs.	
45881-10-20T	5/16"x20'WLL:4,700lbs.	
45881-11-16T	3/8" x 16' WLL: 6,600 lbs.	
45881-11-20T	3/8" x 20' WLL: 6,600 lbs.	
45881-13-20T	1/2" x 20' WLL: 11,300 lbs.	



Load Binders		
Drop forged steel meeting FMCSA and DOT specifications. In three popular models.		
LEVER LOAD BINDERS		
45943-10	Accepts 5/16" -3/8" Chain	WLL: 5,400 lbs.Wt. 9.0 lbs.
45943-11	Accepts 3/8"-1/2" Chain	WLL: 9,200 lbs.Wt. 11.9 lbs.



Ratchet Load Binders		
45943-20	Accepts 5/16" -3/8" Chain	WLL: 5,400 lbs.Wt. 10.4 lbs.
45943-20HD	Accepts 5/16" -3/8" Chain	WLL: 6,600 lbs.Wt. 10.5 lbs.
45943-21	Accepts 3/8"-1/2" Chain	WLL: 9,200 lbs.Wt. 11.8 lbs.



Ratchet Tie Downs Also available in Ancra Blue and Ancra X-Treme, 3 & 4 inch materials.	
PART#	DESCRIPTION
45982-11	2-in. x 30-ft. Ratchet Strap w/ Flat Hooks.
45982-43	2-in. x 30-ft. Ratchet Strap w/ Wire Hooks.



Ratchet Tie Downs 1-in. x 16-ft. WLL: 1,000 lbs./454 kg.	
PART#	DESCRIPTION
43887-10	Mini Ratchet Strap w/ Wire Hooks and floating D Rings



PART#	DESCRIPTION
95002	1" x 10' Ratchet Strap with S-Hooks, 2 pack
95005	1" x 10' Ratchet Strap with S-Hooks, 4 pack
SL91	1" x 15' Ratchet Strap with S-Hooks, 4 pack



Eye to Eye Polyester Lifting Slings	
PART#	SIZE
20-EE1-9801X3	1" x 3' Eye/Eye 1 Ply Sling
20-EE1-9801X4	1" x 4' Eye/Eye 1 Ply Sling
20-EE2-9802X3	2" x 3' Eye/Eye 2 Ply Sling



Please see catalog for more!





armorall.ca



armorall.ca




## WIPES



**ORIGINAL PROTECTANT WIPES**  
10859 - 30 wipes  
18254 - 20 wipes



**MATTE FINISH PROTECTANT**  
18253  
25 wipes



**EXTREME SHIELD™ PROTECTANT**  
19160  
25 wipes



**GLASS WIPES**  
10850 - 30 wipes  
18269 - 20 wipes



**ORANGE CLEANING WIPES**  
10925  
25 wipes



**LEATHER WIPES**  
10856  
30 wipes



**CLEANING WIPES**  
10869 - 30 wipes  
18255 - 20 wipes



**4-PACK WIPES**  
10881  
115 wipes



**CLEAN.  
SHINE.  
PROTECT.**

**GREAT VALUE**

## PROTECTANT



**ORIGINAL PROTECTANT**  
10125 - 118ml  
11300 - 300ml  
78021 - 473ml  
78024 - 946ml  
18389 - 1.89L



**MATTE FINISH**  
18209  
473ml



**ULTRA SHINE**  
32062  
473ml

## WASH



**SNOW FOAM CAR WASH**  
19159  
1.48L

**CAR WASH**  
17485 - 1.89L  
17740 - 715ml

## ODOUR ELIMINATION



**SMOKE X AIR FRESHENER**  
19036  
99g



**COMPLETE CAR CARE 5PC KIT**  
18378



**FOAM CANNON KIT**  
19444

## CLEANERS



**MULTI-PURPOSE CLEANER**  
11068  
473ml

**OXI MAGIC CARPET & UPHOLSTERY CLEANER**  
10926  
650ml

**LEATHER CARE GEL**  
10882  
532ml

**PREMIUM LEATHER CARE**  
18981  
473ml

**QUICKSILVER TIRE & RIM CLEANER**  
17654  
710ml

**EXTREME RIM CLEANER**  
40340  
710ml

**EXTREME TIRE SHINE GEL**  
11504  
530ml

**EXTREME TIRE SHINE**  
78026  
650ml





**FLAME COMMANDER™ TORCH**  
TS3700T

- Adjustable Swirl Flame
- Trigger Start Ignition
- Enhanced 3/4 turn control knob for easy on/off
- Ergonomic, Soft Touch Grip Handle
- Pressure regulated
- For use at any angle
- Compatible with Bernzomatic 14.1 oz or 16 oz Propane Fuel Cylinders
- Limited 3-Year Warranty



**DURACAST™ 4000 TORCH**  
TS4000T

- Swirl Flame
- Instant On/Off Ignition
- Continuous Flame Lock
- Pressure regulated
- For use at any angle
- Durable, Cast Body Construction
- Compatible with 14.1 oz MAP-Pro® and 14.1 oz and 16 oz Propane Fuel Cylinders
- Limited Lifetime Warranty



**PURIFIER™**  
170AIR

- Fresh Air Ozone Machine
- Incorporates the latest in ozone purification technology
- Eliminates mold, mildew, & bacteria from cabin interiors & rooms
- Removes even the most offensive & stubborn odors such as tobacco smoke
- Portable design - AC (100-240 V) & DC power
- 10 hour programmable timer with LCD



**UTILITY TORCH**  
WT2301

- Adjustable, Webbed Flame
- Trigger-Start Ignition
- Durable, Stainless Steel Burn Tube
- Designed for Upright Use
- Compatible with Bernzomatic 14.1 and 16 oz Propane Fuel Cylinders
- Limited 3-Year Warranty



**FIRESTARTER™ BACKYARD TORCH**  
JT850

- Adjustable, Wide Brush Flame
- Trigger-Start Ignition
- Slip-Resistant Handle with 36" Reach
- Compatible with Bernzomatic 14.1 oz. and 16 oz. Propane Fuel Cylinders
- Limited 3-Year Warranty



**INCANDESCENT**

- 101307  
23 ft | 7 m SJOW 16/3 cable
- Grounded outlet handle
  - 13 amp circuit breaker



**SOUNDLIGHT PRO**

- 111122  
LED: 20W COB
- Bluetooth speakers - 2 x 3W
  - Removable battery pack with 70 lumen light & USB port for charging devices
  - 2000 Lumens 1 hour
  - 1500 Lumens 1.5 hours
  - 1000 Lumens 2.5 hours
  - 500 Lumens 5 hours
  - 60 Lumens 24 hours



**FIRESTARTER™ BUTANE TORCH**  
ST2200T

- Adjustable, Precision Flame
- Trigger-Start Ignition
- Pistol Grip
- Continuous Flame Lock
- Refillable with Butane Fuel
- Child Safety Lock
- Limited 3-Year Warranty



**CLASSIC BRASS TORCH**  
UL2317

- Adjustable, Pencil Flame
- Manual Ignition
- Durable Brass Torch Head
- Designed for Upright Use
- Compatible with Bernzomatic 14.1 oz and 16 oz Propane Fuel Cylinders
- Limited 3-Year Warranty



**SUPER SEAL™**  
946KIT

- Pro A/C Stop Leak
- Permanently seals & prevents leaks
- Seals leaks in evaporators, condensers, accumulators, O-rings, gaskets, metal lines, & rubber hoses
- Compatible with all oils & refrigerants
- Hose included



**PIVOT**

- 111114
- 240 Lumens
  - Strip array technology
  - 5 LED flashlight
  - Magnetic pivoting base and back
  - 3 AA batteries included



**CLASSIC BRASS TORCH KIT**  
UL100

- Adjustable, Pencil Flame
- Manual Ignition
- Durable Brass Torch Head
- Designed for Upright Use
- Compatible with Bernzomatic 14.1 oz Propane Fuel Cylinder Included
- Limited 3-Year Warranty



**DURACAST™ 8000 TORCH**  
TS8000T

- Adjustable, Ultra-Swirl Flame
- Instant On/Off Ignition
- Continuous Flame Lock
- Pressure regulated
- For use at any angle
- Durable, Cast Body Construction
- Compatible with 14.1 oz MAP-Pro® and 14.1 oz and 16 oz Propane Fuel Cylinders
- Limited Lifetime Warranty



**PAO 68 OIL & PAO 68 OIL + DYE**  
51110/51111

- Universal, high-quality, multi-grade synthetic oil
- Improves efficiency with quicker pull down times & lower vent temperatures
- Eliminates carrying different grades or viscosities of A/C lubricants
- Fill-up or top-up
- 51110 - 34 oz | 1 L
- 51111 - 34 oz | 1 L + UV Dye



**909012B - MULTI-PURPOSE DYE**  
12 x 1/4 oz | 7.5 ml



- HEMIMINI™**  
114301  
1000 lumens at 4 hours runtime  
500 lumens at 8 hours runtime
- 4400 mAh smart lithium ion battery, rechargeable in 3.5 hours – charge anytime
  - Aircraft-grade aluminium chassis
  - 180° swivel hook
  - Mini-USB charger (100-240V)
  - Optional magnetic cover available
  - Replacement parts available



- HEMIPLUS™ 2**  
114302  
1200 Lumens at 4 hours run time  
600 lumens at 8 hours run time
- 4400 mAh smart lithium ion battery, rechargeable in 4 hours – charge anytime
  - Aircraft grade aluminum chassis
  - 360° metal hook
  - Charging port
  - Removable magnetic cover included
  - Replacement parts available



- SLIMMINI™**  
**RECHARGEABLE LI-ON WORKLIGHT**  
114304
- 500/250 lumens COB
  - 100 lumens top flashlight
  - Type C connector cable
  - Super slim 14mm



- CLIPSTRIP™**  
111112  
140 Lumens
- Powerful pocket light
  - Strip array LED technology
  - 180° swivel magnetic clip
  - 3 AAA batteries included
  - Sold as 12 pack counter display



- 33 LED PIVOT**  
24\_458  
160 Lumens
- 28 LED front | 5 LED top
  - 360° swivel hook
  - Magnetic pivoting base
  - 3 AA batteries included



- SPOTLIGHT MINI**  
111111
- 600 and 300 Lumens – 5 W COB
  - Magnetic base
  - Adjustable joint for different angles
  - Li-ion rechargeable battery 2600 mAh
  - IP65 Waterproof
  - Micro USB charger cable included
  - Charger sold separately (PN 111111A)



- HEAVY DUTY TRI-TAP CORD REEL**  
222315
- Tri-tap outlet
  - 15 amp circuit breaker
  - 50 ft. / 15.3m SJTW 12/3 cable



## Shop Air Hose – Blue Rubber Airline Assembly

Designed for general shop air supply service up to 250psi. Heavy duty abrasion resistant rubber cover over fabric braided construction to provide long lasting service life.



PART#	DESCRIPTION
65131	1/4" X 25' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65133	3/8" X 25' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65134	1/2" X 25' BLUE RUBBER SHOP AIR HOSE WITH 1/2-14NPT COUPLINGS
65135	1/4" X 50' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65137	3/8" X 50' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65138	1/2" X 50 BLUE RUBBER SHOP AIR HOSE WITH 1/2-14NPT COUPLINGS

## Shop Air Hose – F5 Blue Low Temperature TPE Airline Assembly

F5 is the highest rating for a tornado. F5 Air Hose is designed for general shop air supply service up to 300 PSI. Light weight and flexible hose with high abrasion resistant, non-marking Low Temperature TPE cover.



PART#	DESCRIPTION
65176	1/4" X 25' BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65177	1/4" X 50' BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65178	3/8" X 25' BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65179	3/8" X 50" BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65182	1/2" X 50" BLUE THERMOPLASTIC AIR HOSE WITH 1/2-14 NPT COUPLINGS

## Shop Air Hose – Red Rubber Flexsteel Assembly

Designed for general shop air supply service up to 250psi. Heavy duty abrasion and oil resistant rubber cover over steel braided construction to provide long lasting service life. Great for abusive applications including resisting spark burn through in welding shops.



PART#	DESCRIPTION
65144	3/8" X 25' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65145	1/4" X 50' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65146	3/8" X 50' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS





## SPOTGUN® INJECTION KITS

### SPOTGUN® JR. INJECTION MASTER KIT

390200

- SpotGun® Jr Injector with Purge Valve Adapters
- R-134a and R-1234yf Couplers
- (4) Universal Oil Cartridges (1 oz/30 ml)
- (2) ExtenDye™ Cartridges (1 oz/30 ml)
- (2) LeakGuard™ OneShot Cartridges (1 oz/30 ml)
- UV Phazer™Black (AAA Batteries Included)
- UV Enhancing Glasses

### SpotGun® Jr Injection Master Kit 390200



### INJECTION MASTER KIT

490200

- SpotGun® Injector with Purge Valve Adapters
- R-134a and R-1234yf Couplers
- (2) SpotGun® Service Hose Assemblies
- (1) Universal Oil Cartridge (8 oz/240 ml)
- (1) ExtenDye™ Cartridge (8 oz/240 ml)
- UV Phazer™Black (AAA Batteries Included)
- UV Enhancing Glasses



### SpotGun® Injection Master Kit 490200

## A/C EXTENDYE™

A/C ExtenDye™ is enhanced with an additive package that extends the life and improves the efficiency of the A/C system.

- A/C ExtenDye™ is a super-concentrated UV dye that includes a friction modifier to increase the lubricity of the compressor oil, improving efficiency (friction coefficient) by over 50%, improving fuel economy.
- It also includes an anti-wear additive which creates a film that prevents contact between metal parts; reducing friction and heat, thereby extending component life;
- plus it includes an antioxidant to stop the oxidation process, reducing acidity and prolonging oil life.
- SAE-J2297 certified dye
- Compatible with ALL A/C systems – R134a & R1234yf
- Hybrid Safe - Specially formulated to protect all hybrid AC system components (including electrically driven compressors)

### A/C EXTENDYE™ IS AVAILABLE IN THE FOLLOWING SIZES:

499108A	Spotgun Cartridge – 8 oz
399020A	Spotgun Jr. Cartridge – 1 oz (Box of 4)
399006A	Spotgun Jr. Cartridge – .25 oz (Box of 6)
499008A	Bottle – 8 oz
B499024A	Bottle – 1 oz (Box of 6)
B499012A	Bottle – .25 oz (Box of 12)



## MULTI PURPOSE DYE / RADIATOR COOLANT DYE

### MULTI-PURPOSE DYE BOTTLES

B483206 (6X1oz)

483208 8oz

Pinpoint leaks in engine oil, transmission, hydraulic, power steering, gasoline, and diesel fuel systems.



### RADIATOR COOLANT DYE BOTTLES

B483906 (6X1oz)

Pinpoints leaks in cooling systems, including radiator, hoses, fittings, water pumps and head gaskets.



## A/C OILS

NEW



### UNIVERSAL PAG A/C OIL

488046YFPB 8 oz bottle (Special Order)

Formulated for R-134A and R-1234YF Systems

488046YFPD 8 oz bottle

with A/C ExtenDye

Formulated for R-134A and R-1234YF Systems

UView® Universal PAG A/C Oil is engineered to boost the performance and extend the life of your cooling systems. This universal oil boasts exceptional safety features—it's classified as nonhazardous and free of any harmful chemicals, providing peace of mind in the workplace. Environmentally considerate, it requires no special measures for accidental release and is easily disposable according to official regulations, making it both a smart and safe choice for any technician.

Approved for belt and electronic-driven compressors

Hybrid and EV compatible

Reduces wear, extends component life and improves efficiency of the A/C system

Specially formulated to protect all hybrid A/C system components

### SPOTGUN A/C OIL CARTRIDGE

8oz

488046YF - PAG 46YF (R1234yf &amp; R134a)

For those who choose to use the OEM specified oil, we have it. And for those who desire simplicity and convenience, we have that too — a truly universal A/C oil. UView 488046YF (8oz/240ml Cartridge) oils are formulated to work as service oil for all R1234YF, R134a and Hybrid applications. That's right—hybrid safe and OEM approved. One oil is all you need.

As a reminder, installing oil using a sealed cartridge injection system assures the cleanest and driest oil reaches the AC system in exactly the correct dosage.



### UNIVERSAL A/C OIL W/ eBOOST

16oz. bottle

488016P - PAG Oil (R134a Only)

488016E - ESTER Oil

eBOOST is a proprietary performance enhancing supplement developed to boost the performance of lubricants. When used in an air conditioning system eBOOST increases the lubricity and antiwear properties of A/C oil and rejuvenates rubber seals and O-rings.

- Quiets noisy compressors and extends life
- Helps seal leaks caused by dried out seals and o-rings

## LEAKGUARD PROFESSIONAL A/C SEALANT



### THE FIRST A/C SEALANT AVAILABLE TO BE CERTIFIED TO MEET SAE J2670 STANDARD!

LeakGuard permanently and safely seals A/C leaks in both rubber and metal components. Unlike other A/C sealants, LeakGuard is an oil-based sealant that does not have any of the dangerous side effects. It will not harden, crystallize, clog the A/C system or harm the recovery equipment.

- Professional A/C Stop Leak
- Permanently seals leaks
- Meets SAE J2670 A/C additive standard
- Safe for all A/C systems including R134a, R1234yf & Hybrid/Electric Vehicles
- Contains concentrated A/C dye
- Specifically formulated for slow leaks that can occur over a 6-12 month period (or a leak rate of 25oz/708g) per year. It can safely remain in the A/C system and prevent leaks from occurring in the future – an excellent preventive maintenance product!

**LeakGuard is your OneShot for Oil, Dye & Sealer when servicing automotive A/C systems.**

### LEAKGUARD INJECTION KIT 480300

Includes

- Spotgun Jr. Injection system
- Primer Cartridge
- 2 x (1 oz/30mL) Leakguard cartridge

### LEAKGUARD 1oz. CARTRIDGE 480301

Box of 4 (Priced per cartridge)

\*Compatible with Spotgun Jr.

### LEAKGUARD 8oz. CARTRIDGE 480308

\*Compatible with Spotgun





crc-canada.ca



CRC Canada Co.



CRC Canada Co.

crc-canada.ca



**Brakleen® Original**  
75089 539 g aerosol  
75089PS 822 g aerosol  
75091 19 L pail



**Brakleen® BPC Non-Chlorinated Low-VOC**  
1754922 396 g aerosol  
1755368 19 L pail



**Disc Brake Quiet**  
75016 118 mL bottle



**GDI IVD™ Intake Valve & Turbo Cleaner**  
75320x6 311 g aerosol



**1Tank Power Renew® Gasoline Formula**  
75815 444 mL bottle



**FiberLock™ Head Gasket & Block Repair**  
75224 946 mL bottle



**Posi-Trac™ Limited Slip Gear Oil Additive**  
742508 207 mL tube



**Diesel Fuel Therapy Injector Cleaner With Anti-Gel**  
75212 888 mL bottle



**Synthetic Brake & Caliper Grease**  
75353  
340 g tub with brush



**SensorKleen™ Mass Air Flow Sensor Cleaner**  
75110 312 g aerosol



**Throttle Body Kleen™**  
75078 340 g aerosol



**Engine Degreaser**  
75025 425 g aerosol



**Clean-R-Carb®**  
75081 454 g aerosol



**Power Lube Multi-Purpose Lubricant**  
75005 312 g aerosol



**White Lithium Grease**  
14200 284 g aerosol



**Knock'er Loose™ Penetrating Solvent**  
73020 369 g aerosol



**Screwloose™ Super Penetrant**  
75330 312 g aerosol



**Freeze-Off® Super Penetrant**  
75222 326 g aerosol



**Battery Cleaner With Acid Indicator**  
75097 312 g aerosol



**Gasket Kleen™**  
75021 340 g aerosol



**Glass Cleaner**  
14100 510 g aerosol



**Lectra-Motive™ Electrical Parts Cleaner**  
75018 539 g aerosol



**Heavy Duty Silicone Lubricant**  
75074 213 g aerosol



**Dry Graphite Lubricant**  
75101 320 g aerosol



**Copper Anti-Seize Aerosol & Lubricating Compound**  
72095 340 g aerosol



**Evapo-Rust® Super Safe Rust Remover**  
ER019 13.2L pail  
ER070 946ml bottle  
ER071 3.78L bottle



**Rubberized Undercoating**  
75034 450 g aerosol



**Battery Protector**  
75046 213 g aerosol



**QD™ Electronic Cleaner**  
75102 312 g aerosol



**Jump Start® Starting Fluid With Lubricity**  
75671 312 g aerosol



**Ice-Off™ Windshield Spray De-Icer**  
75346 340 g aerosol



**Bug Blast™ Wasp & Hornet Killer**  
72010 397 g aerosol



**6-56 Marine Multi Purpose Lubricant**  
76007 312 g aerosol



**Weld-Aid® Weld-Kleen HD Anti-Spatter**  
1008411 567 g aerosol



**Duster Aerosol Dust Removal System**  
74085 227 g aerosol



**Cutting Oil**  
73500 340 g aerosol





SERVICE STATION AND SHOP AIR HOSE	
Part#	Description
80003	1/4" I.D. 50' Coupled (200PSI)
80005	3/8" I.D. with 3/8 Coupled 25' (200PSI)
80006	3/8" I.D. with 1/4" Coupled 25' (250PSI)
80007	3/8" I.D. with 1/4" Coupled 50' (250PSI)
80011	1/2" x 50' Coupled (200PSI)

MULTI-PURPOSE HOSE, PREMIUM	
Part#	Description
80036	3/4" I.D. 250' not coupled (300PSI)

MULTI-PURPOSE HOSE, STANDARD	
Part#	Description
80132	1/2" x 500' +/- 50'
80134	3/4" x 350' +/- 50'

TRANS OIL COOLER/POWER STEERING RETURN HOSE	
Part#	Description
80383	5/16" x 25'
80391	3/8" x 25'

ANTI-SMOG/PCV HOSE	
Part#	Description
80069	11/32" x 50'

DRIVEWAY SIGNAL HOSE	
Part#	Description
80187	3/8" x 100'
80189	3/8" x 200'

WINDSHIELD WASHER/VACUUM TUBING	
Part#	Description
80204	1/4" x 50'
80205	7/64" x 50'
80206	5/32 x 50'
80207	7/32" x 50'
80208	9/32" x 50'
80209	7/64" x 6'
80210	5/32" X 6'
80211	7/32" x 6'
80216	5/32" x 250'
80217	7/32" x 250'

FUEL LINE HOSE	
Part#	Description
80051	1/8" x 25'
80052	1/8" x 50'
80053	1/8" x 250'
80054	3/16" x 25'
80055	3/16" x 50'
80056	3/16" x 250'
80057	1/4" x 25'
80058	1/4" x 50'
80059	1/4" x 250'
80060	5/16" x 25'
80061	5/16" x 50'
80062	5/16" x 250'
80063	3/8" x 25'
80064	3/8" x 50'
80065	3/8" x 250'
80066	7/16" x 25'
80067	7/16" x 50'
80073	1/4" x 2'
80074	5/16" x 2'
80075	3/8" x 2'
93036	1/2" x 25'
93037	5/8" x 25'

HEATER HOSE, HEAVY DUTY DAYCO GOLD LABEL	
Part#	Description
80230GL	3/8" x 50'
80231GL	5/8" x 50'
80232GL	3/4" x 50'
80233GL	7/8" x 50'
80234GL	1" x 50'
80236GL	5/8" x 250'
80239GL	1" x 250'

HEATER HOSE, STANDARD BLACK	
Part#	Description
80257	1/4" x 50'
80258	5/16" x 50'
80259	3/8" x 50'
80270	1/2" x 50'
80271	5/8" x 50'
80272	5/8" x 250'
80273	3/4" x 50'
80274	3/4" x 250'

FUEL INJECTION HOSE, DAYPERM 11	
Part#	Description
80520	1/4" 2' Clamshell
80523	5/16" 2' Clamshell
80526	3/8" 2' Clamshell
80321	1/4" 10' Carton
80325	5/16" 10' Carton
80329	3/8" 10' Carton
80521	1/4" 25' Spool
80524	5/16" 25' Spool
80527	3/8" 25' Spool
80522	1/4" 250' Reel
80525	5/16" 250' Reel
80528	3/8" 250' Reel

HEATER HOSE, SILICONE DAYCO GOLD LABEL	
Part#	Description
80241GL	5/8" x 25'
80242GL	3/4" x 25'
80244GL	1" x 25'
80251GL	5/8" x 50'
80252GL	3/4" x 50'
80254GL	1" x 50'

HEATER HOSE, BLACK INSULONE	
Part#	Description
80312	1/2" x 50'
80314	5/8" x 50'
80315	5/8" x 250'
80316	3/4" x 50'
80317	3/4" x 250'
80319	1" x 50'



SOLDERING ESSENTIALS



Part#	Description
563-105-DOC	FLUX CORE SOLDER 1/16" 1/4LBS
563-110-DOC	FLUX CORE SOLDER 3/32" 1/4 LBS



RELAYS & SOLENOIDS



Part#	Description
24059-BX	Continuous Duty Solenoid, 85A 12V DC 4 Stud SPST
2484-BX	Rotary Master Disconnect Switch 2-Position



FUSES & ELECTRICAL SWITCHES



Part#	Description
46206-04-BX	4-Position Terminal Block
5520-BX	Heavy Duty On-Off Toggle Switch, SPST
5582-10-BX	Toggle Switch 2POS SPST ON/OFF 25A/12V SLD
5582-BX	Heavy Duty On-Off Toggle Switch, SPST
81264-BX	Toggle Switch Black Boot
PL-612-R-BX	Red 12V DC Pilot Light



RUBBER TIE DOWN STRAPS



Part#	Description
647-430-DOC	9" BLUE TIE-DOWN FOR COLD TEMP
647-431-DOC	15" BLUE TIE-DOWN FOR COLD TEM
647-432-DOC	20" BLUE TIE-DOWN FOR COLD TEM
647-433-DOC	30" BLUE TIE-DOWN FOR COLD TEM





Protect - Rust Proofing



NO DRIP RUST PROOFING		
PART#	DESCRIPTION	SPECS
ASS512SB4L	Black	4L JUG
ASS512SBP	Black	18.9L PAIL
ASS512SBK	Black	60L KEG
ASS512SC4L	Amber	4L JUG
ASS512SCP	Amber	18.9L PAIL



NO DRIP RUSTPROOFING GUN WITH CUP	
PART#	DESCRIPTION
ASSE	Comes with 2 flexible wands for reaching hard to access areas



RUST CHECK RUST CONVERTER		
PART#	DESCRIPTION	SPECS
DS11006	Provides a primed surface and can be applied directly over rust	283mL/10 fl oz

Cleaning & Preparation



SPRAY GUN PAINT REMOVER		
PART#	DESCRIPTION	SPECS
SSGC	Powerful pinpoint spray quickly dislodges and dissolves paint	425 mL/15 fl oz



SURE STRIP HIGH STRENGTH PAINT & COATING STRIPPER		
PART#	DESCRIPTION	SPECS
BPS	Fast Acting and works on most paints	3.78 L/1 Gallon

Refinish



INSTANT CLEAR COAT		
PART#	DESCRIPTION	SPECS
SIC	Clear	340g/12 fl oz



APPLICATOR GUN FOR 50 ML SUREMIX CARTRIDGE	
PART#	DESCRIPTION
XSMAPG	Use with XSMAP and all 2 part 50 ml cartridges

Repair



SURE SEAL SEAM & JOINT SEALER		
PART#	DESCRIPTION	SPECS
CSB	Black	300 mL/10.1 fl oz
CSC	Clear	300 mL/10.1 fl oz
CSW	White	300 mL/10.1 fl oz



ONE STEP SELF-ETCH PRIMER		
PART#	DESCRIPTION	SPECS
SEP	Grey	425 g/15 fl oz
SEP1	Black	425 g/15 fl oz



PANEL PREP		
PART#	DESCRIPTION	SPECS
SPPV	Our most environmentally friendly surface cleaner	510 g/18 fl oz



BRUSH ON SEAM SEALER		
PART#	DESCRIPTION	SPECS
PBGQ	Grey	900 mL/30.4 fl oz



PRO SERIES FINISHING GLAZE		
PART#	DESCRIPTION	SPECS
PS088	To be applied in very thin layers as a top coat glaze in order to fill pin holes, minor irregularities, small paint damage or fine scratches	500mL/16.9 fl oz



FAST CURE URETHANE AUTO GLASS ADHESIVE/SEALANT		
PART#	DESCRIPTION	SPECS
CUSF	Black	310 mL/10.5 fl oz



SURETHANE - POLYURETHANE ADHESIVE/SEALANT		
PART#	DESCRIPTION	SPECS
CUSS	Black	310 mL/10.5 fl oz



SUREMIX MEDIUM PANEL BONDING ADHESIVE		
PART#	DESCRIPTION	SPECS
XSM5002	WORK TIME: 50-55 minutes SET TIME: 3.5 - 4 hours	207 mL



SUREMIX FAST URETHANE ADHESIVE		
PART#	DESCRIPTION	SPECS
XSM6002	WORK TIME: 1-2 minutes SAND TIME: 8-15 minutes FULL CURE: 1 hour	207 mL



DOUBLE SIDED ATTACHMENT TAPE	
PART#	DESCRIPTION
WTSR7/8S	7/8", 60 foot roll
WTSR1/4S	1/4", 60 foot roll
WTSR1/2S	1/2", 60 foot roll





Protect



GRAVEL GUARD		
PART#	DESCRIPTION	SPECS
SVG1	Black-Aerosol	405 g/14.3 fl oz
SVG3	Beige-Aerosol	550 g/19.4 fl oz
SVG124	Black-Aerosol	550 g/19.4 fl oz
BVG1	Black	830 mL/28.1 fl oz



ADHESION PROMOTER		
PART#	DESCRIPTION	SPECS
SXPP24	Can be used with all seam sealers to enhance adhesion	480 g / 16.9 oz



FAST DRY PAINTABLE BLACK RUBBERIZED UNDERCOATING		
PART#	DESCRIPTION	SPECS
BUF	Black	830 mL / 28.1 fl oz



1K HIGH BUILD PRIMER/FILLER		
PART#	DESCRIPTION	SPECS
SHBP	Grey	454 g/16 fl oz



COPPER WELD-THRU PRIMER		
PART#	DESCRIPTION	SPECS
SCW	Excellent adhesion to bare metal	410 g/14.46 fl oz



EZ LINER BEDLINER AND INDUSTRIAL STRENGTH COATING AEROSOL		
PART#	DESCRIPTION	SPECS
SEZL	Black	467 g/16.47 oz



BLACK BODY PLUGS		
PART#	DESCRIPTION	SPECS
BUPP	1/2"	100/bag



SHAKE AND SHOOT BEDLINER KIT		
PART#	DESCRIPTION	SPECS
BSSBLT	Tintable	3.6L/0.95 gallon



EMPTY SCHUTZ CAN W/ LID		
PART#	DESCRIPTION	SPECS
CCSHUTZ	Use with BUPA or BUPABL	830 mL/28.1 fl oz

UNDERCOATING, GRAVEL GUARD AND BEDLINER GUN	
PART#	DESCRIPTION
BUPA	Attaches directly to US Schutz type cans

PRIMERS



GRAY HOT ROD PRIMER  
CDAP1692



BLACK HOT ROD PRIMER  
CDAP1698



WHITE PRIMER  
CDAP1689



SELF-ETCHING PRIMER  
CDAP1690



SCRATCH FILLER & PRIMER  
CFP101

GENERAL PURPOSE ENAMEL



GLOSS BLACK  
CDA1600



SEMI-GLOSS BLACK  
CDA1603



FLAT BLACK  
CDA1605



GLOSS WHITE  
CDA1670



SCHOOL BUS YELLOW  
CDA1663



CRYSTAL CLEAR  
CDA1692

ENGINE PAINT



GLOSS BLACK  
CDE1613  
  
CHEVROLET ORANGE  
CDE1620




RUBBERIZED UNDERCOAT  
CUC101

UNDERCOAT



HIGH PERFORMANCE SILVER  
CHWP10100



HIGH PERFORMANCE SATIN BLACK  
CHWP104



HIGH PERFORMANCE GLOSS BLACK  
CHWP108

WHEEL COATING

RUST PROTECTORS



GLOSS BLACK  
469001  
  
GLOSS WHITE  
469000



FLAT BLACK  
CSP102  
  
FLAT SILVER  
CSP106



FLAMEPROOF™

CALIPER PAINT



CAST ALUMINUM  
CSP735



REAL RED  
CSP731



GLOSS BLACK  
CSP734





energizer.ca



fiammcomponents.com



Strong, long-lasting alkaline batteries guaranteed not to leak!



EN22 9V (12/pk)  
EN91 AA (24/pk)  
EN92 AAA (24/pk)  
EN93 C (12/pk)  
EN95 D (12/pk)

#### VISION HD FOCUS

EPMZH21E

- Durable aircraft grade aluminum construction
- MAXVIZ Technology to deliver a wide, powerful beam and high-definition vision
- Features LED technology



#### METAL PEN LIGHT

PLED23AEH

- Durable construction featuring a robust, metal clip
- Up to 4X Brighter than Standard LED Technology
- Features LED technology



#### WORK LIGHT

HCAL41E

- Exceptionally durable construction for the most demanding jobs
- Latest LED technology provides clear, bright light
- Wide angle 180° area light



#### TASK LIGHT

TUF2AAPE

- Rugged polymer and durable over-mold maximize shock absorption
- Smart Dimming technology for customized light output and extended runtime
- Features LED technology



#### VISION HD+ FOCUS HEADLIGHT™

HDD32E

400 Lumens

- Patented Digital Focus allows users to broaden or narrow the light beam
- Memory Recall feature allows users to quickly access preferred focus setting the next time the light is switched on



#### VISION HD+ FOCUS HEADLIGHT™

HDDIN32E

315 Lumens

- Patented Digital Focus allows users to broaden or narrow the light beam
- Memory Recall feature allows users to quickly access preferred focus setting the next time the light is switched on



AM80SX DUAL HORN  
KIT WITH MULTIPLE  
OE CONNECTORS  
72031



AM80SX UNIVERSAL  
OE HIGH HORN KIT  
72505



AM80SX UNIVERSAL  
OE LOW HORN KIT  
72506



AM80SX UNIVERSAL  
OE DUAL HORN KIT  
72507



90 HIGH TONE DISC HORN  
40310

THE **BIG RED** PAIL  
from BESTBUY is perfect for...



PART# RED PAIL

...the garage, the yard, the truck,  
the worksite, the cottage, the boat, the...

PICK UP A BIG RED PAIL (OR TWO) AT  
YOUR LOCAL BESTBUY DISTRIBUTOR







**FMSI EDELMANN FITTINGS**  
PROBLEM SOLVING AUTOMOTIVE HARDWARE

DISCOVER THE FMSI EDELMANN FITTINGS  
**DIFFERENCE**

**THE TOP CHOICE**  
FOR WHEEL HARDWARE



- IN-DEPTH COVERAGE
- THOROUGHLY TESTED
- CONSISTENT DEDICATION TO QUALITY
- REFINED DESIGNS



Our steel wheel nuts are designed to meet or exceed OEM aftermarket specifications. They feature triple chrome plating for superior corrosion protection and Dacromet coating for enhanced durability. Made from solid one-piece steel construction, they ensure strength and reliability.

With over 61,000 applications available, we can provide solutions tailored to your specific needs. In addition to wheel nuts, we offer a wide variety of wheel lug and bolt socket sets, along with a vast selection of assortments, to meet any requirements.



**THE PERFECT  
SOLUTION TO YOUR  
WHEEL NUT PROGRAM**

#### PREMIUM QUALITY

Our wheel nuts are crafted with precision, using all solid steel construction that guarantees unmatched durability. triple chrome plated for lasting rust resistance.

#### OVER 61,000 APPLICATIONS

No matter what you drive, we have the perfect fit for you, with a range of applications for your vehicle from the 1980's to present day.

#### TURN US ON

FMSI Edelmann Fittings has partnered with the leading e-catalogue distributors to bring you accurate, up to date product information.

Find Us With Line Code: FMI



Find Us With Line Code: FMH



**FMSI EDELMANN FITTINGS**  
PROBLEM SOLVING AUTOMOTIVE HARDWARE

## BRASS & BRAKE

TUBE NUTS - UNION - TEE - ADAPTERS - BRAKE LINES & COILS

FMSI Edelmann Fittings has a long history of commitment to offering you a comprehensive and constantly expanding line of quality automotive fittings and brake lines. A commitment we will continue in order to meet all your replacement fitting component needs.


#### • TUBE NUTS

Tube Nuts in the FMSI Edelmann Fittings catalog including Metric & Imperial Bubble Flare, Oversize Steel Invert Flare, Standard Steel Invert Flare, Stainless Steel Invert & Bubble Flare Tube Nuts.



#### • UNIONS

Brass Unions  
Imperial, Metric  
Invert, Bubble



#### • TEES

Union Tee  
Street Tee  
Male Branch Tee  
Male Run Tee  
Male Branch Tee  
Clamp Style Brass Tee



#### • ADAPTERS

Hydraulic Brake Master Cylinder Adapters  
Transmission Oil Line Coolant Adapter  
Invert Flare to SAE Flare Adapter  
Special Fittings -  
• AC Adapter  
• Gauge Adapter  
• Ford/Plymouth Adapter



#### • BRAKE LINES

- Pre Cut Brake Lines & Coils  
- Copperhead Cupro Nickel, 304 Stainless Steel, Rhinohide Poly Vinyl Fluoride, & Zinc



#### • COILS

**CUPRO NICKEL**  
Superior Protection  
• Easy Bend and flare  
• S.A.E. and I.S.O. Approved



**STAINLESS STEEL**  
Easy Bend and Flare  
• Resistance to Corrosion



**PVF POLY VINYL FLUORIDE**  
Polymer Plastic  
Coating  
• Easy Bend and flare



**ZINC PLATED STEEL**  
Easy Bend and flare



COMPRESSION  
FITTINGS  
STEEL TO STEEL



COMPRESSION  
FITTINGS  
STEEL TO NYLON



COMPRESSION  
FITTINGS  
STEEL OR NYLON



DRAIN COCKS



HYDRAULIC ADAPTERS



INVERTED FLARED  
TUBE FITTINGS



PIPE THREAD FITTINGS




CLAMP STYLE HOSE  
FITTINGS



PUSH ON HOSE  
FITTINGS



DOUBLE COMPRESSION  
FITTINGS



NEEDLE VALVES



S.A.E. 45 DEGREE  
FLARED TUBE FITTINGS

**BRASS**

OUR COMMITMENT TO EXCELLENCE







**FMSI EDELMANN FITTINGS**  
PROBLEM SOLVING AUTOMOTIVE HARDWARE

## KOOL-AIR KWIK-CONNECT AIR CONDITIONING FITTINGS

Revolutionary Air Conditioning Tube Joiner and Block Off Caps!

### TOOL FREE INSTALLATION



Easily repairs damaged or leaking tube



Block off damaged aluminum tube

### Features & Benefits

- Time Saving Solution
- Locking Retention Rings creates Secure Seal
- All Aluminum Construction - Corrosion Free
- 450 psi Working Pressure (1800psi Burst)
- Integral - HNBR O-rings
- Built in Quick Release Button (Not Reusable)
- No Need for Additional Lubricants or Adhesives

KOOL-AIR  
**KWIK-CONNECT**

**EXPERIENCE A GAME CHANGING SOLUTION FOR AC REPAIRS WITH FMSI EDELMANN FITTINGS NEW KOOL-AIR KWIK-CONNECT AC JOINERS AND BLOCK OFF CAPS. QUICK REPAIRS DONE RIGHT — MAXIMIZES PROFITS.**

Our KOOL-AIR Kwik-Connect joiners and block off caps feature a simple push-to-connect mechanism to quickly lock aluminum tubes together with only your hands. For a long lasting, leak and corrosion free connection.

FMSI Edelmann Fittings KOOL-AIR Kwik-Connect AC Joiners and Block Off Caps feature a durable anodized finish which helps protect against corrosion and other wear and tear. KOOL-AIR Kwik-Connect fittings are compatible with a wide range of vehicle applications, making it perfect for every repair shop.



**REPAIR ASSORTMENTS  
ALSO AVAILABLE TO MEET  
ALL YOUR AC NEEDS**



## MASTER FLUID LINE KWIK-CONNECT (STD/MET)

Repairs Fuel, Transmission, Oil Cooler, Turbo, Power Steering (Return) & Gauge Lines

### TOOL FREE INSTALLATION



Repairs Fuel, Transmission,  
Oil, Cooler, Turbo, Power  
Steering (Return), Gauge Lines

(NOT FOR USE ON AC OR BRAKE)

### Features & Benefits

- Time Saving Solution
- Locking Retention Rings creates Secure Seal
- All Aluminum Construction - Corrosion Free
- 275 psi Working Pressure (1100psi Burst)
- Integral - HNBR O-rings
- Built in Quick Release Button (Not Reusable)
- No Need for Additional Lubricants or Adhesives

FLUID LINE  
**KWIK-CONNECT**

**KEEP IT FLOWING WITH FLUID LINE KWIK-CONNECT  
— Our Cutting-Edge Joining Solution —**


### NICKEL PLATED FLUID LINE KWIK-CONNECTS

**Introducing the innovative Fluid-Line Kwik Connect fittings, a cutting-edge solution for seamlessly joining steel, cupro nickel, PVF & nylon tubing.**

With a remarkable 275 psi working pressure and an impressive 1100 psi burst strength, these fittings ensure robust and reliable connections in various applications. What sets Fluid-Line apart is its user-friendly design — no special tools are required. The push-to-connect feature simplifies installation, saving valuable time and effort. Whether you're working with steel or nylon tubing, Fluid-Line Kwik Connect fittings offer a hassle-free and efficient solution for fluid systems, providing a secure and durable connection every time.



**REPAIR ASSORTMENTS  
ALSO AVAILABLE TO MEET  
YOUR NEEDS**



**FMSI EDELMANN FITTINGS**  
PROBLEM SOLVING AUTOMOTIVE HARDWARE

## AIR CONDITIONING CHEMICALS

### Cool-Shot Ultra AC Enhancer INCLUDES INSTALLATION ADAPTORS



Part # TR1170.ALH7  
R134yf

Quiets Noisy Compressors and Extends Life

### Extreme Ultra Leak Stop INCLUDES INSTALLATION ADAPTORS



Part # TR1163.ALH1  
R134a

Polymer Free Formula - Will Not Clog System

### Premium Repla134/1234yf

Specifically designed for automotive AC systems  
Equivalent to: 17oz (481g) R134a - 12oz (340g) R1234yf

### AR4247

#### Features & Benefits:

- Reduces vent temperatures & cools vehicles faster
- Environmentally Friendly
- High Performance
- Non-Toxic
- Non O-Zone Depleting
- Safe for R1234yf and R134a Systems
- No ODS license required to purchase or install
- Easy to install



#### Available In:

- AR4247 - 6oz Can
- AR4247-20 - Case of 20
- AR4247HP - Case of 6

FMSI's Repla 134/1234yf is a safe, natural and purified hydrocarbon refrigerant and is suitable for both R134a & R1234yf Systems.

By using less volume and operating at lower pressures, its high performance formula, contributes to extending the service life of AC Systems.

A Safe alternative to HFC, HFO, HCS & HCFC,  
(OE Refrigerants) Non-toxic and environmentally friendly.

NOT AVAILABLE IN USA

### R134a Premium Leak Stop & Recharge Kit

Part # 7207

#### Each kit contains:

- 2 x Premium Repla 134/1234 (AR4247)
- 1 x Extreme Ultra - Leak Stop (TR1163.AL01)
- 1 x R134a Installation Adapter (RK1422.S1)
- 1 x Installation Hose w/ Gauge (AR4252L)



### R134a Premium Oil Charge EV, HYBRIDS, GAS/DIESEL VEHICLES

R134a Systems  
Part # 7206

R1234yf Systems  
Part # 7209

#### Each kit contains:

- 1 x 2oz Syringe Premium PAG Oil (OL6058.E01)
- 1 x R134a Installation Adapter (RK1422.S1)
- or • 1 x R1234yf Installation Adapter (RK1423.S1)



### 24" Extended Installation Hose

R1234yf Systems  
Part # AR4252YF



24" extended installation hose with gauge suitable  
Low side for installing hydrocarbons, sealants and oil charges





gorillatough.com



**GORILLA TAPE BLACK**  
105629 - 30 yards



**GORILLA TAPE BLACK**  
105631 - 10 yards



**GORILLA TAPE SILVER**  
105634 - 30 yards



**GORILLA TAPE SILVER**  
105463 - 10 yards



**MOUNTING TAPE**  
6155002 - Heavy Duty 1x60 inch



**GORILLA TAPE TO-GO**  
6101002 - 30ft



**GORILLA CLEAR REPAIR**  
6127002 - 8.2m



**SPRAY ADHESIVE**  
6341502 - 14oz Heavy Duty



**SUPER GLUE**  
112381  
15g Gel



**SUPER GLUE**  
7900301  
2 x 3g tubes



**EPOXY**  
4200602  
25ml



**CLEAR GORILLA GLUE**  
4510103 - 51ml



**GORILLA CLEAR GRIP™**  
8140002 - 88ml

O'Keeffe's® Working Hands® Hand Cream is a concentrated hand cream that heals, relieves and repairs extremely dry, cracked hands. When used daily, O'Keeffe's® Working Hands® is clinically proven to:

- Instantly boost moisture levels
- Creates a barrier on the skin's surface
- Help prevent further moisture loss

It is safe and effective for people with diabetes.



**WORKING HANDS®  
HAND CREAM**  
K1290003 - 85g



**WORKING HANDS®  
HAND CREAM**  
K1350001 - 3.4oz, jar



**Ocean**  
By H10 Hotels

**Ocean Eden Bay**  
\*\*\*\*\*  
**Adults Only**



**Secure Your Spot for SunSplash Jamaica 2026!**



SCAN ME  
TO PRE-REGISTER

**Don't miss out! Pre-register now to hold your place for this exclusive trip.  
Act fast to guarantee your spot, as we are expecting a sell-out!**





Easy Installation - Low maintenance - High Performance

76L/min  
20 GPM



12V Modular Fuel Transfer Pump						
PART NO.	MODEL	NOZZLE	HOSE	POWER CORD	MOUNT	SUCTION PIPE
162000-03	G20-012AD	Automatic	14 ft.	Installed	Spin Collar	Included
162000-01	G20-012PO	None	None	None	Spin Collar	None

\*Extended warranty coverage requires registration with GPI.  
Default warranty is 2 years. Visit [gpi.net/product-registration/](http://gpi.net/product-registration/)

69L/min  
18 GPM



12V Fuel Transfer Pump						
PART NO.	MODEL	NOZZLE	HOSE	POWER CORD	MOUNT	SUCTION PIPE
110612-02	M-180S-AU w/filter kit	Automatic	12 ft.	Installed	Spin Collar	Included
110300-2	M-180S-AU	Automatic	12 ft.	Installed	Spin Collar	Included
110300-1	M-180S-ML	Manual	12 ft.	Installed	Spin Collar	Included

57L/min  
15 GPM



12V Fuel Transfer Pump							
PART NO.	MODEL	NOZZLE	HOSE	POWER CORD	MOUNT	SUCTION PIPE	NOZZLE HOLDER
110000-100	M-150S-AU	Automatic	12 ft.	Installed	Spin Collar	Included	Lockable
110000-99	M-150S-MU	Manual	12 ft.	Installed	Spin Collar	Included	Lockable
110000-107	M-150S-EM	Manual	10 ft.	Installed	Direct	Included	Standard
110000-103	M-150S-PO	None	None	Included*	Spin Collar	None	Lockable

\*Customer installation required

30L/min  
8 GPM




12V Fuel Transfer Pump							
PART NO.	MODEL	NOZZLE	HOSE	POWER CORD	MOUNT	SUCTION PIPE	NOZZLE HOLDER
137100-01	EZ-8	Manual	10 ft.	Installed	Direct	Included	Standard



12V Portable Fuel Transfer Pump	
PART NO.	MODEL
147000-01	G8P

Up to  
189L/100 strokes  
50 gallons/100 strokes

Hand Pump		
PART NO.	MODEL	NOZZLE
114000-10	HP-100-UL	Metal



Pumps fluid on both the push and pull strokes for fast delivery  
**For use with:** diesel fuel (diesel blends to B20), gasoline (alcohol blend up to E15), kerosene, medium oil (up to 30W), and hydraulic fluid

SAVE TIME WITH THESE GPI UPGRADES:

- Quick-Fit Modular Connections
- Factory-Installed Power Cord
- Spin Collar Mount
- Telescoping Suction Pipe

Visit [gpi.net](http://gpi.net) to learn more!

©2022 Great Plains Industries, Inc. All Rights Reserved.



High Pressure Performance Powder-Coated Carbon Vanes

Ideal for use with a hose reel

Durable and corrosion resistant

Long-life



94  
L/min  
25  
GPM

- **Four bolts and an O-ring** - quickly attach a filter, meter, or both to customize your personal fuel station!
- **Eliminate leaks** with flanged connections, O-rings, and meter mag drive

**GPRO**<sup>®</sup>  
PROFESSIONAL GRADE  
**FIVE-YEAR WARRANTY**  
with industry-leading customer service

12V Modular Fuel Transfer Pump					
PART NO.	MODEL	NOZZLE	HOSE	POWER CORD	SUCTION PIPE
170000-03	V25-012AD	Automatic	18 ft.	Installed	Included
170000-01	V25-012PO	None	None	None	None

**GPRO**<sup>®</sup> EXTREME TEMPERATURE Tested to -40°



94  
L/min  
25  
GPM



76  
L/min  
20  
GPM

12V Modular Fuel Transfer Pump				
PART NO.	MODEL	NOZZLE	HOSE	POWER CORD
170000-06	V25-012AD+XT	Auto	18 ft.	Installed
170000-05	V25-012PO+XT	None	None	None

115V Fuel Transfer Pump			
PART NO.	MODEL	NOZZLE	HOSE
171000-51	V20-115PO+XT	None	None
171000-53	V20-115AD+XT	1" Automatic	1" x 18'



132  
L/min  
35  
GPM

115V Fuel Transfer Pump			
PART NO.	MODEL	NOZZLE	HOSE
504000-05	PRO35-115PO/XTS	None	None

Extreme Weather Accessories	
PART NO.	DESCRIPTION
150100-501	XT Fuel Hose, 1 in. NPT x 18 ft.
906009-505	XT Automatic Nozzle

**GPI / FLOMEC / GPRO**







SuperNova® | High Performance

Lightweight NexGen Lamps weigh 50% less than the major competitor lamps, and only requires 1/8 the amperage needed to drive an incandescent lamp.

Hi Count® | High Style

Highest visibility LED lamps around. Offer premium styling and maximum diode count.

Grote Select™ | High Value

Provide faster light-on response time that increase stopping alert distances. Low power requirements, making more voltage available to other systems.

STOP/TAIL/TURN LAMPS	
PART#	DESCRIPTION
SUPERNOVA®	
53252	LED, 4" STOP/TAIL/TURN, 10 DIODE, RED
53253	LED, 4" STOP/TAIL/TURN, 10 DIODE, AMBER
54332	LED, 4" STOP/TAIL/TURN LAMP, RED
54333	LED, 4" STOP/TAIL/TURN LAMP, AMBER
HI COUNT®	
G4002	G2 LED, 4" HIGH COUNT, FEMALE, RED
G4003	G2 LED, 4" HIGH COUNT, FEMALE, AMBER
GROTE SELECT™	
54342	LED S/T/T LAMP, LED 4" RED
54343	LED S/T/T LAMP, LED 4" AMBER
SUPERNOVA®	
53962	LED, OVAL PLASTIC
53963	LED, OVAL GROMMET MT, AUX TURN, AMBER
SUPERNOVA® 9 DIODE	
54132	STT LAMP, RED, OVAL, LED, MALE PIN, 9 DIODE
54133	STT LAMP, YELLOW, OVAL, LED, MALE PIN, 9 DIODE
SUPERNOVA® NEXGEN	
54162	RED LED OVAL STT LAMP
54163	YELLOW LED OVAL AUX LAMP
HI COUNT®	
G6002	HIGH COUNT 60 SERIES LED, RED
G6003	HI COUNT OVAL LED AMBER
GROTE SELECT™	
54172	RED LED OVAL STT LAMP
54173	YELLOW LED OVAL AUX LAMP



STOP/TAIL/TURN LAMPS

PART#	DESCRIPTION
MICRONOVA® DOT	
49322	MICRONOVA DOT, P2 W/GROMMET, RED
49332	MICRONOVA DOT, PC W/GROMMET, RED
49333	MICRONOVA DOT, PC/P2 W/GROMMET, AMBER
49412	MICRONOVA DOT, W/ADAPTOR BRACKET, RED
49413	MICRONOVA DOT, W/ADAPTOR BRACKET, AMBER
49341	MICRONOVA DOT, MARKER LAMP, ECE, WHITE
49342	MICRONOVA DOT, 12 VOLT, ECE, RED
49343	MICRONOVA DOT, 12 VOLT, ECE, AMBER
MICRONOVA®	
47962	CLR/MKR, RED, LED, MICRONOVA P2 WITH GROMMET
47963	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH GROMMET
47952	CLR/MKR, RED, LED, MICRONOVA P2 WITH BEZEL
47953	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH BEZEL
47972	CLR/MKR, RED, LED, MICRONOVA PC WITH GROMMET
47973	CLR/MKR, YELLOW, LED, MICRONOVA PC WITH GROMMET
SUPERNOVA® 2"	
47112	LED MARKER, 2" ROUND SEALED, RED
47113	LED MARKER, 2" ROUND SEALED, AMBER
46132	CLR/MKR LAMP, 2", RED, MKR LAMP, SUPERNOVA® LED, PC RATED
46133	CLR/MKR LAMP, 2", YELLOW, MKR LAMP, SUPERNOVA® LED, PC RATED
78433	LED, 2" ABS LAMP, AMBER
HI COUNT® 2"	
G3002	G2 LED, 2" HIGH COUNT, RED
G3003	G2 LED, 2" HIGH COUNT, AMBER
SUPERNOVA® BEEHIVE	
47212	LED MARKER, 2" BEEHIVE, RED
47213	LED MARKER, 2" BEEHIVE, AMBER
HI COUNT® BEEHIVE	
G3092	RED 2" BEEHIVE LED LAMP
G3093	YLW 2" BEEHIVE LED LAMP
SUPERNOVA®	
47122	LED MARKER, 2 1/2" ROUND SEALED, RED
47123	LED MARKER, 2 1/2" ROUND SEALED, AMBER
46142	CLR/MKR LAMP, 2.5", RED, SUPERNOVA® LED, PC RATED
46143	CLR/MKR LAMP, 2.5", AMBER, SUPERNOVA® LED, PC RATED
78423	LED, 2.5" ABS LAMP, AMBER
HI COUNT®	
G1032	G2 LED, 2.5" HIGH COUNT, RED
G1033	G2 LED, 2.5" HIGH COUNT, AMBER
HI COUNT® 9 DIODE	
G1092	G2 LED, 2.5" HIGH COUNT 4700, RED
G1093	G2 LED, 2.5" HIGH COUNT 4700, AMBER



Grote Brite Zone™  
LED WORK LAMPS FOR BOTH WORK AND PLAY

With rugged, durable construction and LED power that far outshines halogen, BriteZone lamps get the job done.

Boating. Mowing. Off-roading. Working. Long after the sun goes down, you need a lamp that's as tough and tireless as you are.

Grote's BriteZone range has the LED lamp to shed light on any use – even tow trucks, garbage trucks and forklifts – without breaking the bank.

Value priced to meet your budget.



BZ101-5



BZ111-5



BZ121-5



BZ131-5



BZ141-5



BZ201-5



BZ421-5



BZ501-5



BZ211-5



BZ221-5



BZ301-5



BZ321-5



BZ331-5



BZ551-5



BZ601-5

PART#	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
BRITE ZONE LED WORK LAMPS			
BZ101-5	BRITE ZONE™ ROUND LED WORK LAMP	9 - 32	1600
BZ111-5	BRITE ZONE™ SMALL ROUND WORK LAMP	12 - 36	1240
BZ121-5	BRITE ZONE™ ROUND LED WORK LAMP WITH SWITCH	10-32	1900
BZ131-5	BRITE ZONE™ ROUND LED WORK LAMP WITH SWITCH	9-30	4000
BZ141-5	BRITE ZONE™ SMALL ROUND WORK LAMP	10-30	1750
BZ201-5	BRITE ZONE™ SQUARE LED WORK LAMP	9-32	1100
BZ211-5	BRITE ZONE™ SMALL SQUARE LED WORK LAMP	10-30	1100
BZ221-5	BRITE ZONE™ SMALL CUBE LED WORK LAMP	10-30	4800
BZ301-5	BRITE ZONE™ SLIM LED WORK LAMP	9-32	1400
BZ321-5	BRITE ZONE™ RECESSED LED WORK LAMP	10-30	3600
BZ331-5	BRITE ZONE™ SMALL RECTANGLE LED WORK LAMP	10-30	860
BZ421-5	BRITE ZONE™ MAGNETIC LED WORK LAMP	12	1800
BZ501-5	BRITE ZONE™ GO ANYWHERE LED WORK LAMP	12	1100
BZ551-5	BRITE ZONE™ LED WORK LAMP	12-30	1200
BZ601-5	BRITE ZONE™ MINI SQUARE LED WORK LAMP	12-36	775





## Grote Trilliant® LED Work Lamps

THERE’S A RUGGED GROTE TRILLIANT® LAMP FOR ANY WORKPLACE APPLICATION

- Superior performance for mining, construction, off-road, agriculture, utility, emergency, military vehicles
- Field tested to survive brutal on and off-road conditions



PART#	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
<b>TRILLIANT T26 LED WORK LAMPS</b>			
64G01-5	T26 LED WORK LAMP, PENDANT MOUNT, FAR PATTERN	10 - 48	1800
64G11-5	T26 LED WORK LAMP, PENDANT MOUNT, NEAR PATTERN	10 - 48	1800
<b>TRILLIANT CUBE WORK LAMPS</b>			
63981-5	TRILLIANT® CUBE WORK LAMP, TRACTOR PLUS, BI-VOLTAGE	12/24	1200
63991-5	TRILLIANT® CUBE WORK LAMP, FLOOD, BI-VOLTAGE	12/24	1200
63W41	TRILLIANT® CUBE WORK LAMP, 3000 LUMENS, LONG RANGE, DEUTSCH	9 - 32	3000
63W61	TRILLIANT® CUBE WORK LAMP, 3000 LUMENS, CLOSE RANGE, DEUTSCH	9 - 32	3000
<b>TRILLIANT LMX LED WORK LAMPS</b>			
63Z01	TRILLIANT® LMX LED WORK LIGHTS, CLOSE/LONG RANGE HYBRID, DEUTSCH DT	9 - 32	7000
63Z61	TRILLIANT® LMX LED WORK LIGHTS, CLOSE/LONG RANGE HYBRID, DEUTSCH DT	9 - 32	5000

## Grote LED Forward Lighting

GROTE KEEPS YOU ON THE CUTTING EDGE OF TECHNOLOGY WITH LED HEADLIGHTS AND HEATED HEADLIGHTS



PART#	DESCRIPTION	VOLTAGE	BEAM PATTERN
<b>7" LED HEADLIGHTS</b>			
90941-5	7" LED SEALED BEAM HEADLIGHT	9 - 32	LOW BEAM, HIGH BEAM
64H71-5	HEATED 7" SEALED BEAM HEADLIGHT	12 - 30	LOW BEAM, HIGH BEAM
<b>5" X 7" LED HEADLAMP</b>			
90951-5	5" X 7" LED SEALED BEAM HEADLIGHT	9 - 32	LOW BEAM, HIGH BEAM
64H81-5	HEATED 5" X 7" LED SEALED BEAM HEADLIGHT	12 - 30	LOW BEAM, HIGH BEAM
<b>4" X 6" LED HEADLAMPS</b>			
94421-5	4" X 6" LED SEALED BEAM HEADLIGHT	9 - 32	LOW BEAM
94411-5	4" X 6" LED SEALED BEAM HEADLIGHT	9 - 32	HIGH BEAM
64J61-5	HEATED 4" X 6" LED SEALED BEAM HEADLIGHT	12 - 30	LOW BEAM
64J71-5	HEATED 4" X 6" LED SEALED BEAM HEADLIGHT	12 - 30	HIGH BEAM
<b>LED HEATED SNOW PLOW LAMPS</b>			
84661-4	LED HEATED SNOW PLOW LAMPS (PAIR PACK)	12 - 30	LOW BEAM, HIGH BEAM



## Grote’s Warning and Hazard Lighting Solutions

Improve Visibility. Improve Safety.  
The Right Lighting Solution for Your Environment!



PART#	DESCRIPTION
<b>BACKUP ALARMS</b>	
73040	BACKUP ALARM 97DB, SAE J994 TYPE C, 12-24V
73310	BACKUP ALARM MULTI-FREQUENCY 97DB, SAE J994 TYPE C, 12-24V
<b>BEACONS</b>	
79073	AMBER LED BEACON W/CLR DOME, CLASS I, 12-24V
78033	AMBER LED BEACON, SHORT DOME, CLASS I, 12-24V
78053	AMBER LED BEACON, TALL DOME, CLASS I, 12-24V
78853	AMBER LED BEACON, SHORT DOME, CLASS II, 12-24V
78863	AMBER LED VAC/MAG BEACON SHORT DOME, CLASS II, 12V
78063	AMBER LED BEACON, TALL DOME, CLASS II, 12-24V
78093	AMBER LED BEACON, COMPACT DOME, CLASS III, 12-72V
78103	AMBER LED MAGNETIC BEACON, COMPACT DOME, CLASS III, 12V
78113	AMBER LED MATERIAL HANDLING BEACON, CLASS III, 12-72V
<b>DIRECTIONALS</b>	
78380	AMBER 30" LED WARNING STICK, CLASS I, 12V
77353	AMBER LED 4" ROUND WARNING LIGHT, CLASS II, 12V
77355	BLUE LED 4" ROUND WARNING LIGHT, CLASS III, 12V
77363	AMBER LED 6" OVAL WARNING LIGHT, CLASS II, 12V
77365	BLUE LED 6" OVAL WARNING LIGHT, CLASS II, 12V
78143	AMBER LED ULTRA LOW PROFILE DIRECTIONAL, CLASS I, 12-24V
78163	AMBER LED ULTRA LOW PROFILE DIRECTIONAL, CLASS I, 12V
78270	LED TRAFFIC DIRECTOR, LARGE, W/ ARROWS, AMBER
<b>MINIBARS</b>	
78023	AMBER 16" LED MINIBAR, CLASS I, 12-24V
78133	AMBER 16" LED VAC/MAG MINIBAR, CLASS I, 12V
76983	AMBER 17" LED MINIBAR, CLASS I, 12V
77223	CLASS I COMPACT LED LIGHT BAR, PERMANENT MOUNT, AMBER, 12V/24V
77803	CLASS I COMPACT LED LIGHT BAR, MAGNETIC MOUNT, AMBER, 12V/24V





[grote.com](http://grote.com)

**Grote**



## Fuse Products

Grote Electrical Connections and Accessories proudly introduces our new offering of Fuse and Circuit Protection products. Grote has over 200 SKU's available representing the most popular and in-demand fuse and circuit protection products including a variety of assortment packs.



## Coiled Air Products

Grote carries an extensive line of coiled air products required for optimum system performance. From coiled air hoses to seals and screens, our coiled air products are designed and manufactured to meet or exceed the toughest industry standards.



## Terminals and Connectors

Grote's extensive line of terminal and connector products are designed to ensure proper installation as well as peak electrical performance and power delivery for your system. We also have an extensive offering of kits – ideal for a fleet maintenance facility, garage repair and DIY'ers!



## Wire and Cable

Grote carries one of the widest selections of wire and cable products in the industry. Our wire and cable is available in all common gauges and colours, and is 100% made in North America which ensures the highest level of quality, performance and reliability.

**Grote**

[grote.com](http://grote.com)



## Trailer Connections

Power delivery is only as good as the connections made! Developed to meet the most rigorous demands, Grote's complete line of trailer connection products provide for a wide and varied requirement.



## Support and Protective products

Protection of critical wire and power systems is essential to a vehicles running performance. Grote has an extensive line of cable and power delivery management products available.



## Battery Connection Products

Proper connections to a vehicles power supply are vital for efficient, effective power delivery, and Grote Battery Connection products are designed and manufactured to ensure an ideal connection every time!



## Kits and Tools

Whether the need is for a small retail pack for the weekend DIY'er or a large fleet maintenance facility, Grote has the right tools and a great selection of kits.



## Switches and Electrical Assemblies

Grote offers a complete line of switches and electrical assembly products. Connect a vehicles power system with the right product for the application!





COATED AND CHEMICAL GLOVES



**NITRILE FOAM COATED**  
751180C  
6-11  
HORIZON  
• Polyester shell - 13 gauge  
• Sanitized treatment  
• Elastic knit cuff



**POLYURETHANE COATED**  
051260C  
7-10  
HORIZON  
• Polyester shell - 13 gauge  
• Elastic knit cuff



**LATEX COATED**  
758124B  
S-XL  
HORIZON  
• Textured latex coated  
• Polyester and cotton shell - 13 gauge  
• Elastic knit cuff



**LATEX FOAM COATED**  
751144  
SM & LXL  
HORIZON  
• Hi-vis polyester shell - 13 gauge  
• Elastic knit cuff



**10 PACK OF NITRILE COATED GLOVES**  
751185/10  
L  
WORKTUFF  
• Polyester shell  
• Elastic knit cuff



**NITRILE COATED GLOVES**  
75H657C  
L  
HORIZON  
• Nitrile coated  
• Fully dipped  
• Pasted cuff



**DOUBLE COATED PVC GLOVES**  
754056G14B  
L  
HORIZON  
• Green Double Dipped PVC  
• 14" gauntlet  
• Rough finish for enhanced grip

DISPOSABLE GLOVES Dispenser box



**4 MIL. NITRILE GLOVES**  
792455 - S-XL (Powder free)  
HORIZON  
• 100 gloves  
• Ambidextrous



**6 MIL. NITRILE GLOVES**  
7924556  
S-XL  
HORIZON  
• 100 gloves  
• Powder free  
• Ambidextrous



**7 MIL. NITRILE GLOVES**  
792457D  
S-2XL  
WORKTUFF  
• 50 gloves  
• Powder free  
• Raised diamond textured



**8 MIL. NITRILE GLOVES**  
792458D  
S-2XL  
WORKTUFF  
• 50 gloves  
• Powder free  
• Raised diamond textured

WINTER GLOVES



**LINED LATEX COATED GLOVES**  
750760  
S-XL  
HORIZON  
• Polyester shell - 10 gauge  
• Brushed cotton fleece lining  
• Elastic knit cuff



**PVC WORK GLOVES**  
758360FR  
L  
HORIZON  
• Double coated PVC  
• Foam & brushed cotton lining  
• Sanitized treatment



**WINTER LEATHER WORK GLOVES**  
713594ASRT  
M-2XL  
HORIZON  
• Cowsplit leather - Assorted colours  
• Acrylic pile lining  
• Cotton back  
• Pasted cuff

LEATHER WORK GLOVES



**COWSPLIT GLOVES**  
010392D3PC  
L  
HORIZON  
• Cowsplit leather palm and fingertips  
• 3 pieces palm  
• Cotton back with elastic  
• Pasted cuff



**COWHIDE WORK GLOVES**  
021600PLPP L-XL  
L  
HORIZON  
• Patch palm  
• Rubberized cuff  
• Palm lined



**COTTON & POLYESTER GLOVES**  
040661  
S-XL  
HORIZON  
• 65% cotton/35% polyester  
• Knit - 7 gauge  
• Knit wrist cuff



**COTTON & POLYESTER GLOVES**  
040560PVC  
M-XL  
HORIZON  
• 70% cotton & 30% polyester  
• Knit - 7 gauge  
• Knit wrist cuff

SAFETY GLASSES



**VISITOR SAFETY GLASSES**  
140008 - ONE SIZE  
H SERIES  
• Lightweight, frameless, integrated nosepiece, anti-scratch & anti-static  
• Blocks over 99% UVB and UVA rays



**SAFETY GLASSES**  
140010 - ONE SIZE  
H SERIES  
• Soft nosepiece, anti-slip arm, anti-fog, anti-scratch & anti-static  
• Blocks over 99% UVB and UVA rays



ROPE



**3 STRANDS TWISTED POLYPROPYLENE ROPE ON REEL**  
A1PJ  
BARRY & BOULERICE  
This rope is an affordable choice as a general-purpose rope, because it's lightweight and long-lasting. It is ideal for industrial, construction, commercial and household applications.

A1PJ/316	3/16" X 2125'   4.8 MM X 648 M
A1PJ/014	1/4" X 1300'   6.4 MM X 396 M
A1PJ/516	5/16" X 975'   7.9 MM X 297 M
A1PJ/038	33/8" X 630'   9.5 MM X 192 M
A1PJ/012	1/2" X 335'   12.7 MM X 102 M
A1PJ/058	5/8" X 200'   16 MM X 61 M
A1PJ/034	3/4" X 125'   19 MM X 38 M





## TELESCOPIC SNOWBROOMS




**ULTIMATE POLAR VORTEX™ SNOWBROOM**  
14170  
• 360° Pivoting head functions as broom or brush  
• No scratch EVA foam works as a snowplow, extra wide frost blade, or squeegee



**50" CROSSOVER SUPER-DUTY SNOWBROOM**  
14039C  
Pivoting head swivels from broom to brush position with the push of a button.



**SPORT 8 UTILITY BROOM™**  
581-E  
Extends from 30" to 48".



**TELE SNOBROOM™**  
511-E  
Compact telescopic snow broom extends from 23" to 36".

## LONG REACH SNOWBRUSHES *ideal for clearing snow from all vehicles*



**ULTRA MAXX®**  
999CT  
35" long, ergonomic



**MEGA MAXX®**  
989-34  
34" long, superior



**MAXX® 35**  
889-35  
35" extra long, superior

## REGULAR REACH SNOWBRUSHES



**COOL SNOW TOOL®**  
532  
26" long, 5 row wide. Sweeps snow and slush with little effort.



**SLIMLINE 24**  
523  
24" long. Ideal for clearing snow from all vehicles.



**VALUE REACH SWEEP™**  
203  
25" long wooden snowbrush provides efficient snow removal.



**51" ARCTIC PLOW™ WITH ICE SCRAPER**  
18833  
Super wide 16+ inch "Push-Pull" foam head.

## SAFETY



**ALUMINUM EMERGENCY SHOVEL**  
17222  
• Compact design for easy storage.  
• Two in one handle design allows shovel to be used as a scoop.  
• Extends to 30" for longer reach.

**TRAILBLAZER ELECTRONIC DEER ALERT**  
27512VA  
Powerful electronic signal is 10X safer than traditional deer whistles.



## PROFESSIONAL AUTOMOTIVE SQUEEGEES



**PROFESSIONAL AUTOMOTIVE SQUEEGEE**  
12-810NY  
• Plastic side guards protect glass  
• 10" wide rust resistant head with durable scrub netting



**PROFESSIONAL AUTOMOTIVE SQUEEGEE WITH HANDLE**  
• Plastic side guards protect glass  
• 10" wide rust resistant head with durable scrub netting  
10NY-24A - hardwood handle  
10NYRD-26A - plastic handle



**PROFESSIONAL SQUEEGEE HANDLES**  
• Threaded strong hardwood construction  
• Fits all Hopkins professional automotive squeegee heads  
111U - 20"  
112U - 30"

## HEAVY DUTY FLOOR SQUEEGEES




840-24/30/36  
General Purpose



841-24/30/36  
Oil Resistant



843-24/30/36  
General Purpose



844-24/30/36  
Oil Resistant



116  
Heavy Duty 54" Floor Squeegee Handle



845-24  
24" wide dual foam blade



846-30  
Heavy duty 30" wide dual foam blade

## AUTOMOTIVE CLEANING TOOLS



92022SCBL  
8" Wash Brush extends to 40"



93053CBL  
8" Wash Brush with 48" Handle



45320CBL  
Microfiber 2in1 Wash Mitt



40208CBL  
Evaporator Drying Towel



40211CBL  
Synthetic Chamois



40061CBL  
Microfiber Drying Towels



40059ASCBL  
Supreme Drying Towel



45606ASCBL  
Soft Touch Detailing Towel





hpaulin.com



irontite.com



# HANDY-PAKS®

## MERCHANDISERS



022-065



022-064



### BLACK WHEEL NUTS

558-146-000	1/2-20X1.38HX13/16
558-148-000	1/2-20X1.38HX3/4
558-204-000	9/16-18X1.53HX7/8
559-070-000	M12-1.5X35HX21
559-077-000	M12-1.5X35HX19
559-114-000	M12-1.2X35HX19
559-236-000	M14-1.5X48HX19
559-301-000	M12-1.5X29.5HX19
564-327-000	M14-1.5X39HX22



### CHROME WHEEL NUTS

558-140B	7/16-20 RH 3/4
558-144B	7/16-20 RH
558-146B	1/2-20 RH
558-148B	1/2-20RH 3/4
558-200B	11/16X1X.100T
559-060B	M10X1.25
559-065B	M12X1.25
559-070B	M12X1.5



### BODY RETAINER KITS

9971230C	120 PCS	HYUNDAI/KIA
999174C	240 PCS	GM
999175C	180 PCS	GM
999176C	235 PCS	FORD
999177C	240 PCS	CHRYSLER
999178C	100 PCS	MAZDA
999179C	120 PCS	HONDA
999182C	100 PCS	NISSAN
999183C	120 PCS	TOYOTA

# PIC A PACS

## SPINNER DISPLAYS



022-148



022-158



## THORO-FLUSH

INDUSTRIAL STRENGTH RADIATOR & ENGINE CLEANER, 16 OZ.

9112-16

- Opens & cleans out plugged heater Cores
- Clears out gelled Dex-Cool with a simple flush
- Cleans cooling system in a single flush
- Fuel Tank Cleaner. Use before installing a new fuel pump to prevent premature pump failure and warranty claims
- Removes ethanol/bio fuel build up rust scale oils and other sludge from fuel tank
- Safe for use on cast iron, aluminum, brass and plastic
- Professionally recommended for over 60 years



## ALL WEATHER SEAL

HEAD GASKET & RADIATOR SEALANT, 16 OZ.

9132-16

- It blends with your existing Anti-freeze forming a microemulsion
- It only works where the leak is. No fear of plugging heater cores, etc.
- It can be used as a preventative to keep vehicles in service
- It works FAST! Within 10 min. of reaching operating temperature your leak will stop
- It works regardless of what material the leak is in. Rubber, Iron, Aluminum, Plastic, etc.,
- It is compatible with all the different kinds of anti-freeze products on the market today. Even the waterless anti-freeze and extended life versions



## CERAMIC MOTOR SEAL

CERAMIC COOLING SYSTEM SEALER, 16 OZ.

9122-16

- Permanently seal leaking head gaskets
- Seals cracked heads and blocks in aluminum or cast iron
- Coats the engine and prevents formation of rust and salt water corrosion
- Seals porous castings in the cooling system
- Stops coolants leaks
- Promotes heat dissipation for added power

\*Add to Radiator Only After Removing Anti-Freeze







**Q.A.P. PREMIUM MOTOR OIL** designed for use in today's demanding gasoline engines. They exceed the requirements of the American Petroleum Institute's (API) current performance level, for gasoline engine oils and satisfy the current warranty requirements of domestic and foreign automobile manufacturers requiring an API SP or ILSAC GF 6 product.

CONVENTIONAL			
SIZE	5W-20	5W-30	10W-30
12 X 946 mL	FX0004115	FX0004215	FX0004315
4 X 5 L	FX0004130	FX0004230	FX0004330
205 L Drum	FX0004150	FX0004250	FX0004350

**Q.A.P. 100% SYNTHETIC MOTOR OILS** designed for use in today's demanding gasoline engines. They exceed the requirements of the American Petroleum Institute's (API) current performance level, for gasoline engine oils and satisfy the current warranty requirements of domestic and foreign automobile manufacturers requiring an API SP or ILSAC GF 6 product\* For those vehicles requiring a dexos 1™ Gen 2 formulation to be in compliance with GM OEM recommendations our Q.A.P. 100% SYNTHETIC 0W-20 and 5W-30 grades are fully certified and registered.



SYNTHETIC					
SIZE	0W-16	0W-20 (dexos®)	5W-20	5W-30 (dexos®)	10W-30
6 X 946 mL	FX0004806	FX0004606	FX0004506	FX0004706	FX0004406
4 X 5 L	FX0004830	FX0004630	FX0004530	FX0004730	
60 L - Keg		FX0004645	FX0004545	FX0004745	
205 L - Drum		FX0004650	FX0004550	FX0004750	FX0004450



**Q.A.P. EUROPEAN 100% SYNTHETIC 5W-40** is specifically formulated to meet the most stringent requirements of European manufacturers, including Volkswagen, Audi, Mercedes, BMW, and Porsche as well as European industry specifications (ACEA).

SYNTHETIC - EUROPEAN	
SIZE	5W-40
6 X 946 mL	FX0001606
60 L Keg	FX0001645
205 L Drum	FX0001650



**BESTBUY PRO CK-4** next generation oil was formulated to exceed compliance levels set forth by the EPA for 2017 and forward diesel engines. Bestbuy Pro CK 4 was designed to provide improvements in emissions control, wear protection, TBN retention, shear stability, fuel economy, oxidation resistance and enhanced drain intervals with regular used oil analysis.

CONVENTIONAL	
SIZE	15W-40
12 X 946 mL	FX0003415
4 X 5 L	FX0003430
18.9 L Pail	FX0003440
205 L Drum	FX0003450



**BESTBUY PRO SYN BLEND CK-4** next generation oil was formulated to exceed compliance levels set forth by the EPA for 2017 and forward diesel engines This oil was formulated to provide quantifiable improvements in emissions control, wear protection, TBN retention, shear stability, fuel economy and oxidation resistance Bestbuy Pro Syn Blend CK-4 is also backwards compatible making it ideal for large, small and mixed fleet operations where multiple service categories are represented.

SYNTHETIC BLEND	
SIZE	10W-30
12 X 946 mL	FX0003215
4 X 5 L	FX0003230
18.9 L Pail	FX0003240
205 L Drum	FX0003250



**BESTBUY PRO SYNTHETIC 5W-40 CK-4** has exceptional cold cranking and cold pumping ability. Performance in these areas enables faster startup and wear protection when the engine is most vulnerable. Bestbuy Pro Synthetic 5W-40 CK-4 is an advanced formulation designed to deliver exceptional protection for demanding operating conditions including industries such as Mining, Construction, Forestry, Trucking Operations and so much more.

SYNTHETIC	
SIZE	5W-40
4 X 5 L	FX0004030
18.9 L Pail	FX0004040
205 L Drum	FX0004050



**Q.A.P. DEX/MERC ATF** is a premium product specially formulated for use in automatic transmissions manufactured in 2005 and earlier. General Motors, Ford and Chrysler vehicles requiring Dexron, II, III (GM) and Mercon® (Ford) fluid.

ATF	
SIZE	DEX/MERC
12 X 946 mL	FX0000415
205 L Drum	FX0000450



**Q.A.P. SYNTHETIC LV MULTI VEHICLE ATF** is a premium low viscosity full synthetic multi vehicle transmission fluid designed to provide unparalleled performance in automatic transmissions It contains additives that enhance oxidation resistance, shear and viscosity stability that prevents the formation of deposits for up to twice the service life of the previous generation DEXRON® III and IIE fluids.

ATF	
SIZE	SYN LV MV
12 X 946 mL	FX0002415
60 L Keg	FX0002445
205 L Drum	FX0002450



**Q.A.P. MULTI VEHICLE ATF** is a premium multi vehicle transmission fluid designed to provide unparalleled severe duty operating performance in automatic transmissions. It has enhanced resistance to oxidation and prevents the formation of gum or varnish in the transmission due to high temperature instability.

ATF	
SIZE	MULTI VEHICLE
12 X 946 mL	FX0001815
60 L Keg	FX0001845
205 L Drum	FX0001850



**Q.A.P. CVT** is a multi vehicle synthetic transmission fluid designed for continuous variable transmissions. This multi vehicle CVT fluid provides excellent anti shudder durability and friction protection to keep your transmission running smoothly.

CVT	
SIZE	CVT
12 X 946 mL	FX0004915
4 X 5 L	FX0004930





**Q.A.P. GEAR OILS** are extreme pressure (EP) automotive gear lubricants made from high quality, high viscosity base oils. Their special additives make them effective at providing high load-carrying protection with outstanding rust, corrosion and foam prevention. They offer a high level of protection in extreme wet and dirty environments. For applications such as automotive, heavy duty, construction, forestry, agricultural, transmissions, drive trains and stationary equipment.

GEAR OILS	
SIZE	GEAR OILS
12 X 946 mL	FX0000715
205 L Drum	FX0000750



**BESTBUY PRO HYDRAULIC** is a product designed for various hydraulic systems. This oil is formulated to offer a wide operating temperature range and designed for use in colder temperatures. BESTBUY PRO HYDRAULIC is not recommended for use with pumps that contain silver-plated parts.

HYDRAULIC				
SIZE	22	32	46	68
18.9 L - Pail	FX0003540	FX0003640	FX0003740	FX0003840



**Q.A.P. DEF** is a 32.5% aqueous Urea Solution, AUS 32, a manufactured product of technically pure urea mixed with Demin quality water designed to meet the specifications of DIN 70070:2005 and ISO 22241 1:2006 for NOx abatement technologies.

DIESEL EXHAUST FLUID	
SIZE	DEF
9.46 L - Single Carton	FX0002910
208 L Drum	FX0002950



**Q.A.P. HEAVY DUTY MULTI-PURPOSE GREASE** is capable high-performance grease for all chassis, wheel bearing, pin & bushing, ball and universal joints. It is an ideal solution to reduce the need for multiple products and reduce the risk of misapplication. Lithium complex thickener combined with high quality base oils and additive package giving it excellent mechanical stability and good resistance to water. The grease gives top-level protection from extreme pressure (EP) load wear.

MULTI-PURPOSE GREASE	
SIZE	HD
30 X 14 oz Tubes - Case	FXG000111



**Q.A.P. MULTI-PURPOSE LITHIUM GREASE** is a capable high-quality multipurpose grease for use in automotive chassis, universal joints, water pumps, roller, plain and AF bearings. Excellent shear stability over a broad temperature range and has a strong resistance to spin off and water resistance means it maintains protection.

MULTI-PURPOSE GREASE	
SIZE	MP
30 X 14 oz Tubes - Case	FXG000211



**COBRA AUTOMATIC TRANSMISSION FLUID**  
Designed to satisfy GM & Ford specs pre 2005

COBRA ATF	
SIZE	ATF
18.9 L - Pail	FBB0008840



**COBRA DIFF 80W-90** is recommended for most auto differentials as well as transmissions where the manufacturer specifies API MT 1. Always consult your owner's manual when choosing a compatible lubricant.

COBRA DIFF	
SIZE	80W-90
18.9 L - Pail	FBB0009840



**COBRA UTF (UNIVERSAL TRACTOR FLUID)** is a multi application lubricant used to lubricate the moving parts of off highway mobile equipment. These fluids are used to lubricate the transmissions, differentials, final drive planetary gears, wet brakes and hydraulic systems of farm tractors and construction equipment that have a common fluid reservoir calling for a combination lubricant and power transmission fluid.

COBRA UTF	
SIZE	UTF
18.9 L - Pail	FBB0008440



**COBRA CHAIN OILS** are designed especially for heavy duty chain saw use and are available in mid season summer and winter grades. All grades are extremely tacky, which helps the oil resist drippage and throw off, especially from high speed chains. Cobra Chain Oils are dyed red to help chain saw operators identify when the chain has enough lubrication.

COBRA CHAIN OILS			
SIZE	LIGHT	MEDIUM	HEAVY
4 X 3.78 L	FBB0011226	FBB0011326	FBB0010926





Vise-Grip® Locking Tools

Fast Release™ Curved Jaw Locking Pliers CR

PART#	DESCRIPTION
IRHT82573	10" Reduced Hand Span
IRHT82574	7"
IRHT82575	5"



Curved Jaw Locking Pliers

Curved Jaw Locking Pliers with Wire Cutter

PART#	DESCRIPTION
702L3	7"
902L3	5"
1002L3	4"



Vise-Grip® Locking Tools

Locking C-Clamps with Swivel Pads

PART#	DESCRIPTION
20	11"
28	24"
31	9"



Curved Jaw Locking Pliers

PART#	DESCRIPTION
4935576	10"
4935578	7"
902L3	5WR 5"
502L3	10"



Vise-Grip® Locking Tools


Locking C-Clamps with Regular Tips

PART#	DESCRIPTION
17	6"
19	11"
21	18"



Fast Release™ Straight Jaw Locking Pliers

PART#	DESCRIPTION
IRHT82576	10" Reduced Hand Span
IRHT82577	7"



Straight Jaw Locking Pliers

PART#	DESCRIPTION
102L3	10"
302L3	7"



Long Nose Locking Pliers

PART#	DESCRIPTION
1402L3	6"
1502L3	9"
1602L3	4"



Reciprocating Saw Blade, Metal-Cutting

PART#	DESCRIPTION
372614P5	6-Inch 14TPI, 5 Pack
372618P5	6-Inch, 18TPI, 5 Pack
372624P5	6-Inch, 24TPI, 5 Pack
372818P5	8-Inch, 18TPI, 5 Pack
372118P5	12-Inch, 18TPI, 5 Pack
372618B	6-Inch, 18TPI, 25 Pack
372618BB	6-Inch, 18TPI, 50 Pack

Reciprocating Saw Blade, Wood & Metal-Cutting

PART#	DESCRIPTION
372810P5	8-Inch 10TPI, 5 Pack



Vise-Grip® Locking Tools

Pliers

PART#	DESCRIPTION
2078216	6" Long Nose Locking
2078218	8" Long Nose Locking



Vise-Grip® Locking Tools

Miscellaneous Pliers

PART#	DESCRIPTION
2078309	8" Multi-Tool
2078300	8" Self Adjusting Wire Strippers



Vise-Grip® Locking Tools

Groove Joint V-Jaw Pliers

PART#	DESCRIPTION
2078510	10"
2078512	12"



PART#	DESCRIPTION
2078714	8 Piece Mini Pliers Set



Vise-Grip® Locking Tools

Diagonal Cutting Pliers

PART#	DESCRIPTION
2078307	7"
2078308	8"



Utility Blades

PART#	DESCRIPTION
2084100	Bi-Metal 5-Pack Utility Blades



PART#	LENOX VARI-BIT® STEP DRILL BITS Hole Size		# OF HOLE SIZES	Shank Size	
	IN	MM		IN	MM
30882VB2	1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1	12.7, 14.3, 15.9, 17.5, 19.1, 20.6, 22.2, 23.8, 25.4	9	3/8	9.5
30888VB11	7/8, 1-1/8 (for 1/2 and 3/4 conduit)	22.2, 28.6 (for 12.7 and 19.1 conduit)	2	3/8	9.5
30908VB8	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8	4.8, 6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5, 19.1, 20.6, 22.2	12	3/8	9.5
30883VB3	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5, 19.1	9	3/8	9.5



LENOX RECIPROCATING SAW BLADES

Wood Bi-Metal

PART#	QTY
20582956R	5/pk
20558B956R	25/pk
20585156R	5/pk
22752OSB956R	50/pk

General Purpose Bi-Metal

Long Lasting, Fast Cutting and Versatile

PART#	QTY
20580810R	5/pk
22758OSB110R	50/pk

Metal Cutting

PART#	QTY
20487B818R	25/pk
22751OSB618R	50/pk
20566618R	5/pk
20529B618R	25/pk
20578818R	5/pk
22754OSB818R	50/pk



Lenox Standard Hole Saw Arbor

PART#	DESCRIPTION
1779801	2L T2 3.25 drill







jbweld.com



**JB ORIGINAL SYRINGE**  
50165CAN - 25ml  
Our strongest epoxy-  
5020 PSI for a strong,  
permanent bond



**MARINEWELD™ EPOXY  
SYRINGE WHITE 25ML**  
50172CAN  
Great for boats, personal  
watercraft, deck and hull  
accessories and more



**J-B KWIKWELD™**  
50176CAN  
Quick setting steel  
reinforced epoxy



**CLEAR SILICONE  
SEALANT &  
ADHESIVE**  
General purpose  
31310CAN - 85g  
Sets in 1 hour and  
will not shrink or  
crack



**HI-TEMP RED  
SILICONE**  
31314CAN - 85g  
Great for oil pans,  
valve covers,  
exhaust manifolds,  
differential covers  
and more



**BLUE SILICONE**  
31316CAN - 85g  
Sensor safe  
RTV silicone  
gasketing material  
designed for use  
in mechanical  
assemblies



**BLACK SILICONE**  
31319CAN  
General purpose  
black RTV  
silicone designed for  
sealing and  
bonding uneven  
surfaces



**ULTIMATE  
GREY**  
32327CAN  
**ULTIMATE BLACK**  
32329CAN

Sets in 1 hour and  
will not shrink or  
crack



**J-B EXTREMEHEAT™**  
37901CAN  
Organic repair paste  
able to withstand  
extreme heat up to  
1000°F



**PERMA-LOCK™  
THREADLOCKERS  
MEDIUM STRENGTH BLUE**

24206CAN - 6ml  
24236CAN - 36ml



**PERMA-LOCK™  
THREADLOCKERS  
HIGH STRENGTH RED**

27106CAN - 6ml  
27136CAN - 36ml



**SUPERWELD™**  
33106CAN Brushable - 6g  
33120CAN - 20g



**Aerosol Truck Bed  
Coating**  
HALB15CAN



**J-B WELD™**  
8265SCAN  
World's finest  
cold-weld  
compound.



**J-B KWIKWELD™  
PROFESSIONAL  
SIZE**  
8271CAN  
Blister  
Quick-setting  
Cold-Weld™  
Epoxy  
10oz./ea



**MARINEWELD™**  
8272CAN  
Two-part epoxy  
cold weld  
system specially  
formulated  
for marine  
applications.



**J-B WELD™ PRO**  
8281CAN  
Blister  
10oz./ea  
The Original J-B  
Weld two-part  
epoxy cold weld  
system in a  
10 oz. pro size



**STEELSTIK™ - 2 OZ.**  
8267CAN  
Steel Reinforced  
Epoxy Putty  
Great for patching  
and repairing  
automotive and  
machine parts,  
plumbing, stripped  
threads and  
household repairs



**WATERWELD™  
SPECIALTY EPOXY  
PUTTY**  
8277CAN  
Great for repairing  
plumbing, fuel tanks,  
tubs, showers, drains,  
boats and portable  
water tanks



**J-B KWIKWELD™**  
8276CAN  
Quick setting steel  
reinforced epoxy



**PLASTICWELD  
EPOXY PUTTY  
STICK**  
8237CAN



**PERMANENT  
REPAIR CAST**  
38236CAN  
2x36"



**PIPE REPAIR  
CAST**  
38248CAN  
2x48"



**EXHAUSTWELD™**  
38572CAN  
2" x 72" Repair  
Wrap  
High strength  
fiberglass wrap,  
with a specially  
formulated resin for  
high temperature  
resistant repairs.



**HIGH HEAT™ EPOXY  
PUTTY - 2 OZ.**  
8297CAN



**J-B PLASTIC WELD™**  
50132CAN - 25ml  
Two-part adhesive and  
epoxy filler system that  
provides for strong,  
lasting repairs



**J-B CLEAR WELD™**  
50112CAN - 25ml  
50114CAN - 14ml  
Quick setting clear epoxy



**J-B PLASTIC BONDER™**  
50133CAN - Tan  
50139CAN - Black  
High strength structural adhesive



jbweld.com







SCOTT® RAGS IN A BOX™	
PART#	DESCRIPTION
75260	All-Purpose Towels, 9"x12" sheets, Pop-Up™ Box (200 Towels/Box, 8 Boxes/Case, 1,600 Towels/Case)



BATHROOM TISSUE SYSTEMS				
PART#	DESCRIPTION	PLY	QTY/UNIT	FITS DISPENSER
07805	Scott® Essential Jumbo Roll Tissue	2	1,000'/Roll	09507
48040	Scott® Essential SRB Tissue	2	550 sheets	09021
17713	Cottonelle® SRB Tissue	2	451 sheets	09021
67805	Scott® 100% Recycled Fiber High-Capacity Jumbo Roll Toilet Paper	2	1,000'/Roll	
03148	Scott® High-Capacity Jumbo Roll Toilet Paper	2	1,000'/Roll	
07006	Scott® Coreless High-Capacity Jumbo Roll Toilet Paper with Elevated Design	2	1,150'/Roll	



SKIN CARE SYSTEMS					
PART#	DESCRIPTION	FRAGRANCE	DELIVERY FORMAT	SIZE	FITS DISPENSER
91565	Scott® Essential Green Certified Foam Skin Cleanser	Unscented	Manual Cassette	1.0 L	92145
91552	Scott® Foam Hand Soap with Moisturizers	Floral Scent	Manual Cassette	1.0 L	92145



KLEENEX® FACIAL TISSUE			
PART#	DESCRIPTION	PLY	QTY/UNIT
21400	Kleenex® Facial Tissue	2	100 Tissues/Box



WypAll® Power Clean ProScrub™ Pre-Saturated Wipes	
PART#	QUANTITY
58310	8 portable canisters of 50 sheets per case;
91371	6 containers of 75 sheets per case; (9.5" x 12" each)



Scott® Shop Towels		
PART#		QUANTITY
75147	Original	55 towels/roll, 12 rolls/case; Blue
75143	Original	9.4"x11" sheets, 10 Packs of 3 Rolls (55 Towels/Roll)
75190	Original	8 Pop-Up Boxes per case, 200 sheets / box; Blue, 9 x 12" sheets
55423	Original	200 sheets/roll, 4/case, 9 x 12" sheets Replaces Krew 400 #33046 Substitute for WypAll #05796
32896	Glass™	Blue Shop Towels for Glass, Mirrors and Chrome, 8.6"x11" sheets (90 Towels/Roll)
32992	Heavy Duty™	Blue Shop Towels for Solvents and Heavy Duty Jobs, 10.4"x11" sheets (60 Towels/Roll)



SCOTT® KITCHEN ROLL TOWELS		
PART#	DESCRIPTION	
41482	Scott® Kitchen Paper Towels with Fast-Drying Absorbency Pockets™	White, 128/Sheets/Roll



HARD ROLL TOWEL SYSTEMS			
PART#	DESCRIPTION	SIZE (WXL)	FITS DISPENSER
01000	Scott® Essential High Capacity Hard Roll Towels	8.0" x 1,000'	09990
02000	Scott® Essential High Capacity Hard Roll Towels	8.0" x 950'	09996 48857
50606	Scott® Essential Plus+ Hard Roll Towels	8.0" x 600'	
01010	Scott® Essential Center-Pull Roll Towels	500 Sheets/Roll	09335
02001	Scott® Essential High-Capacity Hard Roll Towels with Elevated Design and Absorbency Pockets™	950'/Roll	Purple Core Dispensers
04142	Scott® 100% Recycled Fiber Hard Roll Paper Towels with Absorbency Pockets™	800'/Roll	09765



Folded Paper Towels		
PART#		DESCRIPTION
01700	Scott® Essential Single-Fold Paper Towels	White, 250 Sheets/Pack
01804	Scott® Multifold Paper Towels with Absorbency Pockets™	White, 250 Sheets/Pack
01701	Kleenex® Hand Towels with Premium Absorbency Pockets™	White, 120 Sheets/Box





WypAll® Power Clean X80 Heavy Duty Cloths		
PART#	QUANTITY	FITS DISPENSER
41043	475 sheets/roll (each is 12.5" x 12.2")	80596/80579
41041	1 Brag™ Box/160 sheets each	
Strong enough to replace laundered rental shop towels		

WypAll® PowerClean™ X70 Medium Duty Cloths	
PART#	QUANTITY
83571	Wipers in a Bucket Refill, 220 Sheets/Roll
41702	Center-Pull Roll, 275 Sheets/Roll
41455	Pop-Up Box Cloths, 100 Sheets/Box
41200	Quarterfold, 912 Sheets/Case
41611	Jumbo Roll, 870 Sheets/Roll
55300	Brag Box, 200 Sheets/Box

WypAll® General Clean X60 Multi-Task Cleaning Cloths		
PART#	QUANTITY	FITS DISPENSER
34965	1100 sheets / roll	80596/80579
35401	Small Roll, 130 sheets / roll	
54015	1 Brag™ Box/236 sheets each	
34790	Pop-Up Box, 118 Sheets/Box	
35421	Small Roll, 130 Sheets/Roll	
Outperforms and saves money vs. assorted textile recycled rags		

WypAll® Oil & Grease Cloths	
PART#	QUANTITY
33241	1 Jumbo Roll/717 sheets
33352	1 Brag™ Box/180 sheets
Lint free and absorbs 8x its weight in oil & grease	

WypAll® PowerClean™ L40 Extra Absorbent Towels	
PART#	DESCRIPTION
05796	Center-Pull Roll, 200 Sheets/Roll

WypAll® GeneralClean™ L20 Medium Cleaning Cloths	
PART#	DESCRIPTION
34607	Brag Box, 176 Sheets/Box
47758	Center-Pull Roll, 550 Sheets/Roll
47044	Pop-Up Box, 88 Sheets/Box



1-PACK TREES



U1P-10155



U1P-10210



U1P-10290



U1P-10189



U1P-17308



U1P-10101



U1P-17068



U1P-17303



U1P-10105



U1P-17146

X-TRA STRENGTH®



U1P-10655



U1P-10689



CTK-52731-24



CTK-52733-24



CTK-52732-24

SPRAY



UPS-06355



UPS-06389

FIBER CAN®



UFC-17855-24



UFC-17811-24



UFC-17889-24





henkel-adhesives.com/ca

**LOCTITE**



**LOCTITE BLUE THREADLOCKER STICK - MEDIUM STRENGTH**

37643 - 9g Carded Tube  
37614 - 19g Carded Bottle  
Non-drip portable stick threadlocker, removable with hand tools. Locks & seals 1/4" to 3/4" bolts. Excellent for overhead applications, great for mobile mechanics.



**LOCTITE RED THREADLOCKER STICK - HIGH STRENGTH**

37700 - 19g Carded Stick  
Non-drip portable stick high-strength threadlocker. Locks & seals up to 3/4" bolts. Excellent for overhead applications, great for mobile mechanics.



**LOCTITE 242 THREADLOCKER - MEDIUM STRENGTH**

38621 - 6ml Carded Tube  
38622 - 36ml Carded Bottle  
Blue liquid threadlocker. Removable with hand tools. Locks & seals 1/4" to 3/4" bolts. Prevents loosening due to vibration.



**LOCTITE 243 THREADLOCKER - BLUE PRIMERLESS**

1330902 - 6ml Carded Tube  
1330906 - 36ml Carded Bottle  
Low drip, blue liquid threadlocker. Primerless for multi-metal or coated fasteners. Locks & seals 1/4" to 3/4" bolts. Removable with hand tools.



**LOCTITE 262 THREADLOCKER - HIGH STRENGTH**

38637 - 6ml Carded Tube  
38647 - 36ml Carded Bottle  
Red liquid threadlocker. High strength, withstands shock & vibration. Locks & seals up to 3/4" fasteners.



**LOCTITE 263 THREADLOCKER - HIGH STRENGTH PRIMERLESS**

2205310 - 36ml Carded Bottle  
Low drip, red liquid threadlocker. Primerless for multi-metal or coated fasteners. Resists shock & vibration. Locks & seals up to 1" bolts.



**LOCTITE 620 BEARING MOUNT - HIGH TEMPERATURE**

38626 - 36ml Carded Bottle  
Green, high-strength retaining for press or slip-fit parts. Pins, bushings, bearings. 450°F temperature resistance. New or worn parts.



**LOCTITE 277 THREADLOCKER - HEAVY DUTY/LARGE BOLTS**

38627 - 36ml Carded Bottle  
Red liquid threadlocker. Resists extreme shock & vibration. Locks & seals fasteners over 1".

**LOCTITE**

henkel-adhesives.com/ca



**LOCTITE 565 THREAD SEALANT - HIGH PERFORMANCE**

38635 - 50ml Carded Tube  
Locks & seals threaded metal pipe fittings. Controlled strength. Non-shrinking & fast cure. Resists common fluids, fuel, coolant, oils.



**LOCTITE 592 THREAD SEALANT - HIGH TEMPERATURE**

38613 - 50ml Carded Tube  
Locks & seals threaded metal pipe fittings. 400°F temperature resistance. Parts may be repositioned up to 24 hours after assembly. Resists common fluids, fuel, coolant, oils.



**LOCTITE SI 595 RTV CLEAR SILICONE**

38618 - 300ml Cartridge  
Clear, multi-use adhesive sealant. Creates a tough, highly flexible silicone rubber seal. Waterproof.



**LOCTITE 515 GASKET MAKER - ANAEROBIC**

38625 - 50ml Carded Tube  
Flexible gasket maker for use on rigid metal flanges with less than 0.015" gap. Flexes with flanges that move in service. Replaces pre-cut gaskets.



**LOCTITE HIGH FLEX FORM-IN-PLACE GASKET - ANAEROBIC**

38628 - 50ml Carded Tube  
Blue gasket maker with added flexibility for flange movement. Replaces gaskets on rigid metal flanges with less than 0.010" gap.



**LOCTITE 518 GASKET MAKER - ANAEROBIC**

2096058 - 50ml Carded Tube  
Gasket maker for rigid aluminum and metal flanges. Fills gaps up to 0.050". Replaces pre-cut gaskets.



**LOCTITE SI 5900 READY GASKET - GASKET MAKER**

1093354 - 5oz Cartridge  
2207527 - 300ml Cartridge  
Elastomeric rubber sealant makes leakproof gaskets in one minute. Immediate return to service. Bonds through oily surfaces. Resists oils & coolant. Sensor safe.



**LOCTITE SI 5920 RTV COPPER SILICONE GASKET MAKER - HIGH PERFORMANCE**

38640 - 300ml Cartridge  
Premium gasketing for 4-cylinder, high-performance or turbocharged engines. Operating temperatures to 700°F. Resists oils & coolant. Sensor safe.



**LOCTITE SI 598 RTV BLACK SILICONE GASKET MAKER**

41241 - 80ml Carded Tube  
2638166 - 190ml aerosol  
41240 - 300ml Cartridge  
Black elastomeric rubber gasketing material. Retains high-flexibility & oil resistance properties. Sensor safe.



**LOCTITE 5699 RTV GREY SILICONE GASKET MAKER**

38633 - 80 ml Carded Tube  
Grey silicone gasket maker, for modern part designs with close bolt spacing. Excellent coolant resistance, outstanding oil tolerance. Sensor safe.





henkel-adhesives.com/ca

**LOCTITE**



**LOCTITE 4070 STRUCTURAL INSTANT ADHESIVE HYBRID**

2264448 - 10 ml Boxed kit with 4 Nozzles

The essential repair adhesive. Solves virtually any repair challenge when time is limited. Rapidly bond a variety of damaged vehicle components. High strength and impact resistance. Makes fast and easy repairs to many materials.

Typical Applications: Interior trim pieces, consoles, dash components, molded bumpers, trim repair, custom fabrication.



**LOCTITE 596 RED RTV HIGH TEMP SILICONE SEALANT**

38629 - 300 ml Cartridge

Tough, flexible, waterproof, oil-resistant silicone rubber bond. Resists ageing, weathering and thermal cycling without hardening, shrinking or cracking. Used in applications with an operating range of -50°C to +316°C (600°F). Used in industrial furnaces, ovens, boilers, exhaust stacks, high temperature ducting, and heating elements in electrical appliances.



**LOCTITE LB 8008 C5-A ANTI-SEIZE LUBRICANT - COPPER**

38605 - 8oz. Brush-Top Can

38604 - 1lb. Brush-Top Can

High temperature resistant anti-seize and thread lubricant. Prevents seizing, galling and corrosion. Provides good electrical conductivity.



**LOCTITE LB 8150 ANTI-SEIZE LUBRICANT - SILVER**

38619 - 8oz. Brush-Top Can

38620 - 1lb. Brush-Top Can

Prevents seizing, galling and corrosion. For use in assemblies up to 1600°F (871°C).



**LOCTITE LB 8023 MARINE GRADE ANTI-SEIZE**

34395 - 8oz. Brush-Top Can

Highly resistant to fresh and salt water wash out - under car applications. Extreme temperature & humidity resistance. Metal free, prevents galvanic corrosion.



**LOCTITE EA 445 EPOXY MIXER CUPS**

37513 - Canister

10 pk of 4g Mixer Cups

Pre-measured epoxy in cups, bonds most materials. Excellent chemical resistance. Bonds in 5 - 15 minutes. Sandable & paintable.



**Your local business backed by our national network.**



**Best Auto is a flexible service provider program offering:**

- Protection of your bottom line with our labour recovery program
- Proven savings on debit and credit card processing fees with protected group rates
- National pricing agreements on business, customer service & industry solutions



**Talk to your Bestbuy distributor about joining Best Auto today.**





lucasoil.com



lucasoil.com



### SAFEGUARD™ ETHANOL FUEL CONDITIONER WITH STABILIZERS

20576 (473ml)  
Lucas Safeguard™ Ethanol Fuel Conditioner with Stabilizers was developed to specifically address issues associated with using ethanol based fuels. This applies to E-10, E-15, E-85, pure ethanol and any mixtures in between including gasoline. Our Product is completely soluble in all ethanol fuels and will not harm filters. Lucas Safeguard™ Ethanol Fuel Conditioner with Stabilizers contains effective additives to prevent rust and corrosion associated with the use of ethanol fuels.



### POWER STEERING FLUID W/ CONDITIONERS

20442 (473ml)  
Lucas Power Steering Fluid with Conditioners is formulated with the finest base oils and a special Lucas additive package that outperforms all others, providing smooth, quiet operation while conditioning seals to prevent leaks.



### OCTANE BOOSTER

20026 (444ml)  
Lucas Octane Booster - A Real Octane Booster! Tested and proven to deliver three times more boost than most other brands. Lucas Octane Booster is a GENUINE Performance Enhancer! It's safe for turbos, oxygen sensors and catalytic converters. Stops knocks, and raises MPG in high compression engines.



### SYN HD OIL STABILIZER

20130 (946ml)  
Light enough for an import - Tough enough for a semi. Use in new equipment which requires synthetic oils or any equipment that needs enhanced performance. It can also be used to protect new and used Heavy Duty and High Performance transmissions, gear boxes and engines. Controls heat and wear in motorcycles, air-cooled engines and all drive train components. Reduces friction for increased power and MPG.

In Ford Powerstrokes we suggest one quart of Pure Synthetic Oil Stabilizer per oil change.



### SYNTHETIC MULTI-VEHICLE ATF

20418 (946ml)  
Lucas Oil Multi-Vehicle ATF provides today's transmission with excellent oxidation stability, foam resistance, rust and corrosion inhibition properties, wear protection and heat resistance while providing smooth shifting and eliminating chatter.



### SYNTHETIC MULTI-VEHICLE CVT FLUID

20111 (946ml)  
Lucas Synthetic Multi-Vehicle CVT Fluid is a premium, full synthetic transmission fluid specifically designed for use in passenger cars with steel belt-driven or chain continuously variable transmissions. Lucas CVT Fluid guards against wear & corrosion. It resists shear thinning better than typical CVT fluids. Lucas CVT Fluid provides superior cooling, & excellent low-temperature fluidity for smoother operation in cold weather.



### COMPLETE ENGINE TREATMENT

20016 (473ml)  
Lucas Complete Engine Treatment is a unique formulation that cleans and lubricates multiple systems in your vehicle. When added to fuel, it cleans and lubricates all components from the fuel tank to the cylinders. It removes deposits, protects against corrosion and helps the fuel to burn more completely, which helps to lower emissions, improves fuel mileage and increases power. When added to your oil, Lucas Complete Engine Treatment cleans your engine and forms a protective barrier against heat and friction, improves oil flow in cold weather and extends oil life. FOR ALL ENGINES AND OIL TYPES.



### ENGINE OIL STOP LEAK

20278 (946ml)  
Lucas Engine Oil Stop Leak is an all new formulation of Lucas additives and very specific base stocks designed to stop seal leaks in engines!



### SEMI-SYNTHETIC 2-CYCLE OIL

20120 (473ml)  
Lucas High Performance Semi-Synthetic 2-Cycle Oil has been specifically developed to give a long trouble-free life to gasoline-powered 2-cycle engines. Designed for any oil injection system or pre mix up to 50:1. Use in Snowmobiles, Weed Eaters, Leaf Blowers, Chain Saws and more.



### SLICK MIST CERAMIC SPEED WAX

21294 (710ml)  
Slick Mist® Ceramic Speed Wax is a Professional Paint Sealant and Durable Protectant anyone can use. May also be used on gel coat, glass and chromed surfaces. Overspray will not harm rubber and plastic trim. Also works great on aluminum surfaces, vinyl wraps, PPF, matte finishes and ceramic coated surfaces. We recommend use every one to two months. 100% compatible with Lucas Slick Mist Speed Wax.



### DEEP CLEAN FUEL SYSTEM CLEANER

20512 (473ml)  
Lucas Deep Clean is blended with an exclusive Lucas additive package and specific carrier fluid that contains no diesel fuel, kerosene or anything else that can be harmful or useless to an engine. It also reduces NOx emissions, eliminates the need for higher octane fuel and deep cleans the entire fuel system and combustion chamber.



### DIESEL DEEP CLEAN

20872 (473ml)  
Lucas Diesel Deep Clean is a new Lucas technology developed to reduce the cost and hassle of particulate filter maintenance. It is an excellent preventative maintenance product. It causes the fuel to burn much cleaner, thus eliminating a lot of particulate matter that would otherwise go into the exhaust system causing "regens." It also cleans out much of the matter already trapped in the filter. This eliminates exhaust backpressure allowing the engine to run easier and cooler as well as lowering the aggravation and down time associated with particulate filters.



### SLICK MIST TIRE AND TRIM SHINE

20513 (710ml)  
Lucas High Performance Semi-Synthetic 2-Cycle Oil has been specifically developed to give a long trouble-free life to gasoline-powered 2-cycle engines. Designed for any oil injection system or pre mix up to 50:1. Use in Snowmobiles, Weed Eaters, Leaf Blowers, Chain Saws and more.



### BAG IN A BOX SYSTEM

Lucas Oil's "Bag in a Box" oil program is specifically designed to be used by dealerships, auto repair shops, and quick lubes for their ability to carry multiple oil grades and specialty items for faster lube servicing and dispensing. The packaging is 100% recyclable with an eco-friendly design that reduces waste by using less plastic and utilizing every drop of oil. Lucas Oil's most common motor oils are available in "Bag in a Box."



### CETANE POWER BOOSTER

21031 (473ml)  
Lucas Cetane Power Booster is a diesel fuel supplement that contains effective lubricants for the engine's high-pressure fuel injection pump. Expect cleaner exhaust, longer filter life, easier start ups and smoother idle, as well as, more power, more MPG and longer engine life. It adds much needed cleaners and lubricants to the diesel fuel and reduces wear by more than 27% in unadditized diesel fuel. It maintains peak performance by reducing injector coking and internal injector deposits. It also lubricates rings and cylinders for longer engine life.





PROFESSIONAL CLEANING PRODUCTS



**10" VEHICLE BRUSH - SOFT - GREEN**  
BV-300F  
Plastic Block - Green Flagged Fill



**BI-LEVEL VEHICLE BRUSH**  
BV-420  
Green Flagged Fill - Soft Surfaces



**WAREHOUSE CORN BROOM**  
BC-108 Heavy Duty  
BC-110 Extra Stiff



**WAREHOUSE CORN BROOM**  
BC-107C  
Heavy-Duty Medium Sweep



**TRACK/SWITCH INDUSTRIAL BROOM**  
BT-112  
Heavy Duty Forged Chisel



**12" VORTEX SOFT SWEEP ANGLE BROOM**  
BA-3220



**10" MARS ANGLE BROOM**  
BA-9708



**STEP-N-GO WET MOP HANDLE - FIBERGLASS**  
HW-7000F 60" handle  
HW-7001F 54" handle



**LOBBY DUST PAN & BROOM**  
DP-L802



**INDUSTRIAL LOBBY DUST PAN**  
DP-L800



**12" PLASTIC DUST PAN**  
DP-H614



**13" WIRE BRUSH - 3 ROW**  
BW-1037



**URINAL SCREEN W NON-PARA PUCK - LAVENDER**  
WA-US20



**FLOOR SIGN "CAUTION WET FLOOR"**  
WF-7003  
English/French/Spanish



**10" CAR SQUEEGEE WITH 20" HANDLE**  
WS-CS1021-P



**24OZ BOTTLE W TRIGGER**  
TS-BT289-12

PROFESSIONAL CLEANING PRODUCTS



**30" HEAVY-DUTY CHEMICAL RESISTANT METAL MOSS SQUEEGEE - RED**  
FS-MH30-RD



**30" HEAVY-DUTY METAL MOSS SQUEEGEE**  
FS-MH30  
Use FH-W360-1T handle



**22" METAL MOSS SQUEEGEE**  
FS-M22  
Use FH-W360-1T handle



**36" INDUSTRIAL STRAIGHT FLOOR SQUEEGEE**  
FS-S536  
Use FH-W360-118T



**MEDIUM SWEEP PUSH BROOM HEAD - 24 INCH**  
PB-PE24



**TAMPICO MEDIUM SWEEP PUSH BROOM**  
PB-T18 18"  
PB-T24 24"



**GARAGE CONCRETE - MEDIUM TO HEAVY DUTY SWEEP**  
PB-G24 24"



**FINE SWEEP PUSH BROOM**  
PB-BT24 24"



**16" STREET BROOM WITH BRACE & HANDLE ASSEMBLED**  
PB-700-ST16



**RYNO PUSH BROOM - STIFF SWEEP BRACE & HANDLE**  
PB-700-GB18 18"  
PB-700-GB24 24"  
Assembled



**RYNO MEDIUM PUSH BROOM - RED**  
PB-800-RB18 18"  
PB-800-RB24 24"  
Assembled



**PUSH BROOM BRACE**  
PB-351



**10" STIFF SCRUB BRUSH - POLY BRISTLES W 54" HD METAL HANDLE**  
BD-1110-M54



**VENUS CURVED MAGNETIC BROOM WITH 48" METAL HANDLE**  
BM-4200



**16" HERCULES INDUSTRIAL ANGLE BROOM WITH X-LARGE DUST PAN**  
BA-3001



**16" HERCULES INDUSTRIAL ANGLE BROOM**  
BA-3000





VALVE CAPS

	<b>HIGH PERFORMANCE HEX HEAD VALVE CAP</b> 435 (Box of 50)		<b>TR C1 TIRE VALVE CORE</b> 404-100 (Box of 100)
	<b>TR VC3 DOME TYPE VALVE CAP</b> 436 (Box of 100)		<b>TR 413 TUBELESS TIRE VALVE</b> 413-50 (Box of 50)
	<b>TR VC8 GREEN PLASTIC DOME CAP</b> 438 (Pack of 10)		<b>1-1/2" TUBELESS TIRE VALVE</b> 414-50 (Box of 50)
	<b>TR VC 8 DOME TYPE VALVE CAP</b> 439 (Pack of 10) S-439 (Pack of 5)		<b>VALVE CORE REMOVAL AND INSERTION TOOL</b> S-444

PLUGS

	<b>1/4" NPT A-STYLE PLUG</b> 778 (Box of 10)		<b>AIR PLUG FITTING, M-STYLE®, 1/4" MNPT</b> S-727
	<b>P-STYLE PLUG</b> S-1807		<b>1/4" FNPT M-STYLE® PLUG</b> 728 (Box of 10) S-728
	<b>3/8" NPT M-STYLE® PLUG</b> S-733		<b>1/4" NPT A-STYLE PLUG</b> S-777
	<b>3/8" NPT M-STYLE® PLUG</b> S-743		<b>3/8" MNPT H-STYLE PLUG</b> S-1837

COUPLERS

	<b>P-STYLE COUPLER</b> S-1803		<b>1/4" NPT M-STYLE KWIK-CHANGE® COUPLER FEMALE</b> 715 (Pack of 10) S-715
	<b>P-STYLE COUPLER</b> S-1805		<b>1/4" NPT M-STYLE KWIK-CHANGE® COUPLER MALE</b> 716 (Pack of 10) S-716
	<b>1/2" NPT G-STYLE COUPLER</b> S-1815		<b>3/8" M-STYLE FEMALE NATIONAL PIPE THREAD</b> S-718
	<b>1/4" FNPT H-STYLE COUPLER</b> S-1833		<b>3/8" NPT M-STYLE® COUPLER</b> S-719
	<b>3/8" FNPT STEEL H-STYLE COUPLER</b> S-1835		<b>A-STYLE COUPLER</b> S-775
	<b>1/4" FNPT HIGHFLOWPRO® V-STYLE/EURO INTERCHANGE AIR COUPLER FITTING</b> S-764		<b>A-STYLE COUPLER</b> S-776

OIL

	<b>HIGH-PERFORMANCE CONVENTIONAL PNEUMATIC TOOL OIL (SAE 10W, ISO 32)</b> 1001 3.8L		<b>HIGH-PERFORMANCE CONVENTIONAL AIR COMPRESSOR OIL (SAE 30W, ISO 100)</b> 1002 3.8L 1002-32 32oz
---	---	---	---





GAUGES



HEAVY DUTY, TIRE PENCIL  
GAUGE, 2-20 PSI  
S-917



HEAVY DUTY, TIRE & TREAD  
PENCIL GAUGE, 10-70 PSI  
S-920



TIRE PRESSURE GAUGE, 5-50 PSI  
SINGLE BALL-HEAD AIR CHUCK  
S-921



TIRE PRESSURE GAUGE, 5-50 PSI  
SINGLE BALL-HEAD AIR CHUCK  
S-925



TIRE PENCIL PRESSURE GAUGE W/  
DUAL HEAD AIR CHUCK, 20-120 PSI  
S-927



TIRE TREAD DEPTH GAUGE  
S-448



AIR/WATER-FILLED TIRE  
PRESSURE GAUGE, 5-50 PSI  
S-928



DUAL-HEAD CHUCK SERVICE GAUGE  
160 PSI  
S-976



STRAIGHT FOOT DUAL-HEAD CHUCK  
SERVICE GAUGE  
S-986



DIGITAL TIRE PRESSURE GAUGE  
W/ EXTENDED 360 SWIVEL  
DUAL HEAD AIR CHUCK  
EX516DIG



STRAIGHT FOOT DUAL-HEAD AIR  
CHUCK TIRE PRESSURE GAUGE, 1/4"

S-693-12  
12 Inch Extended-Reach



AIR/WATER-FILLED TIRE  
PRESSURE GAUGE, 5-50 PSI  
S-929



1/4" FNPT DUAL HEAD AIR CHUCK  
S-690

S-690-12  
12 Inch Extended-Reach



1/4" ID EURO-STYLE HOSE BARB  
AIR CHUCK  
S-697



1/4" FNPT EURO-STYLE AIR  
CHUCK, CLIP-ON  
S-697-2



PISTOL GRIP TIRE INFLATOR/  
DEFLATOR GAUGE  
EX0500P



DIGITAL TIRE GAUGE, LED  
LIGHT TIP  
EX99900



PISTOL GRIP BLOW GUN KIT,  
SAFETY TIP NOZZLE AND  
KWIK-CHANGE® UNIVERSAL TIP  
SYSTEM  
S-174KIT  
4 pieces



SINGLE HEAD DIAL GAUGE  
S-932



SINGLE HEAD DIAL GAUGE  
WITH TREAD DEPTH GAUGE  
S-934



CLOSED BALL SINGLE-HEAD  
LOCKING AIR CHUCK WITH GRIP,  
1/4" FNPT  
S-698



1/4" SINGLE HEAD AIR CHUCK,  
CLOSED/SEALING CHUCK  
S-699



TIRE INFLATOR GAUGE WITH  
DUAL HEAD AIR CHUCK 15" AIR  
HOSE  
S-506



TIRE INFLATOR GAUGE WITH  
DUAL HEAD STRAIGHT FOOT  
AIR CHUCK 15" AIR HOSE  
S-516



HEAVY-DUTY DIGITAL TIRE  
INFLATOR AND AIR PRESSURE  
GAUGE, CLIP-ON CHUCK, 1/4"  
NPT, 20" RUBBER HOSE  
S-568



DIAL TIRE PRESSURE GAUGE  
- DUAL HEAD AIR CHUCK, 12"  
HOSE  
S-935



HIGH PRESSURE DIAL TIRE  
PRESSURE GAUGE - DUAL HEAD  
AIR CHUCK, 12" HOSE  
S-936



GAUGES





MOBIL 1™		
PART#		DESCRIPTION
MOBIL5W20	50251439	Mobil 1™ 5W-20 (6 x 1L)
MOBIL10W30	50252846	Mobil 1™ 10W-30 (6 x 1L)
MOBIL0W20	50251426	Mobil 1™ 0W-20 (6 x 1L)
MOBIL5W30	50255582	Mobil 1™ 5W-30 (6 x 1L)
MOBIL0W40	50251429	Mobil 1™ FS 0W-40 (6 x 1L)
125386	50264160	Mobil 1™ ESP X2 0W-20 (6 x 1L)
124947	50255962	Mobil 1™ 0W-16 (3 x 4.73L)
124033	50255453	Mobil 1™ EP 5W-30 (3 x 4.73L)



MOBIL SUPER™ SYNTHETIC		
PART#		DESCRIPTION
125517	50265177	Mobil Super™ Syn 0W-20 (6 x 1L)
125518	50265086	Mobil Super™ Syn 5W-30 (6 x 1L)
124412	50267125	Mobil Super™ Syn 5W-20 (3 x 4.73L)
124839	50262946	Mobil Super™ Syn Euro 5W-40 (6 x 1L)



MOBIL DELVAC™		
PART#		DESCRIPTION
124815	50262955	Mobil Delvac™ 1 ESP 5W-30 (3 x 4.73L)
124547	50262479	Mobil Delvac™ 1 ESP 0W-30 (6 x 1L)
122878	50252847	Mobil Delvac™ 1300S Semi-Syn 10W-30 (4 x 3.785L)
105492	50252558	Mobil Delvac™ 1300S Semi-Syn 15W-40 (4 x 3.785L)
125146	50264101	Mobil Delvac™ HDEO 10W-30 (4 x 3.785L)
125151	50264098	Mobil Delvac™ HDEO 15W-40 (4 x 3.785L)



MOBIL™ MULTI VEHICLE ATF		
PART#		DESCRIPTION
126504	50256846	Mobil™ Multi Vehicle ATF (3 x 4.73L)
126503	50252195	Mobil™ Multi Vehicle ATF (6 x 1 L)

**SPECIFICATIONS AND APPROVALS**

- World's leading synthetic motor oil brand
- Chosen by many of the world's leading OEMs/carbuilders/car manufacturers
- Keeps your engine running like new
- Outstanding wear protection to help extend engine life
- Prevents harmful sludge and deposits

- Full synthetic motor oil
- Approved for GM dexos1™ use for 5W-30 and 0W-20 viscosities
- Extend engine life in vehicles of all ages
- Protect against sludge and wear
- Protect against high engine temperatures
- Mobil Super™ Syn Euro 5W40 – have the following approvals: BMW Longlife 01, MB-Approval 229.3 and 229.5, VW 502 00 and 505 00

- Mobil Delvac™ 1 ESP diesel engine oils are formulated to deliver exceptional performance
- Mobil Delvac™ 1300 Super is an advanced, synthetic blend, diesel engine oil
- Mobil Delvac™ HDEO and Mobil Delvac 1300 meet the requirements of API CK-4, CJ-4 service categories
- Meet the demands of Mack EOS-4.5, and Volvo VDS-4.5 service classification

- Mobil™ Multi Vehicle ATF is a premium full synthetic automatic transmission and power steering fluid formulated for use in a wide variety of vehicles
- Chrysler/Dodge/Jeep ATF+4,+3,+2, Ford Dexron LV, V, SP , G.M. Dexron VI, III, H, G,E,D, BMW, Honda, Hyundai, Kia, Mazda, Mitsubishi, Nissan, Infinity V.W. Audi, Volvo



FLUID FILM		
SIZE	ORIGINAL	BLACK
145 g	1450	N/A
333 g	3300	6300
3.78 L	3700	6400
18.9 L Pail	4300	6500
208 L Drum	4500	6600
237 mL Brush Top Can	5207	N/A



All ORIGINAL Stock numbers above are Canadian Food Inspection Agency Approved (CFIA #N184).  
**RUST'S WORST ENEMY • WOOL WAX FORMULA**  
Powerful Rust & Corrosion Protection, Excellent Vehicle Undercoating, Superior Lubricant & Long-Term Penetrant. Environmentally Friendlier, Solvent Free and Non-Toxic.  
**For Many Uses:**  
Auto • Truck • Farm • Home • Marine • Forestry • Mining • Industrial • RVs • Buses • Trailers • Chains • ATVs • Aircraft • Military • Salt Trucks • Cable • Battery Terminals • Tools • Fertilizer Spreader • Electrical Connectors  
**The Most Universal Product You Will Ever Use!!**



LIQUITUBE PREMIUM HEAVY DUTY TIRE SEALANT	
PART#	SIZE
95544	946 mL
95555	3.78 L w/pump
95566	18.9 L Pail
95577	Combo 18.9 L Pail (w/pump)
95578	208 L Drum



**Extends The Life Of Your Tire!**  
**Runs Tires Approx. 35% Cooler! Maintains Consistent Tire Pressure!**  
**Helps Eliminate Flats! Lasts The Life Of The Tire!**  
Ideal for Trucks, Farming, Lawn & Landscaping, ATV's, Trailers, Buses, Cars, RVs, Bicycles, Mining, Forestry & Construction Heavy Equipment.  
For Air or Nitrogen filled or Tubeless Tires. Provides Better Fuel Economy.  
Non-Flammable • Non Explosive

- Permanently seals punctures
- Seals 6 mm (1/4") punctures in tread area
- Seals larger punctures up to 19 mm (3/4") in heavier ply tires
- Seals most bead and rim leaks





RUST DESTROYER		
PART#	SIZE	AVERAGE COVERAGE
73013	340 g	15 sq. ft.
73005	18.9 L	1500 sq. ft.



- Heat resistant up to 800°F (427°C)
- Apply directly over rust
- No sand blasting
- No scraping to bare metal
- Works with most top coat paint
- No washing before or after application
- No sanding glossy finishes to improve adhesion

THE RUST STOPS HERE!

Primer & Rust Treatment In One Product.

Rust Destroyer® is a PATENTED primer engineered to be applied directly over rusted metal, rusted painted metal, bare metal, galvanized metal, alumium, tin and core tan steel. It converts active rust to a passive form on contact. An absorbing action in the primer film simultaneously raises the rust from the surface and envelops all converted crystals in the primer, eliminating exposure to oxygen and moisture, which will prevent further rusting. It forms a tough shield that adheres to all paints and provides a continuous protective layer.



BREAKTHRU®, FAST PENETRATING OIL

PART#	SIZE
C10	370 g

Heavy Duty • Pure Blend Fast Penetrating Oil

Frees Frozen & Rusted Parts. Environmentally Friendlier. Canadian Food Inspection Agency Approved (CFIA #N184)

- Solvent Free • Non Hazardous

BreakThru®, Fast Penetrating Oil, is a highly refined oil-based product that infiltrates components quickly. Frees Frozen - Rusted Parts! No Silicone or Teflon.

For Many Uses:

Bolts • Engine Parts • Hinges • Locks • Bearings • Bicycle & Motorcycle Chains • Chains • Rollers Wheels & Other Moving Parts • Aluminum • Chrome • Steel Surfaces • Guns • Fishing Equipment • Industrial Machinery • Relays, Switches • Tools & Many More.



GLOOZIT®	
PART#	SIZE
8312 (Auto)	90 mL
8612 (Marine/RV)	
8812 (Industrial)	



A series of premier adhesives in six popular SKU's (12/case) to cover most of your GLOOING needs.

"Gloozit®" is an all purpose UV RESISTANT INDUSTRIAL STRENGTH ADHESIVE & SEALANT".

Once cured GLOOZIT® remains flexible, is able to withstand temperature changes as well as the expansion and contraction of dissimilar materials. GLOOZIT® bonds virtually everything.

Apply at room temperature.

Recommended ambient & surface temperature of 4°C (40°F) to 32°C (90°F).



Steel Reinforced Epoxy Putty • Steel Hard in 15 minutes and Full Cure in 1 Hour.

TECH STEEL	
PART#	SIZE
16002	65 g
6004	130 g



Permanently Adheres To:

AUTO/TRUCK: Gas Tanks, Tailpipes, Mufflers, Intake Manifolds, Radiators, Blocks  
HOME: Furniture, Appliances, Hot Tubs, Pools, Gutters, Screens, Glass, Woodwork  
FARM: Farm Equipment, Fuel Tanks, Troughs, Fences, Irrigation Equipment  
MARINE: Fiberglass, Aluminum, Inboard/Outboard Motors, Gas Tanks, Water Tanks  
HOBBIES: Crafts, Jewelry, Ceramics, Plastics, Models, Molds, Glass, Toys  
PLUMBING: PVC, ABS, Faucets, Fixtures, Porcelain, Copper, Brass, Stripped Screws

Auto Fluid Diagnostic Test Strips



AUTO & LIGHT TRUCKS

RADCHEK® TEST STRIPS FOR EXTENDED LIFE & CONVENTIONAL COOLANTS IN GAS & ELECTRIC VEHICLES ONLY

# 1570

70 STRIPS / BOTTLE

TESTS: Reserve Alkalinity, pH levels & Glycol (freeze point / boiling point).

TESTS: IAT, NOAT, HOAT, OAT



pH BRAKE FLUID TEST STRIPS

# 80700

70 STRIPS / BOTTLE

Synthetic & Conventional DOT 3, 4, & 5.1

TESTS: Automotive and Heavy Duty Brake Fluids. Provides reliable results to determine the pH condition of the Brake Fluid.

Dip and read in 30 seconds.



FLUID MOISTURE TEST STRIPS

# 80600

5 STRIPS / CARD

FOR 5 OILS - ATF, ENGINE (GAS & DIESEL) OIL, POWER STEERING, HYDRAULIC, ALL BRAKE FLUIDS, Synthetic & Conventional DOT 3, 4, & 5.1

- Fluid Diagnostic Test Strips assess the health of the fluid and identifies when a fluid needs to be changed.
- Detects moisture content from 0 - 5%.



TESTS FOR COOLANT PRESENCE IN ENGINE (Gas & Diesel) OIL & AUTOMATIC TRANSMISSION FLUID

# 80900

50 STRIPS / BOTTLE

- Highly unique, quick & affordable measure.
- Detects coolant presence from 0 - 6%.
- Auto & Heavy Duty Vehicles

Hydrocarbon Test Strips



DETECT THE PRESENCE OF OIL IN DEF, COOLANT & WATER

# 80508

50 STRIPS / BOTTLE

Effective Field or Laboratory test to detect the presence of Hydrocarbons (e.g., Fuels, Lubricants, Oils, Diesel, Gasoline, Kerosene, Etc.) in Diesel Exhaust Fluid (DEF), Coolants, Tap & Ground Water as well as a variety of Other Liquids including Contaminated Soil. Signs of a Blown Head Gasket can be determined by the presence of Oil in Coolants. Simply dip the strip Blue Pad into the Fluid to be tested. To test for Oil Contamination in Soil, press the Blue Pad firmly against the soil, then gently rinse away the debris with clear water. If contaminated Black Spots will appear on the Blue Pad.

RADCHEK® Ultimate Test Strips, "CC" & "ELC" Heavy Duty Coolant

THE ONLY STRIP THAT TESTS ALL 4 HEAVY DUTY COOLANT TYPES, IAT, NOAT, HOAT, OAT IN HEAVY DUTY DIESEL & HEAVY DUTY ELECTRIC VEHICLES ONLY

Tests 99% Of All 4 Heavy Duty Coolants: IAT, NOAT, HOAT, OAT

TESTS: Freeze Point (Glycol), OAT's (NOAT, HOAT, OAT, 3 O's), Nitrite, pH.

Conventional Coolant (CC) • Extended Life Coolant (ELC)



PART#	STRIPS/BOTTLE
52404	4
52410	10
52420	20





SPEED-LOK® TR DISCS - NORTON BLAZE™

PART#	DESCRIPTION	SPECS
62324	2" Speed-Lok TR Disc	80
62322	2" Speed-Lok TR Disc	60
62318	2" Speed-Lok TR Disc	36
62334	3" Speed-Lok TR Disc	80
62332	3" Speed-Lok TR Disc	60
62330	3" Speed-Lok TR Disc	50
62328	3" Speed-Lok TR Disc	36



SPEED-LOK® TR DISCS - NORTON BEAR-TEX®

PART#	DESCRIPTION	SPECS
09189	2" Speed-Lok TR Bear-Tex Surf Blend Disc	Very Fine
09190	2" Speed-Lok TR Bear-Tex Surf Blend Disc	Medium
09191	2" Speed-Lok TR Bear-Tex Surf Blend Disc	Coarse
09192	3" Speed-Lok TR Bear-Tex Surf Blend Disc	Very Fine
17522	3" Speed-Lok TR Bear-Tex Surf Blend Disc	Medium
09194	3" Speed-Lok TR Bear-Tex Surf Blend Disc	Coarse



SPEED-LOK® TR DISCS - NORTON BLUEFIRE®

PART#	DESCRIPTION	SPECS
21049	2" Speed-Lok TR Disc	80
21048	2" Speed-Lok TR Disc	60
38670	2" Speed-Lok TR Disc	50
38671	2" Speed-Lok TR Disc	36
38672	2" Speed-Lok TR Disc	24
21054	3" Speed-Lok TR Disc	80
38673	3" Speed-Lok TR Disc	50
38674	3" Speed-Lok TR Disc	36
38675	3" Speed-Lok TR Disc	24



CUT OFF BLADES - NORTON MEDALLION™

PART#	DESCRIPTION
89032	3" x 1/32" x 3/8" Cut-off Blade
89030	3" x 1/16" x 3/8" Cut-off Blade
89034	3" x 3/16" x 3/8" Cut-off Blade

PSA DISCS - NORTON A275



PART#	DESCRIPTION	SPECS
31468	6" PSA Disc Roll (100/roll)	P800B
31469	6" PSA Disc Roll (100/roll)	P600B
31471	6" PSA Disc Roll (100/roll)	P400B
31473	6" PSA Disc Roll (100/roll)	P320B
31474	6" PSA Disc Roll (100/roll)	P280B
31475	6" PSA Disc Roll (100/roll)	P240B
31476	6" PSA Disc Roll (100/roll)	P220B
31477	6" PSA Disc Roll (100/roll)	P180B
31479	6" PSA Disc Roll (100/roll)	P120B
31480	6" PSA Disc Roll (100/roll)	P100B
31481	6" PSA Disc Roll (100/roll)	P80B

SHEETS - NORTON A275



PART#	DESCRIPTION	SPECS
31621	9" x 11" Sheet	P800B
31622	9" x 11" Sheet	P600B
31624	9" x 11" Sheet	P400B
31626	9" x 11" Sheet	P320B
31628	9" x 11" Sheet	P240B
31629	9" x 11" Sheet	P220B
31630	9" x 11" Sheet	P180B
31631	9" x 11" Sheet	P150B
31632	9" x 11" Sheet	P120B
31634	9" x 11" Sheet	P80B

HOOK AND LOOP® DISCS - NORTON GOLD RESERVE™ A296



PART#	DESCRIPTION	SPECS
06226	6" Hook and Loop Disc	P800C
06227	6" Hook and Loop Disc	P600C
06228	6" Hook and Loop Disc	P500C
06229	6" Hook and Loop Disc	P400C
06230	6" Hook and Loop Disc	P320C
06231	6" Hook and Loop Disc	P220C
06232	6" Hook and Loop Disc	P180C
06234	6" Hook and Loop Disc	P120C
06235	6" Hook and Loop Disc	P100C
06236	6" Hook and Loop Disc	P80C





PROTECTIVE PLASTIC - NORTON BLUE WRAP™



PART#	DESCRIPTION	SPECS
05921	Bucket Seat Covers	Non-Slip
05923	Floor Mats - 16-1/2" x 21"	Non-Slip

DOUBLE SIDED ACRYLIC ATTACHMENT TAPE - RED LINER



PART#	DESCRIPTION	SPECS
05620	1/4" x 20 yds. Attachment Tape	.045 thick
05621	1/2" x 20 yds. Attachment Tape	.045 thick
05622	7/8" x 20 yds. Attachment Tape	.045 thick

NORTON BLUE SHEETING™ TRI-LAYER PAINTABLE SHEETING



PART#	DESCRIPTION	SPECS
03344	12' x 400' Paintable Sheeting	.4 mil thick
03345	16' x 350' Paintable Sheeting	.4 mil thick

SPEEDGRIP URETHANE ADHESIVE



STRUCTURAL		
PART#	DESCRIPTION	
04615	1-1/2 minutes work time and sands in 12-20 minutes	
04616	7 minutes work time and sands in 45 minutes	
04617	20 minutes work time and sands in 90 minutes	



ADHESION PROMOTER AEROSOL		
PART#	DESCRIPTION	
04625	Use with Norton SpeedGrip urethane adhesives on plastic parts	



EPOXY REPAIR ADHESIVE AND FILLER		
PART#	DESCRIPTION	
06412	5 minutes work time and sands in 15-30 minutes	



PERMATEX® RTV SILICONE ADHESIVE SEALANTS

59103 CLEAR - 80mL Carded Tube  
59107 CLEAR - 205g Power Can  
59113 CLEAR - 300mL Cartridge  
59203 BLACK - 80mL Carded Tube  
59213 BLACK - 300mL Cartridge  
Automotive grade, all-purpose RTV silicone adhesive sealants. Use for sealing, bonding, insulating and caulking.



PERMATEX® 5 MINUTE CLEAR EPOXY

84111 - 25mL Carded Syringe  
84114 - 14mL Carded Syringe

PERMATEX® 1 MINUTE CLEAR EPOXY

84162 - 25mL Carded Syringe  
Easy to use 2-part dispensing syringe. Multi-purpose adhesive. Can be drilled, machined and painted. Clear appearance.



PERMATEX® PLASTIC WELDER™

84125 - CREAM- 25mL Carded Syringe  
84126 - BLACK - 25mL Carded Syringe  
Forms a tough durable bond to hard and semi-flexible plastics, aluminum, fiberglass and more. Structural adhesive designed for general purpose bonding including automotive trim, bumpers, and clips.



PERMATEX® LIQUID ELECTRICAL TAPE

85121  
• Seals electrical connections  
• Applies as a liquid, then cures to a flexible, vinyl polymer  
• Allows complete sealing to keep out air, dirt and moisture



PERMATEX® ULTRA BOND

49502 - 2g Carded Tube  
49520 - 20g Carded Bottle **BEST VALUE**  
49512 - 28g Carded Bottle  
30030 - 2g GEL Carded Tube  
Automotive grade cyanoacrylate super glue. High performance super glue provides a stronger, faster acting and longer lasting bond.



ULTRA COPPER® HIGH TEMPERATURE GASKET

59703 - 80mL Carded Tube  
59713 - 300mL Cartridge  
Designed for high performance parts or where operating temperatures are higher.

ULTRA BLACK® GASKET MAKER

59803 - 80mL Carded Tube  
59813 - 300mL Cartridge  
Superior adhesion to oily surfaces with long term durability. Remains flexible.

ULTRA GREY® GASKET MAKER

59903 - 80mL Carded Tube  
59913 - 300mL Cartridge  
Performs under higher torque loads associated with engines having closely spaced bolt patterns.



PERMATEX® COLD WELD EPOXY ADHESIVE

81374 - 2x28g Carded Tubes  
84119 - 25mL Carded Syringe  
84319 - 56g Carded Stick  
Fast setting, 2-part adhesive and filler used to repair broken metal parts. Forms a permanent bond and can be drilled, sanded, filed and painted.



PERMATEX HEAVY DUTY SPRAY ADHESIVE

27829 - 474g Aerosol  
High-strength spray adhesive designed for repairing interior parts that have become detached or loosened. Resistant to extreme weather conditions. Water-resistant. Dries clear for neat appearance. High temperature formula



T-HANDLE TIRE REPAIR KIT

24011  
1 x T-handle reamer tool  
1 x T-handle plugger tool  
1 x 12mL rubber cement  
5 x heavy-duty black tire strings, 7-ply



SLIME TIRE REPAIR PLUGS 5-PACK

20252-2

TIRE PLUG RUBBER CEMENT

24041



STRAIGHT HANDLE TIRE PLUG KIT 6-PIECE

21032-2  
Contains: (1) Reamer Tool (1) Plugger Tool (3) Tire Plugs (1) Plug Bond 12mL





permatex.ca



permatex.ca



### PERMATEX® BLUE MEDIUM STRENGTH THREADLOCKER

24209 - 6ml Carded Tube  
24242 - 36ml Carded Bottle  
24250 - 50ml Bottle  
24215 - 10g Carded Tube Gel Twist  
Medium strength, general purpose Threadlocker.



### PERMATEX® RED HIGH STRENGTH THREADLOCKER

26207 - 6ml Carded Tube  
26242 - 36ml Carded Bottle  
26250 - 50ml Bottle  
27115 - 10g Carded Tube Gel Twist  
High strength threadlocker.



### PERMATEX® ORANGE HYBRID STRENGTH THREADLOCKER

25209 - 10ml Carded Tube  
25236 - 36ml Carded Tube  
Hybrid Strength Threadlocker



### PERMATEX® THREAD SEALANT

59206 - 6ml Carded Tube  
59234 - 50ml Carded Tube

### PERMATEX® HIGH PERFORMANCE 565

56550 - 50ml Carded Tube

### PERMATEX® MAXIMUM TEMPERATURE 567

56750 - 50ml Carded Tube  
Locks and seals threaded fittings.



### THE RIGHT STUFF® BLACK INSTANT SEAL GASKET

26015 - 212g Power Can  
30874 - 147ml Cartridge  
30876 - 300ml Cartridge  
30875 - 3pk Kit (w/gun)  
Seals instantly, forming a reliable, long lasting elastomeric rubber gasket. Remains flexible.



### THE RIGHT STUFF® GREY INSTANT SEAL GASKET

30870 - 147mL Cartridge  
34310 - 300mL Cartridge  
Seals instantly, forming a reliable, long lasting elastomeric rubber gasket. Ideal for rigid cast aluminum parts.



### PERMATEX® ANAEROBIC GASKET

51550 - 50mL Carded Tube  
51580 - 300mL Cartridge  
51850 - 80mL Carded Tube  
51845 - 300mL Cartridge  
Use for gasketing close fitting, rigid-machined flanges with gaps of 0.25mm (0.01"). Ideal for rigid cast aluminum parts.



### THE RIGHT STUFF® 90-MINUTE GASKET

30873 - Black, 80mL Carded Tube  
30871 - Red, 80mL Carded Tube  
30872 - Grey, 80mL Carded Tube  
Provides the quickest return-to-service time of any gasket in an 80mL squeeze tube. Creates a reliable, long lasting elastomeric rubber gasket.



### PERMATEX® RED HIGH TEMP RTV GASKET

59403 - 80mL Carded Tube  
59413 - 300mL Cartridge  
Formulated for high temperature applications or heavy-duty use.



### PERMATEX® GASKET SEALANTS

58912 - 80mL Tube - Form-A-Gasket #1  
58922 - 80mL Tube - Form-A-Gasket #2  
80017 - 473mL Can - Aviation Form-A-Gasket #3  
58981 - 118mL Can - High Tack® Sealant  
80546 - 255g Aerosol - Spray-A-Gasket®  
58985 - 255g Aerosol - Copper Spray-A-Gasket®  
Gasket sealants for use in dressing/sealing pre-formed gaskets



### FAST ORANGE® PUMICE LOTION HAND CLEANER

25102 - 221mL bottle  
25117 - 443mL bottle  
25217 - 1.89L bottle  
25219 - 3.78L bottle  
Biodegradable, petroleum solvent-free hand cleaner. Fresh-smelling orange citrus. Fortified with aloe, lanolin, glycerin and other skin conditioners to soothe raw, rough hands.



### FAST ORANGE® SMOOTH LOTION HAND CLEANER

23102 - 221mL bottle  
23117 - 443mL bottle  
23217 - 1.89L bottle  
23218 - 3.78L bottle  
Biodegradable, petroleum solvent-free hand cleaner. Fresh-smelling orange citrus. Fortified with aloe, lanolin, glycerin and other skin conditioners to soothe raw, rough hands.



### FAST ORANGE® XTREME PUMICE HAND CLEANER

25619 - CHERRY - 3.78L bottle  
25616 - ORANGE - 443ml Bottle  
25618 - ORANGE - 3.78L Jug  
Professional strength hand cleaner tackles the toughest grease and grime.



### FAST ORANGE® HAND CLEANER WIPES

25050 - 25CT Pouch  
25051 - 72CT Bucket  
Removes the toughest grease, tar, grime, ink, paints, sealants and adhesives. Pre-moistened, dual textured wipes. Textured one-side for heavy-duty cleaning, smooth on the other side for general purpose cleaning.



### SPRAY NINE® HEAVY-DUTY CLEANER/DISINFECTANT

C26822 - 650mL Bottle  
C26832 - 946mL Bottle  
C26804 - 4L Jug  
C26820 - 20L Pail  
C26845 - 208L Drum  
Cleans the toughest grease, grime, stains and bacteria where others fail.



### GREZ-OFF® PARTS CLEANER

C12532 - 946mL Bottle  
C12501 - 3.78L Jug  
C12520 - 20L Pail  
C12545 - 208L Drum  
Powerful water-based parts cleaner. Use undiluted for spray-and-wipe cleaning or use in Parts Washer systems and Immersion Tanks.



### SPRAY NINE® GLASS & STAINLESS STEEL CLEANER

C23319 - 600g Aerosol  
Cleans dirt, dust, fingerprints, smudges and light grease from glass, stainless steel and metal surfaces.



### SPRAY NINE® GARAGE FLOOR CLEANER

C11525 - 11.3kg Pail  
Powerful concrete cleaner formulated to cut through stains and heavy deposits, lifting away grease, grime and dirt. Ideal for garages, work shops, driveways and walkways.



### RAINX® GLASS TREATMENTS

36231 - Original, 207mL bottle  
36232 - Original, 473mL bottle  
Dramatically improves wet weather driving visibility. Apply to exterior glass and raindrops will fly off the windshield while driving. Helps improve visibility by repelling rain, sleet and snow.

### RAINX® ANTI-FOG INTERIOR GLASS TREATMENT

36236 - 355mL bottle

### RAINX® PLASTIC WATER REPELLENT

75016 - 355mL bottle



### BLACK MAGIC® TIRE SHINE AND FOAM CLEANER

36201 - Tire Foam #1 - 510g aerosol  
36202 - Tire Foam #2 - 510g aerosol  
36081 - Tire Wet Shine #3 - 425g aerosol  
Tire Foam cleans and shines in one step. Just spray on and walk away. Tire Wet® leaves a streak-free high gloss shine.





**PERMATEX® SILVER ANTI-SEIZE**  
76763 - 113g Can  
76765 - 241g Aerosol  
76767 - 454g Can  
A highly refined blend of aluminum, copper and graphite lubricants. Prevents galling, corrosion and seizing due to weathering or chemicals. Temperature range: -60°F to 1600°F (-51°C to 871°C).



**PERMATEX® COPPER ANTI-SEIZE**  
75226 - 227g Brush-Top Can  
75454 - 454g Brush-Top Can  
Prevents seizing, corrosion and galling where high temperatures exist. Contains micro-fine copper flakes and is fortified with rust and corrosion inhibitors. Temperature range: -30°F to 1800°F (-34°C to 982°C).



**PERMATEX® NICKEL ANTI-SEIZE**  
77226 - 227g Brush-Top Can  
77164 - 454g Brush-Top Can  
Protects metal parts from seizing and galling at temperatures up to 2400°F (1316°C). Recommended for extreme pressure and temperature conditions, and for use with stainless steel, titanium and nickel alloys.



**PERMATEX® PURPLE CERAMIC BRAKE PARTS LUBRICANT**  
24126 - 236mL Can  
Synthetic formula brake parts lubricant. Blended with ceramic solids to maintain extreme temperature lubrication from -50°F to 3000°F (-46°C to 1649°C). Will not wash out. For metal-to-metal contact only.



**PERMATEX® GREEN SILICONE BRAKE PARTS LUBRICANT**  
24120 - 80mL Tube  
24121 - 236mL Can  
Silicone formula brake parts lubricant. Formulated to lubricate caliper pins, sleeves, clips, slides and other brake parts. Will not cause rubber components to swell. Temperature range: -50°F to 550°F (-46°C to 288°C).



**PERMATEX® ORANGE SILICONE CERAMIC BRAKE PARTS LUBRICANT**  
24127 - 28mL Carded Tube  
24122 - 236mL Can  
Silicone formula brake parts lubricant. Blended with ceramic solids to maintain extreme temperature lubrication from -50°F to 3000°F (-46°C to 1649°C). Will not cause rubber components to swell. Meets JIS K 2228 with EPDM and Nitrile rubbers.



**PERMATEX® DISC BRAKE QUIET**  
24155 - 255g Aerosol  
31868 - 118ml Bottle  
Stops brake squeal by dampening vibration at caliper/brake pad interface. Provides tighter fit and allows for easier disassembly. Protects against corrosion.



**PERMATEX® DIELECTRIC TUNE-UP GREASE**  
22066 - 28g Carded Tube  
22064 - 85g Carded Tube  
22065 - 85g Power Can  
Necessary for an effective tune-up on high energy ignition services. Prevents voltage leak around any electrical connection.



**GUMOUT® BATTERY PROTECTOR & SEALER**  
29224 - 141g Aerosol  
Seals and coats battery terminals eliminating the formation of acid salt corrosion. Prevents terminal corrosion and battery drain.



**PERMATEX® BATTERY CLEANER SA-8**  
80369 - 163g Aerosol  
Spray on and wash corrosion off. Works in just three minutes. Penetrates and removes corrosion, dirt and grime instantly.

**CIRCULATION HEATERS SERIES 41**



**Applications:**  
Industrial, Agriculture, and Off-Road

- Features:**
- Thermostatically controlled: Opens at 190°F (88°C), closes at 151°F (66°C)
  - Vertical installation only. Dimensions: 2-3/4" x 8-1/2" (7cm x 21.6cm)
  - Heavy Duty 3-wire 5 ft. (1.52m) attached cord, 2000W heater has 22" attached cord
  - Rugged cast aluminum construction is corrosion and impact resistant



PART NO.	WATTS	VOLTS	AMPS	PLUG CONFIGURATION	INLET/OUTLET SIZE	REPLACEMENT ELEMENT	THERMOSTAT
2204010	750	120	16	A	5/8"	2204061	2204266
2204029	1000	120	12	A	5/8"	2204088	2204266
2204037	1500	120	8	A	5/8"	2204096	2204266

View the complete line of circulation heaters in the Zerostart catalog at [www.phillipsandtemro.com](http://www.phillipsandtemro.com).

**LIT PLUGS**



**Applications:**  
Automotive industry and Light Truck

- Features:**
- LED Light is visible from 50' to monitor from a distance
  - Visual cue that indicates power to the heater
  - Offered on popular aftermarket block and cartridge heater kits
  - Cord may be purchased separately and added to existing heater
  - CSA approved



Model year application available in the Zerostart catalog at [www.phillipsandtemro.com](http://www.phillipsandtemro.com).

Replacement Cords		
LIT CORD	STD CORD	CORD LENGTH
3600116	3600006	5" (1.52m)
3600117	3600005	5" (1.52m)
3600119	3600082	5" (1.52m)

**CARTRIDGE HEATERS**

**Fits Dodge, Jeep and Chrysler Applications**



Part No. 3100150  
Replacement Cord: 3600083



Part No. 3100131  
Replacement Cord: 3600121

Model year application available in the Zerostart catalog at [www.phillipsandtemro.com](http://www.phillipsandtemro.com).





TANK CIRCULATION HEATERS

Provide dependable pre-heating for engine starts in all temperatures by circulating warmed coolant throughout the engine.

**Applications:**  
Diesel & Gas Gensets, Compressors, & Agriculture

PART NO.	VOLTS	WATTS	AMPS	INLET/OUTLET	CORD LENGTH	TANK SIZE	PLUG TYPE	UL LISTED	CSA
Regulating Thermostat - On 60°F (16°C) / Off 80°F (27°C)									
3305028	120	750	6.3	5/8"	5' (1.5m)	Small	A	No	Yes
3305040	120	1000	8.3	5/8"	5' (1.5m)	Small	A	No	Yes
3309526	120	1500	12.5	3/4"	5' (1.5m)	Large	A	No	Yes
3305004	120	2250	18.8	3/4"	7' (2m)	Large	C	No	Yes

HYDRALINERS

Pre heat the hydraulic system with or without the engine running by utilizing the engine coolant.

PART NO.	TUBE IMMERSION LENGTH	TOTAL LENGTH	SURFACE AREA NOMINAL	BTU/HR NOMINAL (1)	TYPICAL APPLICATION (AMBIENT AIR TEMP) TO -20 F / -29 C (2)	TYPICAL APPLICATION (AMBIENT AIR TEMP) TO -40 F / -40 C (2)
H-4000-16 H-4000-16-STOR	15" 381 mm	18" 457 mm	250 in2 16 dm2	Water 10,000 Oil 5,000	Up to 50 US gallons 190 Liters	Up to 19 US gallons 72 Liters
H-4000-20 H-4000-20-STOR	19" 483 mm	22" 559 mm	315 in2 20 dm2	Water 13,000 Oil 6,500	Up to 63 US gallons 239 Liters	Up to 25 US gallons 90 Liters
H-4000-24 H-4000-24-STOR	23" 584 mm	26" 660 mm	385 in2 24 dm2	Water 16,000 Oil 8,000	Up to 77 US gallons 292 Liters	Up to 30 US gallons 113 Liters

Tube immersion lengths are available from 7" to 23".  
View the complete line in the Arctic Fox catalog at [www.phillipsandtemro.com](http://www.phillipsandtemro.com).

IN-LINE FUEL HEATERS

Coolant based heat exchanger that prevents fuel gelling and maintains uptime, easily retro-fitted and optional 120V electric preheat available.

PART NO.	COOLANT PORT	FUEL PORT	TUBE LENGTH	TUBE O.D.	TOTAL LENGTH	SURFACE AREA	PRE HEAT OPTION
I-909BT-B100	1/2" NPT	1/2" NPT	9.75"/248mm	2.0"/51mm	15.5"/394mm	100"2/645.2cm2	No
I-909BTEH-B100	1/2" NPT	1/2" NPT	9.75"/248mm	2.0"/51mm	18.5"/470mm	100"2/645.2cm2	120 VAC
I-1518BT-B100	1/2" NPT	1" NPT	18.0"/457mm	2.375"/60mm	25.5"/648mm	320"2/2064.5cm2	No

View the complete line of fuel and fluid heaters in the Arctic Fox catalog at [www.phillipsandtemro.com](http://www.phillipsandtemro.com).

COOLANT DAM Model T-1000

Simple tool that holds coolant inside the engine when other components are removed for repair or replacement.



BENEFITS

- Creates a vacuum, holding coolant inside the engine without hand pumping or running the engine
- Quickly converts the unit from vacuum to a pressure tester
- No need to drain the block for simple repairs
- Coolant Filling

WHEN TO USE

- Changing Heater Hoses
- Changing Fan Sensors
- Changing Temperature Sensors
- Installing Shut-off Valves for Fuel Warmers & Separators
- Replacing Cab Heater Cores
- Replacing Heater Control Valves



HEAT MAGNET®



- Part No. 3400017
- 200 Watt - 120 Volt AC
  - Built-in thermostat maintains optimum temperature—will not exceed 250°F (121°C)
  - Dimensions - 4-3/8" (11cm) (L) x 2-1/2" (6.3cm) (W) x 3" (7.5cm) (H) (including handle)



BLANKET STYLE BATTERY HEATERS



- 120 Volt AC operation
- Blanket style heater warms battery core to 60° -70° above ambient temperature for quick starts
- Thinsulate™ thermal insulation helps maintain battery temperature in warm or cold weather
- All battery blanket heaters are 5". (12.7cm) tall, 1/2". (1.1cm) thick

PART NO.	THERMOSTAT	LENGTH	WATTAGE	CORD LENGTH	FITS BATTERIES
2800055	--	28"	50	30"	Group 22NF, 26, 26R, 51, 51R, 70
2800063	--	36"	80	30"	Group 24, 24F, 24H, 24R, 24T, 25, 27, 27F, 27H, 31, 34, 34R, 35, 74, 38

Thinsulate™ is a registered trademark of 3M corporation.



INTERIOR CAR HEATER









- Part No. 2600900
- Ideal for use in passenger, light-duty, and recreational vehicles
  - 900 Watts - 120 Volt AC - 3,000 BTU
  - Mounts on floor or under dash. Mounting bracket included
  - Compact size: 7" (17.6 cm) (L) x 4.5" (11.3 cm) (W) x 2.75" (7 cm) (H)
  - Cord length: 7.5 ft. (2.3 m)
  - Includes a blower fan





FLEXIBLE PAD HEATERS



PART NO.	WATTS	VOLTS	AMPS	PAD SIZE	OIL PAN CAPACITY	HYDRAULIC FLUID	APPLICATION	
3400031	125	120	1.0	3" round	3 – 6 U.S. Qts (2.9 – 5.7 L)	n/a	Small to Mid-Size Cars & Sedans. Examples: Kia, Honda, Hyundai	
3400030	50	120	0.4	3.5" x 1.25"	1 – 3 U.S. Qts (1.0 – 1.9 L)	n/a	Transmissions, Home Generators, ATV, Snowmobiles, Gear Boxes & Small Engines	
3400032	125	120	1.0	6" x 1.5"	3 – 6 U.S. Qts (2.9 – 5.7 L)	n/a	& Automatic Transmissions. Examples: Toyota 4Runner & European Cars	
3400033	250	120	2.1	3.75" x 4.25"	5 – 13 U.S. Qts (4.7 – 12.3 L)	10 to 30 Gallons	Most 6 Cylinder & Small Block V8 Engines. Marine Applications	
3400034	500	120	4.2	5" x 7"	13 – 27 U.S. Qts (12.3 – 25.5 L)	20 to 50 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks	
3400035	1000	120	8.3	6" x 10.75"	26 – 48 U.S. Qts (24.6 – 45.4 L)	50 to 100 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks	
3400036	60	120	0.5	5.5" x 8.5"	BATTERY WARMER (non-stick pad)	n/a	All Cars & Trucks. Most Batteries	



METAL BAT SWITCH  
9435BP  
12V 25A



HEAVY DUTY TOGGLE SWITCH  
9436BP  
6-24V @ 50A



SOLENOID SWITCH  
9497-11  
12V 85A



PVC TAPE 66'  
3466-0E - BLACK  
-10 TO 80°C  
(14 TO 176°F)



PTFE THREAD SEAL TAPE  
3467E  
RATED -190°C TO 280°C  
40' ROLL x 1/2" WIDE



CAMÉLÉON DIE  
420-31 - CM DIE 10-20 GA



CAMÉLÉON 8.7" & STRIP TOOL KIT W/A, A1, B DIES  
410-91



66' COLD WEATHER TAPE  
3468-31  
-18 TO 105°C  
(0 TO 220°F)



NO CLEAN LIQUID FLUX 20Z  
6156-11



SOLDER PELLET  
6161-12 - 2GA GREEN  
6164-12 - 2/0GA ORANGE



PRO-TORCH™  
8247-31  
2400°F (1300°C)



4 IN 1 BUTANE TORCH  
8257-31  
Use as a torch, soldering iron, hot air blower or shrink tube tool.



16G 12" LEAD TRAILER CABLES  
1871BP - 2 Pins  
1873BP - 4 Pins



EXTRA HD CRIMP TOOL  
365-11  
22-10 AWG



4 IN 1 MINI CRIMP TOOL  
370-11  
12-20 AWG



WIRE STRIP TOOL  
455-11  
26-10 AWG



3 CONDUCTOR SERVICE CORD 100'  
8905C - 14/3 GA  
Black - Green - White



6POLE 35A  
9475-11 - Plug-No Spring  
9476-11 - Plug-with Spring  
9477-11 - Socket Car End



7W RV BLADE TO 4W FLAT  
7717-11



#9482-BP #9483-BP #9490-31  
7POLE RV  
9482BP - TRAILER PLUG  
9483BP - TRAILER SOCKET  
9490-31 - SOCKET BRACKET

WELDING CABLE 100'  
RATED -50°C TO 105°C  
600V  
8059-C  
2/0 AWG



14GA PRIMARY WIRE  
8114-5-MS - RED  
8114-0-MS - BLACK



2 CONDUCTOR AUTOMOTIVE GREY JACKETED WIRE 100'  
8147C - 16/2 GA  
8148C - 14/2 GA



GXL WIRE  
8212-1-29 - 12GA BLUE  
8214-2-29 14GA BROWN



HOOK-UP WIRE  
8814-5-29 14GA RED  
8816-6-29 16GA WHITE  
8818-7-29 18GA YELLOW





**BLK & RED TEST CLIPS**  
839BP



**1 NEG & 1 POS STUD/POST**  
879FBP



**6-1/0 UNI BATTERY TERM**  
880-31



**1-4/0 HD UNI BATTERY TERM**  
880HDBP



**MARINE BATTERY TERMINAL**  
899PBP - POS 3/8"  
898NBP - NEG 5/16"



**4GA TUB LUG**  
4239PR - 3/8"  
4238PR - 5/16"



**ANS / AMI HIGH AMP FUSE HOLDER**  
9710-11



**STANDARD BLADE FUSES**  
965BP - 15A BLUE  
966BP - 20A YELLOW  
968BP - 30A GREEN



**STANDARD BLADE ADDACIRCUIT**  
982-11



**LOW PROFILE BLADE FUSES**  
9945-14 - 10A RED  
9946-14 - 15A BLUE  
9947-14 - 20A YELLOW



**GENERAL PURPOSE RELAY**  
925-11  
40/30A 12V DC



**WEATHER RESISTANT SEALED RELAY**  
927-11  
40/30A 12V DC



**PLUG-IN C/BREAKER**  
3786BP - 15A  
3787BP - 20A  
3788BP - 30A



**CIRCUIT BREAKER**  
3794-11 - 30A  
3795-11 - 40A  
3796-11 - 50A



**CABLE TIES 50LB. BLACK**  
7066-OC - 7.5"  
7067-OC - 11"  
7068-OC - 14"



**15" HEAVY DUTY CABLE TIES**  
7068HD-OC - UV BLACK  
7068HD-C - NATURAL



**LP ADDACIRCUIT**  
9950-11



**MICRO 2 FUSES**  
10210-14 - 10A RED  
10215-14 - 15A BLUE  
10220-14 - 20A YELLOW



**MICRO 2 ADDACIRCUIT**  
10200-11  
16GA 10A



**MICRO 3 FUSES**  
10305-14 - 5A TAN  
10310-14 - 10A RED  
10315-14 - 15A BLUE



**MICRO 3 ADDACIRCUIT**  
10300-11  
16GA 15A



**PERFORMANCE CABLE TIES**

7295-36 - 7.5"  
7296-36 - 11"  
7297-36 - 14"  
7298-36 - 14" HD  
Rated TO -40°C  
Increased UV protection



**PERFORMANCE SELF FUSING TAPE**

3469-0-31  
3469-5-31  
No adhesive, tape fuses upon itself.



**BUTT CONNECTORS VINYL INSULATED**  
1700CS - RED, 22-18 GA  
1800CP - BLUE, 16-14 GA  
1900CP - YELLOW, 12-10 GA



**HEAT SHRINK BUTT CONNECTORS**  
5800CS - RED, 22-18 GA  
5900CS - BLUE, 16-14 GA  
6000CS - YELLOW, 12-10 GA



**RING INSULATED CONNECTORS #10 - VINYL INSULATED**  
1705CS - RED, 22-18 GA  
1805CS - BLUE, 16-14 GA  
1905CP - YELLOW, 12-10 GA



**DEUTSCH DT SOLID CONNECTORS**  
16-14GA  
7964-14 - SOCKET  
7965-14 - PIN



**MAX BLADE FUSES**  
220-11 - 20A YELLOW  
230-11 - 30A GREEN  
240-11 - 40A ORANGE



**IN-LINE MAX FUSE HOLDER**  
206-11  
8GA 60A



**2W DEUTSCH DT HOUSING/LOCK**  
7990-11 - RECEPTACLE  
7991-11 - PLUG



**MIN BLADE FUSES**  
110BP - 10A RED  
115BP - 15A BLUE  
120BP - 20A YELLOW



**WATER RESISTANT IN-LINE MIN FUSE HOLDER**  
131-11  
16GA 15A



**FEMALE MINI FUSE LINK -LOW PROFILE**  
9586-11 - 30A PINK  
9587-11 - 40A GREEN



**ANM/AMG HIGH AMP FUSES**  
9700-11 - 80A  
9701-11 - 100A  
9702-11 - 125A



**ANM/AMG FUSE HOLDER**  
9711-31



**ANL HIGH AMP FUSES**  
9812-11 - 150A  
9815-11 - 300A  
9816-11 - 325A



**ANL HIGH AMP FUSE HOLDER**  
9800-31



**ANS HIGH AMP FUSES**  
9721-11 - 80A  
9723-11 - 125A



**MICRO FUSE LINK**  
10420-11 - 20A BLUE  
10425-11 - 25A WHITE  
10430-11 - 30A PINK



**SLOTTED MICRO FUSE LINKS**  
10450-11 - 15A GREY  
10451-11 - 20A BLUE  
10452-11 - 25A WHITE



**BLACK CONVOLUTED SPLIT LOOM**  
5140PK - 1/4"  
5141PK - 3/8"  
5142PK - 1/2"



**WRAPABLE SPLIT TUBING**  
8423-0-44 - 1/8"  
8424-0-44 - 1/4"  
8426-0-44 - 1/2"



**PLUG & CONNECTOR 15A, 125V**  
8956-11 - FEMALE  
8957-11 - MALE



**MAGMAFLO 4:1 HEAT SHRINK TUBING**

8361-43 - 6mm  
8362-43 - 8mm  
8363-43 - 12mm  
8364-43 - 18mm



**2:1 FABRIC HEAT SHRINK TUBING**  
8391-34 - 3/4"



**ADHESIVE LINED DUAL WALL 3:1 HEAT SHRINK TUBE - BLACK**

8330-A - 3/16"  
8331-A - 1/4"  
8332-A - 3/8"  
8333-A - 1/2"  
8335-43 - 1"



**VINYL DIPPED SWITCHES**

9427-11 - SPST - 12V 25A  
9428-11 - SPDT - 25A 12V / 12A 24V  
9429-11 - MOM SPDT - 25A 12V / 12A 24V



**METAL BAT HANDLE SWITCH**

SPST  
9432-11 - 12V 20A





ca.prestone.com

**Prestone**  
ANTIFREEZE + COOLANT

**PRESTONE MAX ANTIFREEZE + COOLANT**  
ASIAN VEHICLES RED FLUID



**50/50**  
#78007

**INDUSTRY-LEADING PROTECTION**  
From Engine-Damaging  
Rust & Corrosion  
**15 YEARS/560,000 KM FLUID LIFE**

**PRESTONE MAX ANTIFREEZE + COOLANT**  
EUROPEAN VEHICLES VIOLET FLUID



**50/50**  
#78114

**INDUSTRY-LEADING PROTECTION**  
From Engine-Damaging  
Rust & Corrosion  
**5 YEARS/250,000 KM FLUID LIFE**

**PRESTONE MAX ANTIFREEZE + COOLANT**  
ASIAN VEHICLES GREEN FLUID



**50/50**  
#78122

**INDUSTRY-LEADING PROTECTION**  
From Engine-Damaging  
Rust & Corrosion  
**15 YEARS/560,000 KM FLUID LIFE**

**PRESTONE MAX ANTIFREEZE + COOLANT**  
EUROPEAN VEHICLES BLUE FLUID



**50/50**  
#78023

**INDUSTRY-LEADING PROTECTION**  
From Engine-Damaging  
Rust & Corrosion  
**5 YEARS/250,000 KM FLUID LIFE**

**PRESTONE MAX ANTIFREEZE + COOLANT**  
ASIAN VEHICLES BLUE FLUID



**50/50**  
#78015

**INDUSTRY-LEADING PROTECTION**  
From Engine-Damaging  
Rust & Corrosion  
**15 YEARS/560,000 KM FLUID LIFE**

**PRESTONE MAX ANTIFREEZE + COOLANT**  
N. AMERICAN VEHICLES ORANGE FLUID



**50/50**  
#78221

**INDUSTRY-LEADING PROTECTION**  
From Engine-Damaging  
Rust & Corrosion  
**15 YEARS/560,000 KM FLUID LIFE**

**PRESTONE ANTIFREEZE + COOLANT**  
ALL VEHICLES



**CONCENTRATE**  
#71621

**INSTANTLY PROTECTS AGAINSTS  
RUST & CORROSION**  
**10 YEARS/500,000 KM FLUID LIFE**

**Prestone**  
ANTIFREEZE + COOLANT

ca.prestone.com



**PRESTONE POWER STEERING FLUID + STOP LEAK**

- ✓85,000 KM FLUID LIFE
- ✓ANTI-WEAR PROTECTION  
Increased System Life

PART#	PACK
77512	6/355 mL
77497	6/946 mL



**PRESTONE SYNTHETIC POWER STEERING FLUID - N. AMERICAN,  
EUROPEAN & ASIAN**

- ✓160,000 KM FLUID LIFE
- ✓2X ANTI-WEAR PROTECTION

AMERICAN VEHICLES	PACK
77463	6/355 mL
ASIAN VEHICLES	PACK
77471	6/355 mL
EUROPEAN VEHICLES	PACK
77489	6/355 mL



**PRESTONE BRAKE FLUID - DOT 3**

- ✓85,000 KM FLUID LIFE
- ✓PREVENT OVERHEATING & BRAKE FADE  
With High Grade Formula

DOT 3	PACK
77405	6/355 mL
77421	6/946 mL



**PRESTONE BRAKE FLUID - DOT 4**

- ✓85,000 KM FLUID LIFE
- ✓PREVENT OVERHEATING & BRAKE FADE  
With High Grade Formula


DOT 4	PACK
77439	6/355 mL
77447	6/946 mL







# ALL VEHICLES ANTIFREEZE + COOLANT



**MAXIMUM  
ENGINE PROTECTION\***

GUARANTEED FOR  
**ALL VEHICLES**  
Makes, Models & Years

- ✓ **15 Years / 560,000 km Fluid Life\*\***
- ✓ **Extreme Protection** - Freeze & Boil Over
- ✓ **Industry-Leading Protection**  
From Engine-Damaging Rust & Corrosion

## Industry Leading Protection From Engine-Damaging Rust & Corrosion

**Prestone®**

vs

Engine Water Pump

ASTM Water Pump  
**300 HOUR**  
High Stress Test<sup>1</sup>

**Ordinary Coolant**

✓ **CLEAN** = IMPROVED PERFORMANCE & LONGER ENGINE LIFE

<sup>1</sup>ASTM Water Pump part tested to 300 hrs / high stress test.

✗ **DIRTY** = COSTLY REPAIRS



# Celsius® by Prestone® ALL MAKES ALL MODELS Antifreeze + Coolant



### Extended Life Antifreeze

- Protects Against Rust, Grime & Corrosion
- Long-lasting inhibitors guard against extreme temperatures (+129°C to -37°C) and the effects of rust corrosion, and premature water pump failure
- Works with all Antifreeze+Coolant Colours



CONCENTRATE	PACK	UPC
11551	6/3.78 L	6 20235-11551 7
11568	205 L	6 20235-11568 5

READY TO USE	PACK	UPC
11576	6/1 gal.	6 20235-11576 0

## Why Prestone® Antifreeze + Coolant



### Advanced Protection

Our advanced technology, backed by a Longer Engine Life Guarantee 10-year/300,000-mile formula, protects the cooling system from buildup and corrosion, providing maximum value for your vehicle.



### Protect Your Family

The inconvenience of a vehicle breaking down is bad enough, even worse if your kids are in the car. Prestone® Antifreeze+Coolant protects you from these experiences by preventing engine part failure.



### Protect Your Investment

Our innovative technology prevents rust and corrosion, keeping your car running optimally and helping you avoid costly engine repairs down the road.

\*Over the total life of the coolant \*\*Fluid guaranteed for the life of your vehicle: This product is guaranteed for up to earlier of 15 years/ 560,000 km of vehicle life under normal driving conditions when a complete cooling system flush and fill is performed, and proper cooling system maintenance is followed. Always follow vehicle owner's manual for top off requirements, change intervals and specified maintenance. Prestone.com or 1-888-269-0750 for all guarantee requirements and limitations. †Fluid guarantee and manufacturer warranty protection may not apply to hybrid or electric vehicles. Refer to vehicle manufacturer for proper coolant choice and recommended service intervals. PRESTONE® is a registered trademark of Prestone Products Corporation. All other marks are those of their respective owners.





**RISLONE BLOCK SEAL LIQUID COPPER INTAKE & RADIATOR STOP LEAK**

31109  
Seals larger leaks regular stop leaks won't. One step formula permanently repairs leaks in gaskets, radiators, heater cores, intake manifolds, blocks, heads and freeze plugs. Use on cars, trucks, vans, SUV's and RV's. One "1" Step Sealer contains an antifreeze compatible sodium silicate liquid glass formula, so no draining of the cooling system is required. It will not harm the cooling system when used properly. Use with all types of antifreeze including conventional green or blue (Silicate-based) and extended life red/orange or yellow (OAT / HOAT) coolant.



**RISLONE BLOCK SEAL HEAD GASKET FIX**

31111  
The easiest solution to stop head gasket coolant leaks. No draining of the cooling system is required. This formulation contains a combination of antifreeze compatible sodium silicate sealing liquid and various size gasket sealing particles which penetrate gaps & cracks and harden to permanently stop leaks. This seals because of the extreme heat inside the combustion chamber (2760°C) that works as a catalyst to permanently harden the material to make it stronger than the actual head gasket itself. Your vehicle is a good candidate for this product if it can idle for 20 minutes without overheating or having to add coolant. Use on ALL water cooled gasoline and diesel engines. Heavy duty formula works on aluminum and cast iron heads & blocks, along with sealing all other engine cooling system leaks better than a traditional stop leak.



**RISLONE HIGH MILEAGE COOLING SYSTEM REPAIR**

31150  
Twice the performance of other products by not only stopping cooling system leaks, but adding future protection. It is scientifically formulated to stop coolant leaks, thereby reducing antifreeze loss, while correcting other cooling system problems helping to prevent costly repairs and breakdowns. In addition, Cooling System Repair contains Xtreme Cool™ which stops overheating and reduces water temperature. Works on all 4, 6, 8, and 10 cylinder vehicles and in any gasoline, turbocharged and diesel engines. . Use with ALL types and colours of antifreeze coolant and / or water. For most vehicles leaks stop instantly. For many vehicles, this is your last chance before paying an expensive repair bill or replacing the vehicle.



**RISLONE LIQUID ALUMINUM RADIATOR & HEATER CORE STOP LEAK**

31186  
The best radiator stop leak money can buy. Scientifically formulated to permanently seal coolant leaks that are the cause of most overheating problems. Liquid Aluminum contains Xtreme Cool™ which stops overheating and reduces water temperature. Liquid Aluminum™ is part of the next generation stop leak line. It will safely and easily seal leaks in plastic, aluminum and metal (copper / steel) radiators, heater cores, gaskets and freeze plugs. Works in cars, trucks, vans, SUV's and RV's. Use with all types of coolant including yellow, orange, pink, red, blue and green silicate based & non-silicate based OAT / HOAT antifreeze and/or water. . For most vehicles leaks stop instantly.



**RISLONE TRANSMISSION FIX**

34515  
Rislone Transmission Fix is a synthetic-blend treatment for the transmission fluid, seals, metal surfaces, bands and clutch plates. Global domestic / import formulation can be used in all automatic, manual, CVT & DCT transmissions.  

- Seals Leaks in All Transmissions
- Performance Additive Booster
- Anti-Wear Agents
- Cleaning Detergents



**RISLONE RADIATOR STOP LEAK**

31199  
Rislone® Original Rhizex®Formula Cooling System Radiator Stop Leak seals internal, external and coolant-to-oil leaks. Works safely and effectively on plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Compatible with both conventional silicate-based and extended life (OAT/HOAT) antifreeze, all types and colours. Can also be used in straight water.



**RISLONE JACK OIL WITH STOP LEAK**

32012  

- Works in all floor and bottle jacks
- Mixes with all approved types of hydraulic jack oils
- Repairs jack leaks
- Also works with all snow plow fluids

This product was designed to seal leaks caused by wear and time. If you often need to add oil to your jack, it probably has a leak. The product revives old jacks and prevents leakage on new jacks. Non corrosive. Does not create blocking. Does not foam.



**RISLONE HEAD SEAL BLOWN HEAD GASKET REPAIR**

31136  
Rislone Head Seal Blown Head Gasket Repair is the fastest, safest way to solve your vehicle's coolant-related head gasket issues. Your vehicle is a good candidate for this solution if it can idle for 15 minutes without overheating or having to add coolant. Use with ALL types of 50-50 mix coolant including yellow, orange, pink, red, blue and green silicate based & non-silicate based (OAT / HOAT) antifreeze, and/or water. Unlike other products, no draining or thermostat removal is required. Works with ALL gasoline and diesel engines. This also is the best additive to use in all racing applications.



**RISLONE ENGINE TREATMENT**

34102  
34100-5 (5 Gallons)  
The product that made Rislone famous. It used to be called "a tune-up in a bottle," and was the very reason the phrase "tune-up" was invented. No joke — this is where all that started.  
Fast forward to today: eating clean and healthy foods ensures that our bodies perform at their best. The cleaner we keep our system, the better it runs. This is true for our cars as well. A cleaner engine is a better-lubricated engine with less friction and wear. Our famous, award-winning Rislone Engine Treatment does just that. This product contains high quality penetrating lubrication oil, combined with protective engine additives and special cleaning agents. It's like a healthy diet for your car.



**RISLONE HIGH MILEAGE ENGINE REPAIR**

34110  
The common element between all of the engine components is the oil. Oil is the life-blood of the engine and is pumped under pressure to all the moving parts. The two main parts needing oil for lubrication are the bearings and pistons. As the engine ages and gains more miles, the oil alone can't do the job. Internally, parts don't fit as tightly as they originally did which causes noise and loss of power. Bearings wear down, seals leak, lifters tick, blow-by passes around tired rings, and power is lost. When installed, Engine Repair helps to stop and prevent these problems and will also extend the useful life of your engine. Engine oils are generally used to reduce friction between moving parts. In addition to lubricating, motor oil must cool, provide corrosion protection and be a method of removing contaminants.



**RISLONE HIGH MILEAGE OIL SUPPLEMENT / STABILIZER**

34200  
Rislone® Hy-per Lube® Engine Supplement / Oil Stabilizer is a 100% premium base oil and petroleum-extracted high kilometre / mileage treatment additive blend that works with all motor oils including conventional, high kilometre and synthetic formulas to make older, high-kilometre and high-performance engines run better and last longer.







**RISLONE OIL SEAL ENGINE OIL BURNING & LEAK REPAIR**  
34235

Your vehicle is a good candidate for this solution if it does not consume more than one liter of oil per day. We have designed this product to work in all gasoline and diesel engines including turbocharged, EcoBoost™, hybrid and even racing engines. This covers 3, 4, 5, 6, 8 and 10 cylinder engines in all cars, trucks, vans and SUV's. Our product can also be used in heavy-duty applications referencing the appropriate dosage level. This applies to a wide range of other motor applications too: tractors, boats, RV's, motorcycles (including wet clutch), ATV's, lawn equipment.



**RISLONE REAR MAIN SEAL REPAIR CONCENTRATE**  
34240

Most rear main seal leaks are caused by a combination of normal wear in the crankshaft & seal and the drying, hardening and shrinking of the main seal. Rislone Concentrated Rear Main Seal Repair restores the seal to like new condition and also contains additives to stop leaks in severely worn seals and crankshafts. Works with ALL gasoline and diesel engines using conventional, high mileage and synthetic oil.

- Rislone – World's Most Trusted Stop Leak Brand Since 1921
- Stops ALL Oil Leaks
- Seals Timing Cover, Cam Seal, Rear Main, and Other Hard to Stop Oil Leaks

Specifically designed to seal rear main leaks, but also works better than a conventional stop leak on all other leaks. This includes the timing cover seal, cam seals, O-Rings and other gaskets.



**RISLONE SUPER LEAK FIX**  
34305

Rislone Super Leak Fix is formulated to work in multiple systems including all Engine Oil, Transmission, Power Steering, Hydraulic and Differential & Gear.



**RISLONE ONE SEAL STOP LEAK**  
34334

Rislone One Seal multipurpose stop leak effectively seals all minor engine oil, transmission and power steering system leaks. It's specifically designed to stop seal and gasket leaks caused by normal wear and age.



**RISLONE HY-PER LUBE ZINC ZDDP SUPPLEMENT**  
34405

Rislone Hy-per Lube Zinc ZDDP Supplement is a petroleum oil performance “booster” containing ZDDP (zinc dialkyldithiophosphate) Zinc and Phosphorous EP (extreme pressure) additives along with mixed esters to help protect internal engine components including pistons, flat tappet camshafts, lifters, pushrod tips and the rest of the valve train.



**RISLONE RING SEAL SMOKE REPAIR**  
34416

Stops Blue Exhaust Smoke; Reduces Oil Burning; Seals Worn Pistons & Rings; Add to Engine Oil Anytime Seeing smoke? Don't panic. Simply put your car through the Rislone Regimen to get it back to its healthy state. Our Ring Seal Smoke Repair is formulated to help stop blue exhaust smoke, reduce oil burning and prevent plug fouling caused by blow-by.

Blow-by is usually caused by gaps in internal engine parts resulting from excess wear. Rislone's Ring Seal Smoke Repair contains viscosity improvers that thicken the oil film, filling these gaps. It also provides a seal for worn pistons and rings and cushions engine parts to reduce wear and friction. In other words, it's a car lifesaver in a bottle.



**RISLONE HIGH MILEAGE TRANSMISSION REPAIR**  
34540

Reduces rough shifting and friction, while eliminating slip, controlling temperature, and repairing shudder, chatter and whining.

- Restores Performance
- Reduces Heat, Friction & Stabilizes Fluid
- Stops Leaks, Slipping & Rough Shifting
- Adds Protection



**RISLONE HIGH MILEAGE POWER STEERING REPAIR**  
34650

Unique dual cavity bottle contains a combination of the best performance additives to repair the most common power steering fluid related problems.

- Restores Performance
- Reduces Noise & Smoothes Out Hard Steering
- Stops Leaks and Reconditions Rack & Pinion
- Adds Protection



**RISLONE HY-PER FUEL COMPLETE FUEL SYSTEM CLEANER GAS**  
34700

Improves the quality of gas by increasing its cleaning ability, adding lubrication, removing contaminants, reducing spark knock, and helping to prevent the fuel from going bad.

- Increases power, performance, mileage and saves gas by cleaning & lubricating the complete fuel system
- Helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation



**RISLONE CAT COMPLETE FUEL, EXHAUST & EMISSIONS SYSTEM CLEANER**  
34720

CAT COMPLETE™ Fuel, Exhaust & Emissions System Cleaner has high-performing detergents and heavy duty cleaning solvents that effectively scrub and remove contaminants, soot, carbon build-up, and oily residue from the fuel injectors, combustion chambers, turbo, EGR, catalytic converters, oxygen sensors and the exhaust system. These along with other active chemical agents, react with the gases created in the combustion process to remove the remaining inorganic deposits. This process restores their function and with regular use maintains efficiency.



**RISLONE HY-PER DIESEL COMPLETE FUEL SYSTEM CLEANER**  
34740

Improves the quality of diesel fuel by increasing its cleaning ability, adding lubrication, removing contaminants, fighting corrosion, and helping to prevent the fuel from gelling & going bad.

- Increases power, performance, and mileage and saves fuel by cleaning & lubricating the complete fuel system
- Decarbonizer – Removes sticky internal deposits as well as “coking” hard deposits
- Cold Flow Improver
- Water Remover • Sulfur Substitute and Friction Modifier • Helps eliminate black smoke, fuel gelling, clogged injectors, rough idle and hard starting



**RISLONE DPF CLEAN DIESEL DPF, EXHAUST & EMISSIONS SYSTEM CLEANER**  
34744

DPF CLEAN™ Diesel DPF, Exhaust & Emissions System Cleaner has high-performing detergents and heavy duty cleaning solvents that effectively scrub and remove contaminants, soot, carbon build-up, and oily residue from the fuel injectors, combustion chambers, turbo, EGR, catalytic converters, diesel particulate filter and the exhaust system. These along with other active chemical agents, react with the gases created in the combustion process to remove the remaining inorganic deposits. This process restores their function and with regular use maintains efficiency.







rustcheck.com



ESTABLISHED SINCE 1972  
CANADA'S #1 EXPERTS  
**RUST CONTROL**



#### RUST INHIBITOR

- 1043 - 180 g
- 1054 - 350 g
- 1044 - 4 L
- Protects new & old metals
- Deep penetrating and long lasting

- Lubricates and prevents seizing



#### COAT & PROTECT

- 10025 - 350 g
- 10024 - 4 L
- For new and used vehicles
- Prevents rust & corrosion
- Non-drying
- Resists severe weather conditions



#### RUST KILLER

- 11001 - 236 ml
- 11000 - 350 g
- Rust preventive coating
- Provides a primed surface for topcoats
- Apply directly over rust
- No sanding required

#### INNER PANEL PROTECTANT (RUST INHIBITOR)

- RC 5010 - 830 ml
- 1045 - 18.9 L



- Penetrates into crevices
- Displaces moisture
- Prevents rust & corrosion
- Protects seams & joints

#### COAT & PROTECT

- CP 6010 - 830 ml (Amber)
- 9997B - 18.9 L (Black)
- 10023A - 18.9 L (Amber)



- For new and used vehicles
- Prevents rust & corrosion
- Non-drying
- Resists severe weather conditions

#### RUST CONVERTER

- 11005 - 236 ml
- 11006 - 283 g



- Converts rust to
- A paintable primer
- Primer on all metal surfaces
- Leaves protective coating



#### ASPHALT UNDERCOATING

- 11010 - 495 g
- Protects against rust & chipping caused by stones and debris
- Repair scars and tears
- Ideal for chassis and wheel wells
- Multipurpose car/truck & recreational vehicles



#### RUBBERIZED ASPHALT UNDERCOAT

- 11011 - 550 g
- Flexible when dry to resist chipping
- Soundproof and insulates
- Ideal for trunks, floor pans, frames & under carriages



#### RUST PAINT 340 g

- Outstanding Gloss Retention
- Durable Finish
- Fast Dry
- For Clean or Rusted Metal
- No Primer Required
- 21012 - 340g (John Deere Green)
- 21013 - 340g (Ford Blue)
- 21014 - 340g (International Red)
- 21015 - 340g (John Deere Yellow)
- 21016 - 340g (Old Cat Yellow)
- 21017 - 340g (New Cat Yellow)
- 21423 - 340g (White)
- 21425 - 340g (Black)
- 21426 - 340g (Flat Black)
- 21427 - 340g (Red)
- 21431 - 340g (Holland Yellow)
- 21434 - 340g (Aluminum)
- 21440 - 340g (Silver Grey)
- 21420 - 340g (Red Oxide Primer)
- 21421 - 340g (Grey Primer)



#### HI-BUILD STONE SHIELD UNDERCOAT

- 11008 - 550 g
- Formulated for professionals
- Ideal for rocker panels
- Optimum rubber content for maximum protection
- Paintable when dry
- Durable yet resilient to resist chipping



#### RUST COAT

- 10026 - 420 g
- Heavy duty rust and corrosion protection
- Lubricates and prevents seizing
- Long lasting and deep penetrating



#### RUST CHECK COUNTER DISPLAY

- BXRCCD
- Counter display with header
- Holds 24 cans



#### PROFESSIONAL ANTI-CORROSION GUN KIT

L015-201

- Gun Kit with
- 1L Container
- 45° Hook Wand
- 90° Hook Wand
- 360° Flex Wand
- Round and Flat Spray Nozzle



#### SALT OFF WASH SALT & BRINE NEUTRALIZER

- 110021 - 650 ml (R. T. U.)
- 110023 - 3.78 L
- Neutralizes road salt and brine from vehicles, trucks, RV's, and equipment without harming painted or finished surfaces
- Concentrated formula can be diluted for many other uses



#### ENVIRO RUST WASH SAFE AND EASY RUST REMOVER AVAILABLE IN LIQUID & GEL

- 11004 - 1 L (Liquid)
- 11012 - 3.78 L (Liquid)
- 10013 - 1 L (Gel)
- 10014 - 3.78 L (Gel)
- Safe and Easy to Use
- Non Corrosive
- No VOC's



## SILVERSTAR® ULTRA

### FARTHEST Downroad + Whiter Light\*

- Whiter light\*
- Most light downroad\*
- More sideroad visibility\*
- For ULTRA night vision
- Does not increase glare

SWITCH TODAY. SEE BETTER TONIGHT.



### SILVERSTAR®

#### FARTHER Downroad + Whiter Light\*

- More light downroad\*
- Improved sideroad visibility\*
- Does not increase glare



### XTRAVISION®

#### Farther Downroad\*

- More light downroad\*
- Does not increase glare



### ZXE®

#### HID Attitude // Xenon Fueled

- Perfect balance of style and performance
- Cobalt blue nano coating technology delivers our whitest halogen light\*
- Mirror top alloy coating



**SYLVANIA**

Now available at the Edmonton Distribution Centre

\*Compared to SYLVANIA BASIC \*\*See package for details





## SYLVANIA LED HEADLIGHTS

Direct LED replacements\* for existing halogen bulbs. No filament to break. No glass. Just pure white light to enhance your nighttime driving experience.

**2 YEAR WARRANTY\***



9003/H4 9005

## ZEVO® LED HEADLIGHTS

Direct LED replacements\* for existing halogen bulbs. 6000K cool white light. Advanced thermal management for maximum performance and life.

**5 YEAR WARRANTY\***



9003/H4 9005 9006



9006 H1 H7 H9 H11



9007 9012 H1 H11 H13 H7 H9



### SYLVANIA LED

- Direct replacement for incandescent bulbs
- Outlasts incandescent bulbs
- Low power consumption



### ZEVO® LED

- LIFETIME WARRANTY\*\*
- Direct replacement for incandescent bulbs
- Super bright
- No polarity

\*May not fit all vehicles. Heatsink requires 25mm of extra clearance. Your vehicle may require an adapter and/or anti-flicker harness. See sylvania.com or packaging for warranty details.

**SYLVANIA**




Triple C Rubber and Plastics

triplecmudflaps.com



**PYRAMID WHEEL CHOCK**  
671-1047  
6 x 10 x 8



**CONTOUR WHEEL CHOCK WITH HOOK**  
671-1048  
8 x 7 x 10"



**WHEEL CHOCK WITH SAFETY HANDLE**  
671-1050  
8 x 10 x 7.5"



**HEAVY DUTY TRIPLE HEADER MUD FLAP**  
671-4093  
24 x 24 / 27 / 30"  
Stock one mud flap, cuts down to 2 other sizes



**MUD FLAPS**  
671-4580  
24 x 18"  
  
671-4590  
24 x 24"



**CHEVRON MUD FLAPS**  
671-4583  
24 x 30"  
  
671-4585  
24 x 36"  
  
671-4588  
24 x 24"

Fits truck bodies, tow trucks, HD trucks & trailers

### PERSONALIZED MUDFLAPS WITH YOUR NAME AND LOGO!

Advertise Your Company!

Your company name and logo!



**MUD FLAPS**  
671-8156-01  
9 x 16"

Fits large cars, Pickup trucks, SUVs, Jeeps, and Vans.





**TRIPLE HEADER MUD FLAP**  
671-8093-01  
24 x 24 / 27 / 30"

Your company name and logo!







TotalEnergies Marketing Canada Inc.

TotalEnergies Marketing Canada Inc. has been a **specialist in the marketing of high-performance lubricants and greases** for the automotive and industrial markets since 2007, with 90% of our products manufactured in Canada.



PRODUCTS FOR EUROPEAN VEHICLES    ADVANCED SYNTHETIC TECHNOLOGY

	Product	Code	Format	Manufacturers	Motorizations	Manufacturers' Approvals
Quartz Ineo Xtra 0W-20		226005	1L	Volkswagen Audi Porsche Ford	2.0 TSI	VW 508.00/509.00, Porsche C20, Ford WSS-M2C-956-A1
		226006	5L			
		†217884	60L			
		†214228	208L			
Quartz Ineo Xtra Dynamics 0W-20		226003	1L	Aston Martin BMW Ford	AM TT V12 BMW 2.0T, FORD 1.5L, ECOBUE	ASTON MARTIN Twin Turbo V12 engines (AE31): Service fill approved, BMW LL-17 FE+ Suitable for Ford WSS-M2C-952-A1
		226004	5L			
Quartz Ineo and Quartz 9000 0W-30		216246	1L	Volkswagen Audi Porsche BMW	2.0 TFSI, OLDER BMW 2.0 AND 3.0 ENGINE	VW 504.00/507.00, Porsche C30, BMW LL-04 MB-Approval 229.52
		214225	5L			
		†206716	208L			
		213767	1L	Mercedes Volkswagen Audi BMW Volvo	OLDER BMW 2.0 AND 3.0 ENGINE, MB M270 TO M278	MB-Approval 229.5, VW 502.00/505.00, VOLVO VCC 95200356
		213686	5L			
Quartz 9000 0W-40		213988	1L	Aston Martin Mercedes Volkswagen Audi Ford BMW Mopar	AM NA V12 AM TT V8 OLDER BMW 2.0 AND 3.0 ENGINE, MB M270 to M278, SRT ENGINE	ASTON MARTIN: Approved for 4.0L Twin Turbo V8 & 6.0L V12 Naturally aspirated engines, MB-Approval 229.5, MB-Approval 226.5, VW 502.00/505.00, Ford WSS-M2C937-A, BMW LL-01
		213989	5L			
		†195024	208L			
Quartz Ineo 5W-30		219166	1L	Volkswagen Audi BMW Mercedes Porsche	2.0 TFSI, OLDER BMW 2.0 AND 3.0 ENGINE, MB BLUETEC	VW 504.00/507.00 BMW LL-04, MB-Approval 229.51/229.52/229.31, Porsche C30
		219167	5L			
		180859	60L			
		†180858	208L			

†Special Order

PRODUCTS FOR EUROPEAN VEHICLES    ADVANCED SYNTHETIC TECHNOLOGY

	Product	Code	Format	Manufacturers	Motorizations	Manufacturers' Approvals
Quartz Ineo 5W-30		228733	1L	BMW Mercedes GM (General Motors) Volkswagen Audi Kia	Various engines, MB M270 to M278, MB BLUETEC, OLDER GM DIESEL	BMW LL-04, MB-Approval 229.52, Suitable for VW 505.01, Meets the requirements of GM dexos2™ Recommended by Kia
		228735	5L			
		228736	60L			
		228734	208L			
Quartz Ineo & Quartz 9000 5W-40		†220194	1L	BMW Mercedes Volkswagen Porsche GM (General Motors)	Various engines, MB M270 to M278, MB BLUETEC, OLDER GM DIESEL	BMW LL-04, MB-Approval 229.52, VW 511.00, Porsche C40, Meets the requirements of GM dexos2™
		†220193	5L			
		218534	60L			
		†218535	208L			
		219095	1L	BMW Mercedes Volkswagen Audi Porsche	Various engines, OLDER AUDI 2.0T AND 3.0T, MB M270 to M278, OLDER BMW 2.0 AND 3.0 ENGINE	BMW LL-01, MB-Approval 229.5, VW 502.00/505.00, Porsche A40, Meets the requirements of Chrysler MS-12991
		219094	5L			
Quartz 9000 0W-30		191684	60L			
		†191681	208L			
		†227601	1L	Hyundai Kia	1.6 gdi, 2.0t	Recommended by Kia
		†227604	5L			
Quartz Ineo 10W-60		227600	60L			
		†227589	208L			
Quartz Ineo 10W-60		†218343	1L	Aston Martin BMW	AM NA V8, BMW M-series	ASTON MARTIN V8 naturally aspirated engines: service fill approved, Meets the requirements of BMW M-Series

\*Available in tote format, please contact your TotalEnergies representative for more detail.

PRODUCTS FOR NORTH-AMERICAN/ASIAN VEHICLES    ADVANCED SYNTHETIC TECHNOLOGY

	Product	Code	Format	Manufacturers	Motorizations	Manufacturers' Approvals
Quartz Xtra 0W-8/0W-20		228647	1L	Toyota Mazda Nissan Mitsubishi	Toyota Naturally aspirated 4-cyl from 2023	Jaso GLV-1
		228648	5L			
		†228619	208L			
		228317	1L	GM (General Motors) Jaguar Mercedes	3.0D, 2.0T	 Jaguar Land Rover STJLR 03.5006, MB-Approval 229.71, Ford WSS-M2C-952-A1
		228318	5L			
		†228342	208L			
		228553	1L	GM (General Motors) North-American, European and Asian	GM GASOLINE	 Ford WSS-M2C-962-A1
		228556	5L			

†Special Order







PRODUCTS FOR NORTH-AMERICAN/ASIAN VEHICLES






ADVANCED SYNTHETIC TECHNOLOGY

Product	Code	Format	Manufacturers	Motorizations	Manufacturers' Approvals
Quartz Xtra 0W-8/ 0W-20	Quartz 9000 Xtra Future FGC* 0W-20	228552	60L	GM (General Motors) North-American, European and Asian	GM GASOLINE  Ford WSS-M2C-962-A1
		228551	208L		
Quartz 9000 5W-20/5W-30	Quartz 9000 Future XT 5W-20	219090	1L	All Manufacturers	MULTIPLES  Ford WSS-M2C960-A1
		219091	5L		
		223905	60L		
		223904	208L		
	Quartz 9000 Future FGC* 5W-30	228510	1L	GM (General Motors) North-American, European and Asian	GM GASOLINE  Ford WSS-M2C-961-A1
		228489	5L		
		228487	60L		
		228486	208L		
Quartz 9000 Xtra 0W-16	Quartz 9000 Xtra Future XT 0W-16	219207	1L	Subaru Honda Toyota Nissan Mazda Suzuki	MULTIPLES  —
		219208	5L		

\*Available in tote format, please contact your TotalEnergies representative for more detail.

PRODUCTS FOR HEAVY-DUTY VEHICLES

FULLY SYNTHETIC & SYNTHETIC-BLEND

Product		Code	Format	API	Advantages	Meet the requirements	
Rubia Optima 1500	Rubia Optima 1500 0W-40		219115	19L	CK-4/SN	<ul style="list-style-type: none"><li>• Formulated with LOW-SAPS technology</li><li>• Excellent shear stability</li><li>• Improved oxidation stability</li><li>• Exceptional aeration control</li><li>• Exceptional detergent, dispersant and anti-wear additives</li></ul>	Cummins CES 20086
			+217666	208L			
	Rubia Optima 1500 5W-40		209528	19L	CK-4 CJ-4 CI-4 Plus CH-4		Mack EOS-4.5 Volvo VDS-4.5 Renault Trucks RLD-3 Ford WSS-M2C 171-F1 Cummins CES 20086 DDC DFS 93K222
			209434	208L			
	Rubia Optima 1500 FE 5W-30		+209529	19L			Mack EOS-4.5 Volvo VDS-4.5 Renault Trucks RLD-3 Cummins CES 20086 Detroit Diesel 93K222
			+209419	208L			
Rubia Optima 1300	Rubia Optima 1300 FE 10W-30		213011	19L		<ul style="list-style-type: none"><li>• Formulated with LOW-SAPS technology</li><li>• Excellent shear stability</li><li>• Improved oxidation stability</li><li>• Exceptional aeration control</li><li>• Exceptional detergent, dispersant and anti-wear additives</li><li>• Save up to 3% fuel with FE technolog</li></ul>	Mack EOS-4.5 Volvo VDS-4.5 Renault Trucks RLD-3 Ford WSS-M2C 171-F1 Cummins CES 20086 DTFR 15C100
			+213012	208L			
	Rubia Optima 1300 15W-40		212994	19L	<ul style="list-style-type: none"><li>• Formulated with LOW-SAPS technology</li><li>• Excellent shear stability</li><li>• Improved oxidation stability</li><li>• Exceptional aeration control</li><li>• Exceptional detergent, dispersant and anti-wear additives</li></ul>		
			212995	208L			

Discover our new  
Fluidsyn ATF/CVT  
Transmission fluid



- Covers **95%** of the light duty automotive fleet
- More **efficient** inventory management
- Superior **high-temperature** protection
- Optimal protection against wear

Learn more:



@ totalenergies\_ca

f TotalEnergies Canada





ULTRA® EPA COMPLIANT CONVERTERS (UNIVERSAL FIT)

PART #	BODY SHAPE	INLET INSIDE DIA.	OUTLET INSIDE DIA.	BODY LENGTH	OVERALL LENGTH
93268	Round	2.50"	2.50"	13.00"	17.50"
93253	Round	2.50"	2.50"	8.00"	11.50"
93203	Round	2.50"	2.50"	8.00"	12.00"
93267	Round	2.25"	2.25"	13.00"	17.50"
93262	Round	2.25"	2.25"	13.00"	17.50"
93266	Round	2.00"	2.00"	13.00"	17.50"
93251	Round	2.00"	2.00"	8.00"	11.50"
93238	Small Oval	2.50"	2.50"	10.00"	13.25"
93237	Small Oval	2.25"	2.25"	10.00"	13.25"
93236	Small Oval	2.00"	2.00"	10.00"	13.25"
93239	Small Oval	3.00"	3.00"	10.00"	13.25"
93303	Large Oval	2.50"	2.50"	13.00"	18.00"
93304	Large Oval	3.00"	3.00"	13.00"	18.00"



Ultra® Converter - 93239

EPA COMPLIANT STANDARD CONVERTERS

PART #	BODY SHAPE	INLET INSIDE DIA.	OUTLET INSIDE DIA.	BODY LENGTH	OVERALL LENGTH
15038	Small Oval	2.50"	2.50"	10.00"	13.25"
15037	Small Oval	2.25"	2.25"	10.00"	13.25"
15036	Small Oval	2.00"	2.00"	10.00"	13.25"
15039	Small Oval	3.00"	3.00"	10.00"	13.25"



Band Clamp (Stainless) - 33276



U-Bolt Clamp - 35775

U BOLT CLAMPS

PART #	SIZE	DIAMETER
35760	3.25"	0.38"
35424	4.50"	0.38"
33304	4.00"	0.38"
35775	5.00"	0.38"
35757	5.00"	0.38"

BAND CLAMPS (ALUMINIZED)

PART #	DIAMETER	TYPE
33978	2.00"	Band, Butt Joint
33979	2.25"	Band, Butt Joint
33310	3.00"	Band, Butt Joint
33312	4.00"	Band, Butt Joint
33974	2.00"	Band, Lap Joint
33975	2.25"	Band, Lap Joint
33976	2.50"	Band, Lap Joint
33284	3.00"	Band, Lap Joint
33967	3.00"	Band, Lap Joint
33285	3.50"	Band, Lap Joint
33968	3.50"	Band, Lap Joint
33969	4.00"	Band, Lap Joint
33286	4.00"	Band, Lap Joint
33970	5.00"	Band, Lap Joint
33288	5.00"	Band, Lap Joint
36434	2.50"	Narrow Band
35227	4.00"	Narrow Band
35228	5.00"	Narrow Band

BAND CLAMPS (STAINLESS)


PART #	DIAMETER	TYPE
33240	2.50"	Band, Butt Joint
33278	3.00"	Band, Butt Joint
33282	5.00"	Band, Butt Joint
33231	2.25"	Band, Lap Joint
33226	2.50"	Band, Lap Joint
33220	2.50"	Band, Lap Joint
33272	3.00"	Band, Lap Joint
33222	3.00"	Band, Lap Joint
33273	3.50"	Band, Lap Joint
33274	4.00"	Band, Lap Joint
33224	4.00"	Band, Lap Joint
33276	5.00"	Band, Lap Joint
33225	5.00"	Band, Lap Joint
35620	2.00"	Flat Strap
35621	2.25"	Flat Strap
35979	2.50"	Flat Strap
35622	2.75	Flat Strap
35978	3.00"	Flat Strap
35977	3.50"	Flat Strap
35976	4.00"	Flat Strap
35975	5.00"	Flat Strap
36438	2.50"	Narrow Band
36439	3.00"	Narrow Band

At Walker®, we offer world-class, engine-to-tailpipe exhaust solutions for light and commercial vehicles, leading the way with an unparalleled level of compliance and precision fit.




BRACKETS & HANGERS

PART NUMBER	MINIMUM ORDER QUANTITY
36516	50
36272	1
35103	1
35004	25
35944	50
36518	50
35957	50
36274	1
35780	1
35600	50




36516




36516




36516




35004




35944




36518




35957



36274



35780



35600





Flex Tube (Aluminized)  
46915



Straight Tubing (Aluminized)  
49045



Pipe Flex Connector - 52252

FLEX TUBES (ALUMINIZED)		
PART #	INSIDE DIA.	LENGTH
46915	4.00"	6.00'
46916	5.00"	6.00'

FLEX TUBES (GALVANIZED)		
PART #	INSIDE DIA.	LENGTH
46971	1.50"	6.00'
46972	1.75"	6.00'
46973	2.00"	6.00'
46974	2.25"	6.00'
46975	2.50"	6.00'
40007	2.50"	25.00'



Flex Tube (Galvanized)  
40007

STRAIGHT TUBING (ALUMINIZED)			
PART #	OUTSIDE DIA.	LENGTH	GAUGE
49045	1.50"	10.00'	17
49046	1.75"	10.00'	17
49069	2.00"	10.00'	13
49047	2.00"	10.00'	16
47972	2.00"	7.50'	16
49048	2.25"	10.00'	14
47973	2.25"	7.50'	14
49049	2.50"	10.00'	14
47974	2.50"	7.50'	14
49195	2.75"	10.00'	14
49065	3.00"	10.00'	13
49159	3.00"	10.00'	14
47963	3.00"	7.50'	14
49160	3.50"	10.00'	14
49161	4.00"	10.00'	14
49099	4.00"	10.00'	16
49162	5.00"	10.00'	14
49064	5.00"	10.00'	16

PIPE FLEX CONNECTORS				
PART #	BUSHING	OVERALL LENGTH	INLET/OUTLET DIA.	FLEX LENGTH
41791	Without	4.13"	1.75"	4.13"
41792	Without	6.13"	1.75"	6.13"
41793	Without	8.25"	1.75"	8.25"
51015	Without	4.00"	2.00"	4.00"
51021	Without	6.00"	2.00"	6.00"
51022	Without	8.00"	2.00"	8.00"
51111	Without	4.00"	2.25"	4.00"
51110	Without	8.00"	2.25"	8.00"
51143	Without	4.00"	2.50"	4.00"
51109	Without	6.00"	2.50"	6.00"
51108	Without	8.00"	2.50"	8.00"
51138	Without	10.00"	2.50"	10.00"
51023	With	8.50"	1.75"	4.00"
41597	With	10.00"	1.75"	6.00"
41452	With	12.00"	1.75"	8.00"
51024	With	8.50"	2.00"	4.00"
51025	With	10.50"	2.00"	6.00"
52252	With	12.50"	2.00"	8.00"
42216	With	13.88"	2.00"	10.00"
51083	With	10.50"	2.25"	6.50"

SOUNDFX® MUFFLERS - UNIVERSAL - FIT								
PART #	INLET INSIDE DIAMETER	OUTLET INSIDE DIAMETER	INLET OFFSET	OUTLET OFFSET	BODY HEIGHT	BODY WIDTH	BODY LENGTH	OVERALL LENGTH
18144	1.75"	1.75"	Offset	Center	3.25"	7.75"	15.00"	20.00"
18102	2.00"	2.00"	Offset	Center	4.25"	8.81"	15.00"	21.50"
17851	2.00"	2.00"	Offset	Center	4.25"	8.81"	16.00"	21.75"
18101	2.00"	2.00"	Offset	Center	4.25"	8.81"	18.00"	25.00"
18105	2.00"	2.00"	Offset	Offset	4.25"	8.81"	18.00"	24.50"



SoundFX® Muffler - 17808



SOUNDFX® MUFFLERS - UNIVERSAL - FIT								
PART #	INLET INSIDE DIAMETER	OUTLET INSIDE DIAMETER	INLET OFFSET	OUTLET OFFSET	BODY HEIGHT	BODY WIDTH	BODY LENGTH	OVERALL LENGTH
18150	2.00"	2.00"	Offset	Center	4.25"	9.75"	16.00"	20.50"
17877	2.00"	2.00"	Offset	Offset	4.25"	9.75"	19.00"	23.50"
17164	2.00"	2.00"	Offset	Center	4.25"	9.75"	19.00"	23.00"
18169	2.00"	2.00"	Offset	Offset	5.00"	5.00"	18.00"	24.00"
18130	2.00"	2.00"	Offset	Offset	6.00"	6.00"	17.00"	24.50"
18129	2.00"	2.00"	Offset	Offset	6.00"	6.00"	25.00"	32.75"
17188	2.00"	2.13"	Center	Offset	4.25"	8.81"	13.00"	17.00"
18107	2.25"	2.00"	Offset	Center	4.25"	8.81"	18.00"	22.75"
18141	2.25"	2.25"	Offset	Offset	4.25"	8.81"	18.00"	23.00"
18106	2.25"	2.25"	Offset	Center	4.25"	8.81"	22.00"	30.00"
17843	2.25"	2.25"	Offset	Offset	4.25"	9.75"	18.00"	23.00"
17808	2.25"	2.25"	Offset	Center	4.25"	9.75"	19.00"	25.75"
17827	2.25"	2.25"	Offset	Center	4.25"	9.75"	25.00"	29.50"
18156	2.25"	2.25"	Offset	Offset	6.00"	6.00"	25.00"	29.25"
17837	2.25"	2.25"	Offset	Offset	7.00"	7.00"	24.00"	29.25"
18177	2.50"	2.00"	Offset	Center	4.25"	8.81"	18.00"	26.00"
18112	2.50"	2.25"	Offset	Center	4.25"	8.81"	18.00"	25.50"
18113	2.50"	2.25"	Offset	Center	4.25"	8.81"	18.00"	26.00"
18176	2.50"	2.25"	Offset	Offset	4.25"	8.81"	20.00"	25.00"
18109	2.50"	2.25"	Offset	Center	4.25"	8.81"	22.00"	30.00"
17853	2.50"	2.25"	Offset	Center	4.25"	9.75"	18.00"	23.00"
18175	2.50"	2.50"	Offset	Offset	4.25"	8.81"	18.00"	23.00"
17197	2.50"	2.50"	Offset	Center	4.25"	9.75"	28.00"	36.50 "
17165	2.50"	2.50"	Center	Offset	5.50"	11.00"	27.00"	31.00"
18138	2.75"	2.75"	Offset	Offset	7.00"	9.00"	24.00"	29.00"
17195	3.00"	2.25"	Center	Offset	4.25"	9.75"	23.00"	28.75"
18160	3.00"	3.00"	Offset	Center	4.25"	9.75"	20.00"	26.50"
18180	3.00"	3.00"	Offset	Center	4.25"	9.75"	22.00"	29.00"
17809	3.00"	3.00"	Center	Offset	4.25"	9.75"	23.00"	29.00"







**WD-40® MULTI-USE PRODUCT**

WD-40 Multi-Use Product protects metal from rust and corrosion, penetrates stuck parts, displaces moisture and lubricates almost anything.  
WD-40® Multi -Use Product - Problem Solved. Job Done Right™



- 02300 226g Smart Straw
- 01144 311g Spray with Big Blast Spray
- 01003 411g PRO Value Size
- 01110 3.785L
- 01204 18.9 Litre Pail



**WD-40® MULTI-USE PRODUCT EZ-REACH W/SMART STRAW 408G**  
02077

- 8" flexible straw bends to keep its shape
- Gets into hard-to-reach places with a precise spray
- Flip straw up for stream and down to spray
- Safety lock prevents accidental discharge



**WD-40® MULTI-USE PRODUCT LUBRICANT W/SMART STRAW 325G**  
02272

- Never lose the straw again®
- Flip straw up for stream and down to spray
- Toolkit friendly
- Safety lock prevents accidental discharge



**WD-40® PRECISION PEN 9ML**  
01301

- Original WD-40 formula now a portable and pocket sized solution for maintenance, auto, construction and skilled trades, DIY projects
- Pinpoint precision every time
- Controlled application



**WD-40® CONTACT CLEANER SMART STRAW 155G**  
01288

- Blast away oil, dirt, flux residue and condensation from sensitive electronics and equipment.
- Our solvent blend is safe on most plastics and metal parts. Test on plastic before using and avoid adhesives, device screens and keyboards.



**WATER RESISTANT SILICONE LUBRICANT SMART STRAW**  
02279

- Lubricates, waterproofs and protects
- Quick-drying with no messy residue
- Effective temperature range from -73° C to 260° C.



**RUST RELEASE PENETRANT SPRAY SMART STRAW**  
02278

- Fast acting
- Helps prevent rust and corrosion from re-forming and leaves behind a lubricating layer
- Penetrates deep into tight crevices, threads and seams to break the bonds that hold stuck parts together



**DRY LUBE SMART STRAW 283G**  
01284

- Quick drying formula is ideal for reducing friction and wear
- Resist dirt, dust and oil
- Ideal for releasing moulded parts



**INDUSTRIAL STRENGTH CLEANER AND DEGREASER**  
02266

- Water-based, non-flammable, non-aerosol cleaner & degreaser with a unique bio-solvent formula engineered to be powerful yet safe for sensitive surfaces.
- Safe for use on aluminum, chrome, glass, plastic, rubber, stainless steel, granite, leather, paint, and much more



**WHITE LITHIUM GREASE SMART STRAW 283G**  
01285

- Withstands 1.5x more pressure than the competition for less frequent re-applications and reduced downtime
- Leaves behind a rust-inhibiting barrier for protection against corrosion
- Effective in a temperature range from -18° C to 149° C



**MACHINE AND ENGINE DEGREASER FOAMING SPRAY**  
01206

- Deep penetrating foaming action
- Quickly removes dirt, grease, and grime to make machine and equipments last longer and look new
- Powerful stream sprays up to 5 feet



**SPRAY & STAY GEL LUBRICANT SMART STRAW 283G**  
01286

- Safe for use on multiple surfaces including metals, plastic and rubber
- Great for gears, bearings, cables, chains, rollers and more without making a mess



**INDUSTRIAL STRENGTH DEGREASER 425G**  
01287

- Solvent-based, spray degreaser that helps you quickly remove stubborn oil, grease, dirt and grime without leaving any residue
- Low fumes, high flashpoint 84.4C, and low run-off





wd40.ca  
3inone.ca



3-IN-ONE  
RV CARE

**SLIDE OUT SILICONE 311G**  
02238

- Features a quick-dry, clear protective film with no messy residue that doesn't attract dirt
- Lubricates, waterproofs and protects against rust and corrosion
- Safe to use on rubber, vinyl and plastic



3-IN-ONE  
RV CARE

**RUBBER SEAL CONDITIONER 311G**  
02290

- Contains UV inhibitors which help prevent cracking and fading
- Long lasting water resistant formula helps reduce friction and wear



3-IN-ONE  
RV CARE

**WINDOW & TRACK DRY LUBE 283G**  
02245

- Provides long-lasting corrosion protection against the elements, helping to prevent future repairs
- Safe to use on most materials, including vinyl and plastic (except clear polycarbonate and polystyrene)
- Helps keep your RV windows and doors sliding smoothly and silently



**MULTI-PURPOSE OIL WITH THE NEW MARKSMAN TWIST SPOUT**  
01216

- Lubricates to reduce friction and smoothens movement of parts and tools
- Extends the life of tools and mechanisms by protecting against corrosion
- Handy container with an easy-to-use directional spout for precise application and no waste.
- Ideal for use on garden tools, hinges, gym equipment, locks, chains, tools, wheels, fans, moving parts around the house, and much more.



3-IN-ONE  
PROFESSIONAL

**PRODUCT BENEFITS AND FEATURES:**

**3-IN-ONE GARAGE DOOR LUBE - 311g**

- High performance lubrication for pulleys, bearings, springs, chains and door tracks. No oily mess. Works fast, quick drying.

**3-IN-ONE SILICONE SPRAY - 311g**

- Ideal for metal-to-metal applications, preventing rust and corrosion, sprays evenly as a liquid and sets dry for a thick, protective coating that won't wash off, high performance lubrication
- Quick drying, no mess formula

**3-IN-ONE PENETRANT SPRAY - 311g**

- Fast acting formula, loosens stuck parts, frees rusted nuts and bolts
- Ideal for use on nuts, bolts, threads, links, chains and rusted things that are stuck and won't move

**3-IN-ONE WHITE LITHIUM GREASE SPRAY - 290g**

- Dries fast and leaves a clear, non-staining film without stickiness or messy residue, safe for temperature ranges between - 73°C to 260°C, non drip formula, water and heat resistant
- Prevents rust and corrosion; long lasting, heavy duty lubricant

02252  
01141  
01140  
01142

01142



worx.ca



PROVIDING  
**SMART IDEAS**  
IN SUSTAINABLE PRODUCTS & PACKAGING

**COST & SUSTAINABILITY ADVANTAGES**



Easy-Fill Dispenser Code 11-9997  
Biodegradable Hand Cleaner



Power Clean Waterless Hand Soap

**2X MORE  
HAND  
WASHES**



PART #	PRODUCT
<b>WORX BIODEGRADABLE HAND CLEANER 950 HAND WASHES PER 3LB SIZE \$0.08 /WASH*</b>	
11-12 24	Biodegradable Hand Cleaner 1.85 oz (5 2.5 g.)
11-1104	Biodegradable Hand Cleaner 1 lb. (454 g.)
11- 2300	Biodegradable Hand Cleaner Stand-Up Pouch 3 lb (1362 g.)
11-2450	Biodegradable Hand Cleaner Stand-Up Pouch 4.5 lb (2040 g.)
11-1650-12	Biodegradable Hand Cleaner 6.5 oz. (184 g.)
11-9965	Biodegradable Hand Cleaner - 1 lb. Dispenser
11-9997	Easy-Fill Dispenser
<b>WORX WATERLESS HAND SOAP &amp; DISPENSER</b>	
36-0432	Power Clean Waterless Hand Soap 32 oz. (945 ml.)
36-0401	Power Clean Waterless Hand Soap 1 Gallon (3.78 L) <b>2X MORE HAND WASHES</b>
26-9999	Walmart Dispenser (Gallon)
<b>WORX POWER CLEAN LIQUID HAND CLEANER &amp; DISPENSERS</b>	
47-0613	Power Clean Liquid Hand Soap 13 oz. (384 ml.)
47-0432	Power Clean Liquid Hand Soap 32 oz. (945 ml.)
47-0401	Power Clean Liquid Hand Soap 1 Gallon (3.78 L)
47-9990	Power Clean Manual Wall Mount Liquid Dispenser (1000 ml.)
47-9995	Power Clean Automatic Countertop Liquid Dispenser (400 ml.)
<b>WORX POWER CLEAN FOAM HAND CLEANER AND DISPENSERS</b> <b>THICK RICH LATHER • LIGHT FRESH SCENT • NO ANIMAL BY-PRODUCTS • NO MICROBEADS OR NUT SHELLS</b>	
48-0613	Power Clean Foam Hand Soap 13 oz. (384 ml.)
48-0432	Power Clean Foam Hand Soap 32 oz. (945 ml.)
<b>ATTAX PRODUCTS &amp; DISPENSERS</b>	
17-0401	ATTAX Light-Duty 4 bottles x 1 gal. (3.78 L.)
18-0401	ATTAX Heavy-Duty 4 bottles x 1 gal. (3.78 L.)
19-1216	ATTAX Heavy-Duty Spray Degreaser 16 oz. (450 g.)



WASH & WAX  
CONCENTRATE



12022 - 20L

41205 - 4L

**Description:**  
A super concentrated, liquid WASH & WAX formulated to quickly and effectively clean all finishes without scratching. Unique foaming action and wax lubricates surface to help prevent unwanted scratches.

GLASS CLEANER

27416 - 990ml

28416 - 4L



**For use on:**  
Windows, mirrors, counter tops, appliances, stainless steel, chrome, fixtures, plexi glass



PRESSURE WASHER  
CLEANER /DEGREASER  
CONCENTRATE

**TOUGH ON**  
Grease, Grime & Stains!



28320 -20L

28316 -4L

CLEANER / DEGREASER



**Uses:**  
Automobiles, garages, marine, RVs, ATVs, motorcycles, household

29416 -20L

26416 -4L

25416 -990ml

ULTRASONIC SOAP  
CLEANING SOLUTION

15711 -4L



PRODUCT	SUPPLIER	PAGE
A/C Chemicals.....	FMSI .....	24
A/C Fittings .....	FMSI .....	23
Abrasives.....	Norton.....	69-70
Adapters.....	FMSI .....	22
Adhesives.....	Dominion Sure Seal .....	16
.....	Gorilla .....	25
.....	Loctite.....	55
.....	NLS Products .....	67
.....	Norton.....	71
.....	Permatex .....	72
Air Conditioning & Cooling .....	CPS/UView/MotorVac.....	10
Air Fresheners .....	Little Trees.....	52
Air Purifier.....	Cliplight .....	6
Anti-Seize .....	Loctite.....	55
Antifreeze .....	Prestone.....	83, 85-86
Automotive fasteners .....	H Paulin .....	39
Batteries .....	Energizer .....	19
Battery Blankets.....	Phillips & Temro .....	79
Battery Cleaner .....	CRC .....	11
Battery connection .....	Grote.....	34
Bearing Mount.....	Loctite.....	53
Bedliner.....	Dominion Sure Seal .....	14
Blades .....	Irwin Tools .....	46
Body Plugs .....	Dominion Sure Seal .....	14
Brackets & Hangers .....	Walker.....	100
Brake Cleaner.....	CRC .....	11
Brake Fluid .....	Prestone.....	84
Brake Lines.....	FMSI .....	22
Brooms.....	M2 Professional .....	59-60
Brushes .....	M2 Professional .....	59-60
Bug Killer .....	CRC .....	12
Cable Ties .....	Pico.....	81
Carpet Stain Remover .....	WD-40.....	103
Ceramic Cooling System Cleaner .....	Ironite .....	40
Chain Oil .....	Irving Blending & Packaging.....	44
Chains .....	Ancra.....	1
Clamps.....	Irwin Tools .....	45
Cleaners .....	CRC .....	11-12
.....	WD-40.....	103
.....	Worx.....	106
Cleaning tools .....	Hopkins.....	38
Cloths.....	Kimberly-Clark .....	51
Coiled Air Products.....	Grote.....	33
Coils .....	FMSI .....	22
Compressor Oil .....	Milton.....	62
Converters.....	Walker.....	99
Coolants.....	Prestone.....	83
Corner Protectors.....	Ancra .....	1
Couplers .....	Milton.....	62
Crimp Tool.....	Pico.....	80
Cutters.....	Pico.....	80
De-icer, windshield.....	CRC .....	11
Degreaser.....	CRC .....	11
.....	Bestbuy Pro .....	107
.....	WD-40.....	104
.....	Worx.....	106
Detailing.....	ArmorAll .....	4



PRODUCT	SUPPLIER	PAGE
	Lucas Oil	57
	Permatex	74
	Bestbuy Pro	107
Disinfectant	Permatex	74
Drill Bits	Lenox	46
Dust Pan	M2 Professional	59-60
Dyes	Cliplight	6
	CPS/UView/MotorVac	9
Electrical	Grote	34
Enamel	Dupli-Color	18
Engine Cleaner	Irontite	40
Engine Repair	Rislone	88
Engine Treatment	Rislone	88
Epoxy	J-B Weld	47
	Permatex	72
Exhaust	Walker	99
Exhaust Fluid	Irving Blending & Packaging	43
Fittings	FMSI	21-24
Flashlights	Energizer	19
Floor Signs	M2 Professional	59
Fluid Film	NLS Products	66
Fuel Additives	CRC	12
	Lucas Oil	57-58
	Rislone	90
Fuel Transfer Pumps	GPI	27-28
Fuse products	Grote	33
Fuses	Docap	17
	Pico	82
Garage Floor Cleaner	Permatex	74
Gasket Maker	Loctite	54
	Permatex	73
Gasket Repair	Rislone	88
Gauges	Milton	63-64
Gear Oil	Irving Blending & Packaging	43
Glass Cleaner	CRC	11
	Permatex	74
	Bestbuy Pro	107
Gloves	Groupe BBH	35-36
Gravel Guard	Dominion Sure Seal	14
Grease	CRC	12
	Irving Blending & Packaging	43
	WD-40	105
Gun (Application)	Dominion Sure Seal	15
Hand Cleaners	Kimberly-Clark	49
	Permatex	74
	Worx	106
Hand Cream	Gorilla	25
Hand Pump	GPI	27-28
Handy Paks	H Paulin	39
Headlights	Energizer	19
	Sylvania	92-93
Heat magnet	Phillips & Temro	78
Heaters	Phillips & Temro	76-78
Hole Saw Kits	Lenox	46
Horns	Fiamm	20
Hose (fuel)	GPI	28
Hose fittings & adapters	Dayco	13

PRODUCT	SUPPLIER	PAGE
Hoses	Continental	8
	Dayco	13
Hydraliners	Phillips & Temro	77
Hydraulic Oil	Irving Blending & Packaging	43
Leak Detection	Cliplight	6
	CPS/UView/MotorVac	9
Leak Repair	Rislone	87
Lifting Slings	Ancra	2
Lighting	Cliplight	6-7
	Grote	29-32
LIT Plug Kits	Phillips & Temro	76
Load Binders	Ancra	2
Lubrication	CRC	11-12
	CRC	11-12
	WD-40	103-105
Motor Oil	Irving Blending & Packaging	41
	Mobil 1	65
	Total	95-97
Mud Flaps	Triple C	94
Nozzle	GPI	27-28
Oil Drip	WD-40	105
Pails	Bestbuy	20
Paint (caliper)	Dupli-Color	18
Paint (engine)	Dupli-Color	18
Paint Remover	Dominion Sure Seal	15
Parts Cleaner	Permatex	74
Penetrants	CRC	11-12
Penetrating Oil	NLS Products	67
Pliers	Irwin Tools	45-46
Plugs	Milton	61
	Slime	72
Power protection	Grote	34
Power Steering Fluids	Lucas Oil	57
	Prestone	84
Primers	Dominion Sure Seal	14
	Dupli-Color	18
Protective Sheeting	Norton	71
Putty	NLS Products	68
Radiator Sealant	Irontite	40
Ratchet Straps	Ancra	2
Ratchet tie downs	Ancra	2
Relays	Docap	17
Repair Fluids	Rislone	87-90
Rope	Groupe BBH	36
Rust Converter	Dominion Sure Seal	15
	Rust Check	91
Rust Paint	Rust Check	91
Rust Proofing	Rust Check	91
	Dominion Sure Seal	15
Rust Protector	Dupli-Color	18
Rust Treatment	NLS Products	67
Safety	Grote	29-32
	Hopkins	37
Safety Glasses	Groupe BBH	36
Saw Blades	Lenox	46
Sealants	Permatex	73
	Dominion Sure Seal	16



PRODUCT	SUPPLIER	PAGE
Sealant (Tire).....	NLS Products .....	66
Shovel.....	Hopkins.....	37
Silicone.....	Loctite.....	54
Snowbrooms.....	Hopkins.....	37
Snowbrushes.....	Hopkins.....	37
Soldering.....	Docap.....	17
.....	Pico.....	80-82
Solenoids.....	Docap.....	17
Squeegees.....	Hopkins.....	37-38
.....	M2 Professional .....	60
Stainless Steel Cleaner.....	Permatex .....	74
Stop Leak.....	Lucas Oil.....	58
Switches.....	Pico.....	80
Tape.....	Dominion Sure Seal.....	16
.....	Pico.....	80
Tees.....	FMSI.....	22
Terminals & Connectors.....	Pico.....	81
.....	Grote.....	33
Test Strips.....	NLS Products .....	68
Threadlocker.....	J-B Weld.....	47
.....	Loctite.....	53
.....	Permatex .....	73
Tie Down Straps.....	Docap.....	17
Tire Repair Kit.....	Slime.....	72
Tissue.....	Kimberly-Clark.....	49
Toilet Bowl Cleaner.....	WD-40.....	103
Torches.....	Bernzomatic.....	5
.....	Pico.....	80
Towels.....	Kimberly-Clark.....	50-51
Tractor Fluid.....	Irving Blending & Packaging.....	44
Trailer Connections.....	Grote.....	34
Transmission Fluid.....	Irving Blending & Packaging.....	42
.....	Lucas Oil.....	57
.....	Mobil 1.....	65
.....	Total.....	98
Trigger Sprayer.....	M2 Professional .....	59
Tubing.....	Pico.....	82
.....	Walker.....	101
Undercoating.....	CRC.....	12
.....	Dominion Sure Seal.....	14
.....	Dupli-Color .....	18
.....	Rust Check.....	91
Unions.....	FMSI.....	22
Urinal Screen.....	M2 Professional .....	59
Valve Caps.....	Milton.....	61
Wheel Chock.....	Triple C.....	94
Wheel Coating.....	Dupli-Color .....	18
Wheel Nuts.....	FMSI.....	21
.....	H Paulin.....	39
Winch Straps.....	Ancra.....	1
Winches.....	Ancra.....	1
Wipes.....	ArmorAll.....	3
.....	Kimberly-Clark.....	49,51
Wire & Cable.....	Grote.....	33
Worklights.....	Cliplight.....	6-7
.....	Energizer.....	19
.....	Grote.....	29-32



The background is a dark blue gradient. A grid of thin, light blue lines is visible, receding towards a horizon line. A bright red glow emanates from the horizon, creating a lens flare effect. On the right side, there are some faint, abstract red and blue shapes.

[www.bestbuydistributors.ca](http://www.bestbuydistributors.ca)